






[illegible]

( ), ( -


( . 1-3).



. 1.



. 2.



. 3.

— AODV , DSR;  
— QoS  
— DSR ;

- AODV- DSR- , AODV -
- QoS ; -
- MANET , .
- AODV DSR , , -
- . -
- . -
- . -
- AODV -
- QoS ad hoc -
- . .
- DSR . AODV , , AODV DSR, -
- AODV DSR. , AODV -
- AODV DSR, -
- . AODV
1. , . : 4- / . . -
- , . : , 2010.
2. Cisco Systems. DiffServ – The Scalable End-to-End QoS Model / Cisco Systems // Cisco IOS Technologies [Electronic resource]. – 2005. – : 15.01.2014.
3. Nohl, A. R, Molnar, G. The convergence of the OSPF routing protocol (Ericsson Res., Ericsson Hungary Ltd., Budapest, Hungary); Source: Periodica Polytechnica Electrical Engineering. – 2002. – V. 47, N 1-2. – P. 89-100.
4. Understanding the protocols underlying dynamic routing. CNET Networks, Inc. Retrieved. – 2008. – P. 10-17,
5. Wendell Odom, CCNP ROUTE 642-902 Official Certification Guide, Cisco Press, 2010.
6. Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications. ANSI/IEEE Std 802.11, 1999 Ed.
7. , . . / . . -
- , . . , . . . – : , 2005. — 592 .
8. , . . " , 2011. – 240 .
9. , . . / . . -
- , . . // . – 2012. – 2. – C. 94-
- 98.

20.07.2013 .