

6. / . . . - . . . , 2006. - 1127 .
 7. / . . . , 1974. - 232 .
 8. / . . . , 1982. - 1. - . 66-68.
 9. / . . . , 1993. - 160 .
 10. / . . . , 1999. - 430 .
 11. / . . . , 1973. - 464 .
 12. / . . . , 1964. - 479 .
 13. / . . .
 14. / . . . , 1971. - 175 .
 15. / . . . , 1968. - 159 .
 16. / . . . , 1984. - 136 .
 17. / . . . , 2005. - . 302-305.
 18. / . . . , 1982. - 1. - . 69-90
 19. / . . . , . . . - . . . , 1993.
- 18.03.2009**

612.393.2:613.26:641.87:633.73:663.9

I.P. KOZIARIN, G.N. LIPKAN

OUR FAVOURITE DRINK. ALL ABOUT COFFEE

Key words: coffee, coffee drinks, chemical composition, use in medicine

Questions of the use of coffee as a food and its medicinal meaning are lighted up in the review. Historical aspects of the use of coffee in the different countries of the world, chemical composition of different sorts of coffee, use as a food product, pharmacological properties, use in folk and traditional medicine, types of falsification of drink and others like that are presented.

582.47/471/477:61.004.14

[15].

[2].

8

30% 130 - Cupressaceae 18
 () - Juniperus - Thuja. Cupressus,
 [19].
 () , 20-30
 Cupressus sempervirens.
 " - ". 28]. [32, 33,
 [6, 14].
 [4]. , [19, 28].
 (: 1) 1971 .
 (,), , [30].
 0,5%
 1986 . ().
 [7, 10].
 " " ,
 [12]. [7, 30].
 cuspidata [3,4]. [26].
 [20, 23,
 25]. [17 , 30].
 [12, 21].
 [21]. ()
 ()
 [8, 10].

- Juniperus
 - Juniperus communis,
 - J. oxycedrus)
 sabina,
 foetidissima,
 - J. exelsa,
 - J. virginiana).
 (")
 « »
 (Fructus Juniperi) 13].
) ()
 ()
 [12, 15, 18].
 [18].
), (^)
 [18].
 [9, 14, 17, 24, 32, 33].
 [6, 31].
 [22].
 [11, 19, 27].
 [16].
 [18].

4
 2 6-12
 (),
 ().
 [12,
 14, 18, 29].
 [19]. e ep i (XIX).
 [19]. (),
 - *Juniperus sibirica* (*J.nana*) - [16].
) [19]. [10].
 30
 [14].
 [16].
 - Thuja.
 6 5-20
 Cupressus, - Juniperus - Taxus,
 - Thuja,
 - *Thuja occidentalis*,
 1. . 41, 3. - . 40-43. // . - 1984,
 3. *Taxus sp./*
 // ., 14 2003 p., . 54. // , 1997. - . 382-386.
 2. 4.
 67 — 1, 2011

1999, 3-4.- 34-36. // *Taxus sp.* / . . . , A.M. -
5. - 2008, 3. - 69-73. //
. . . -X.: . . . , 1991.-428 . / . . . //
6. 20. . . . / -
(. . .) / . . . ,
1971.-278 . in vitro (*Juniperus baccata* L.) / . . .
7. , . . . // -
/ . . . : , 1997. - 151 . 4: , 1999, 4. - 89-94.
8. . . . // 22. / : 1993. - 384 .
14 2003 31. " . . . " /
9. . . . " . . . " , 1996. - 608 .
10. // . . . , 1989. - 304 . A. . . . , 1983. - 398 .
. . . " . . . " // *Taxus*
11. . . . " , -1999.-352 . *baccata* L., / -
- 448 . // . . . , 2004, . 5. - 210-215.
12. . . . 26. 46343, . /
. . . / . . . , 2000. - 704 . A61 21/00. . . . 2001064439, . 25.06.2001.
13. : : , 2000. - 704 15.05.2002. - . 5.
. . . : , 1991. - 336 . / 27. Adams R.P. Variation in the chemical composition
14. : : of the leaf of *Juniperus foetidissima* Willd / R.P. Adams // J.
, 1991. - 544 . Essent. Oil. Res. - 1990. - Vol. 2, 2. - P.67-70.
15. . . . (. . .) / . . . 28. Duke S.A. Handbook of medicinal herbs / S.A.
. . . : , 2005. - 324 . Duke // Florida: CRCpress, inc. Boca Raton, 1987. - 677p.
16. / 29. Kraus M. Atherische Ole fur Korper, Geist und
X.: . . . , 2002. -574 . Seele. Von Angelika bis Zipresse. / M. Kraus // Tausend:
17. . . . Verlag Simon and Wahl, 1993. -153 p.
// . . . , 1951, 10.- 240-244. 30. Fischer-Rizzi Suzanne. Complete
18. : : aromatherapy handbook. Essential oils for radiant-health.
Lycopodiaceae - Ephedraceae/ - 1-7 - Stearling publ. Co. Inc. Neu-York, 1990. - 240 p.
. . . -95, 1996. - 571 . 31. San.Feliciano A. Acetylated lignans from
19. . . . *Juniperus sabina*/A.San. Feliciano, J.M.Miguel del Corral,
M.Gordalisa, M.Angeles Castro // Phytochem. - Vol.28,
2.- 659-660. 32. Valnet S. Phytotherapie.
Cupressaceae - I. Traitements des maladies par les plantes / S. Valnet -
Paris: Maloine.- 1983.-942p.
33. Valnet S. Aromatherapie. Traitements des
maladies par les essences des plantes / S. Valnet. - Paris:
Maloine. - 1984. -545 p.

15.10.2010

582.47/471/477:61.004.14

- Cupressaceae

I.

- Cupressaceae

I. FAMILIES TAXACEAE AND CUPRESSACEAE

Key words: medical using, Taxaceae, Cupressaceae

This article elucidates the state of studying plants class Coniferae, families Taxaceae and Cupressaceae as medicinal plants. The authors gives an accent both to history and up to date aspects of using medicinal raw materials of plants from named families as well as essential oils and other biological active substances extracted from yew, cypress, juniper, thuja in the world medical practice and the expedience of using them in the case of different diseases and pathologic states and also about their possible negative influence upon human organism.

L. DOUDTCHENKO, T. GRABOVA

**USING PLANTS OF THE CONIFERAE CLASS
IN MEDICINE**

: 615.322:615.11(477)

50%.

()

()

[9].

()

[1].

(, ,).

[6, 7].