

... [3], ... [4] ... [2],
(),
 $\frac{3}{4}$
:

1.

2.

(

)

(

),

1)

2)

3)

1)

2)

-

:

1) (/ -), ();

2) :

3) (/), , ,

(/ / ; - /), (/), (./ ; ./);

4) :

.

, : ,)

,

. (). [1]

[2].

:

1. (,); ;

1.1 - .

1.2 - .

2. , ,

2.1 , ,

2.2 .

2.3

2.3.1

2.3.2

2.3.3

2.4

2.4.1

3.

4.

(,)

: 1. / . . - : , 1978. - 135 . 2. // . . - 1978. -
 9. - . 55-58. 3. - 2005. 3 (93). - . 28-48. 4. / . . //
 : - 2010. - 1. - .36-40.

09.10.2013

658.26:334.716

142. : 4 . // « ». : « », - 2013. - 52 (1025). - . 138-

The paper analyzes the existing methods for determining the cost of projected power machines and draw conclusions about the usefulness of aggregate – the nodal model developed using functional – cost analysis . According to the research of technical and economic indicators of the steam heating and condensing turbines were offered a list of primary and secondary indicators to measure the turbine at the design stage.

Keywords: Power engineering, economic evaluation, indicators, cost, economic impact.