

A. Shmatenko

MARKETING DOMESTIC PHARMACEUTICAL MARKET of BANDAGING FACILITIES

Key words: bandaging facilities, wound bandages, pharmaceutical market, assortment

The analysis of assortment of bandaging facilities which are presented at the domestic pharmaceutical market is conducted. Specific gravity of the Ukrainian and foreign producers of wound bandages is certain, segmenting of bandaging materials is executed on the basic methods of their application. On the basis of the conducted researches the utterly limited assortment of modern bandaging facilities is rotined, that allowed to define perspective directions of creation of wound bandages of the Ukrainian production.

:615.322:577.115.3

-
-

(-)

(-) [5].

[3].

(-)

[4].

: - 20-30 , 40-50)

[1,2],

1 , 0,5

[6].
 10
 (): 14:0 -
 , 15:0 - , 16:0 -
 16:1 - , 17:0 - (h - 20-30 , h - 40-50
 18:0 - , 18:1 - , 18:2 -
 , 18:3 - , 20:4 -)

- %

	h - 20-30	h - 40-50				
	8,4	6,2	8,0	10,3	1,6	6,3
15	3,7	2,3	2,7	3,7	0,6	0,9
...	51,2	48,9	51,0	50,2	43,8	42,6
..	3,3	2,4	2,8	3,7	0,6	0,8
17:0	1,4	1,7	1,6	2,1	0,9	1,1
18:0	0,9	1,5	2,1	2,1	1,9	4,3
18:1	6,8	10,0	8,3	4,9	11,4	17,3
18:..	23,3	24,3	22,5	22,2	32,4	23,9
183	0,5	0,4	0,5	0,4	6,5	1,1
7	0,5	2,3	0,5	0,4	0,3	1,7
	65,6	60,6	65,4	68,4	48,8	55,2
	34,4	39,4	34,6	31,6	51,2	44,8
	24,3	27,0	23,5	23,0	39,2	26,7

2% ^=40-50)
 () (40%)
 (20%).

1. 2003.- 368 . //
 , () . 3. :
 -1986.-279 . 4. //
 : , 1991.-
 431 . 5.
 //
 . - 2005.- . 2.- . 130-133.
 6.
 1. // . . . - 2005. - 2. - .86-88.
 , 1981.-256 . **18.10.2010**

:615.322:577.115.3

. (-)
 : , , - ,
 (h-20-30 , - 40-50 , 2010 . ,
 , , , (-)
 : , , - ,
 (h - 20-30 , , h - 40-50 , 2010 . ,
 ,) , ,

N.P. Maksjutina, P.I. Sereda, Z.H. Abudayeh, T.S. Briuzgina

STUDYING OF LIPID COMPLEX FATTY-ACID COMPOSITION OF WILLOWHERB (IVAN-CHAI)

Key words: flowers of willowherb, willow-leaf of willowherb, buds, fatty acids

With the help of gas-liquid chromatography a qualitative and quantitative determination of fatty acid composition of lipid complex of the vegetative part of the willow-herb in different phases of vegetation (leaves h - 20-30 cm, leaves h - 40-50 cm, the leaves during the budding leaves during flowering , buds and flowers), collected in Kyiv region in 2010. The presence of ten fatty acids in each of the objects, three of which are irreplaceable.