

/		
1.	Rp.: Dec. rad. Sanquisorbae 15,0:200 ml D.S. 1	
2.	Rp.: Extr. Sanquisorbae fluidi 30 ml D.S. 30-50	
3.	Rp.: Rhiz. Sanquisorbae 200,0 D.S. ^	8 3
4.	Rp.: Dec. rhiz. Calami 20,0:200 ml D.S.	
5.	Rp.: Inf. rhiz. Calami 15,0:100 ml D.S.	

	+	+	+	+
	+	+	+	+
	+	+	+	+
	+	+	+	+
	+	-	-	+
	+	-	+	+
	-	+	-	+
	+	+	-	+
	+	+	+	+
	+	-	+	+
	-	-	+	+
	-	-	+	+
	+	+	+	+
	+	-	+	-
	+	-	+	-
	-	-	+	-
	+	-	+	-
	+	-	+	+

Bionica » (WDS.,) «R.O.C.S. [3, 5].

[26]. « » (" , - " , - [3].

[13, 19]. «MEXIDOL dent Professional White» (" " ,) [4].

[4]. . 2 [18,21,23,25,28].

«MEXIDOL dent Professional» (" " ,) [4, 8, 20, 22].

» (" " " ,) - « » « » (" 1. / 984. - 76 . 2. " " 3. - 2009. - (23). - 2- // 2009. / 4. , , 2009. - 2224 . A. 2009. - " " / // " " " : - " " , 2009. - . 42-43. 6. / , 20 . - 944 . 7. / « » , 2009. - 272 . 8. // . - 2008. - 6. 9. : / " " " 992. - . 29, 378-379, 408-409. 10. / , 986. - 200 . 11. / // . - 2009. - . 37-40. 12. [.] // / - 2006. - 9. - . 6- . 13. // / - 20 0. - 4. - . 24-26.

4. 2003. - 2 . / : - , - 62. // - 2007. - . 0, 4. - . 9-16. . . . / , // - 20 0. (4). - . 42-44. 17. / : 2003. - . 293-300. 8. Antimicrobial, cytotoxic and antioxidant activity of methanolic extract of *Glycyrrhiza glabra* / Shapna Sultana, Afroza Haque, Kaiser Hamid [et al.]//Agric. Biol. J. N. Am. - 20 0. - Vol. (). - . 937-960. 9. Anti-herpes virus type activity of oleanane-type triterpenoids / T. Ikeda, K. Yokomizo, M. Okawa [et al.]//Biol. & Pharm. Bull. - 2003. - Vol. 28. -P. 779- 78 . 20. Antimicrobial potential of *Glycyrrhiza glabra* Linn roots / V.K. Gupta, A. Fatima, U. Faridi et al. //J. Ethnopharmacol. - 2008. - Vol. 6(2). - P. 377-380. 21. Ashawat M.S. In vitro antioxidant activity of ethanolic extracts of *Centella asiatica*, *Punica granatum*, *Glycyrrhiza glabra* Linn and *Areca catechu* /M.S. Ashawat, S. Shailendra, S. Swarnlata //Res. J. Med. Plant. - 2007. - Vol. (). -P. - 6. 22. Bouras P. Licorice: a traditional herb and its modern effects on humans /P. Bouras, M. Skouroliakou, S. Tsonas //EHP. - 200 . - Vol. 7, 4. - . - 40. 23. Derle D.V. Anti-inflammatory analgesic and antipyretic activity of *Acorus calamus* and *Curcuma amada* /D.V. Derle, K.N. Gujar //Indian Drugs. - 200 . - Vol. 38(8). - . 444-448. 24. *Glycyrrhiza glabra* Linn monograph //Altern. Med. Rev. - 2003. - Vol. 0 (3). -P. 230-237. 2 . Janovska D. Screening for antimicrobial activity of some medicinal plants species of traditional Chinese medicine /D. Janovska, K. Kubikova, L. Kokoska // Czech J. Food Sci. - 2003. - Vol. 2, 3. - . 07- 0. 26. Mechanism of anti-inflammatory action of liquorice extract and glycyrrhizin /L. Rackova, V. Jancinova, M. Petrikova [et al.]// Nat. prod. Res. - 2007. - Vol. 4. - . 2 4 - 24 . 27. Phenolic constituents of licorice. VIII. Structures of glicophenone and glicoisoflavanonem and effects of licoricephenolics on methicillin-resistant *Staphylococcus aureus* // T. Hatano, Y.

Shintani, Y. Aga [et al.]//Chem. Pharm. Bull. - 2000. - Vol. 48. - . 1286-1292.

28. Rani S.A. Evaluation of antibacterial activity from rhizome of *Acorus calamus* (L.) / S.A. Rani, M. Satyakala, S. V. Devi, U.S. Murty//J. Sci. Ind. Res. - 2003. - Vol. 6(2). - . 623-625.

29. Subha T.S. Combating oral candidiasis in albino rats using bioactive fraction of *Acorus calamus* / T.S. Subha, A. Gnanamani//J.

Appl. Biosci. - 2009. - Vol. 21. - . 1265-1276.

30. The inhibitory effect of triterpenoid glycosides originating from *Sanguisorba officinalis* on tissue factor activity and the production of TNF- α / J.Y. Cho, E.S. Yoo, B.C. Cha [et al.]//Planta Medica. - 2006. - Vol. 72. - . 1279-1284.

10.08.2011

: 615.32 : 616.31

L.I. Shulga
**THEORETICAL SUBSTANTIATION OF COMPOSITION
OF THE HERB REMEDY FOR LOCAL APPLICATION
IN STOMATOLOGY**

Key words: medicinal plant raw materials, therapeutic stomatology

In this article the possibility of using of licorice roots, sedge cane rootstocks as well as burnet rootstocks with its roots for development of composition of the stomatological herb remedy were presented and perspectives of its application in therapy of inflammatory diseases of an oral cavity were adduced.

612.017.2;621.317

1
*
1
1
2
3
4
2
5
5
1
2
3
4
5
1 6 (^)
de novo ,) ([1,3,4,6].
40%
(/)