

« »

- . . . , . . . » . . . .
- « »

( ),  
110 [17]. - -  
, [15]. - -  
, - 192 . 63 (32,8 %)  
10, 16]. [3, 5, 7, 9, » ^33.00), 68 (35,4 %) - «  
» ^33.1) 61 (31,8 %)  
- « » ^33.2). « -  
( ), - »  
[9, 10]. , -  
, 68 (35,4 %) 124 (64,6 %)  
« » ( ) [4]. ; 30,8 ± 5,4  
, -  
, - , -  
, , - 98 , - 94  
, 32 «  
, - » ^33.00), 35  
« » ^33.1)  
, 31 «  
[6]. » ^33.2); -  
- 31 ^33.00), 33  
[13]. - ^33.01) 30 ( 33.02).  
, « » ( ) - 24 . -  
[1, 2] - -  
, -  
, - -10  
- ( ) « - ( 33.00), ( 33.1)  
» ^33.2). -  
« - -  
» ( -  
0108U009465). ( ) -

( ± )

	0,52 ± 0,03	( = 98)	( = 94)	
		( 33.00)	0,94 ± 0,03***	
( 33.1)	1,25 ± 0,05***	1,21 ± 0,05***	> 0,05	
( 33.2)	1,57 ± 0,04***	1,53 ± 0,06***	> 0,05	

: 1 2 \* - < 0,05; \*\* - < 0,01; \*\*\* - < 0,001;

[3, 8]. (0,92 ± 0,04) / , 1,77  
 ( < 0,05).  
 20-25 2 2 «  
 » ^33.1),  
 /5449/01/01 ( (1,25 ± 0,05) / , 2,4  
 ( 03.01.2013 , ( < 0,001), ^33.1),  
 2) [13]. (1,21 ± 0,05) / ,  
 2,33  
 «  
 » ^33.2),  
 [13]. (1,57 ± 0,04) / ,  
 3  
 ^33.2)  
 (1,53 ± 0,06) / ,  
 [12]. 2,94  
 BioStat Statistic [14].  
 [14]. ( . 2).  
 . 2, « ^33.00),  
 (0,64 ± 0,06) / , 1,23  
 ( < 0,05). «  
 »  
 (0,98 ± 0,07),  
 (0,94 ± 0,03) / , 1,81 1,88 ( < 0,001).  
 ( 33.0) «

( ± )

	0,52 ± 0,03	( = 98)	( = 94)	
		( 33.00)	0,54 ± 0,04	
( 33.1)	0,57 ± 0,05	0,98 ± 0,07**	< 0,01	
( 33.2)	0,59 ± 0,06	1,36 ± 0,06***	< 0,001	



« »

:

« », .

» ( )

( ).

« »

**I. F. Tereshina**

**INDEXES OF METABOLIC INTOXICATION AT THE PATIENTS WITH RECURENT DEPRESSIVE DISORDER DURING USING SUCCINIC ACID**

**Keywords:** recurrent depressive disorder, cytoflavin, average molecules, treatment.

Influence of cytoflavin on concentration of "average molecules" (AV) at the blood of the patients with recurrent depressive disorder (RDD) was studied. It is set that cytoflavin using is instrumental in achievement of normalization of AV concentration that dated liquidations clinical-biochemical „metabolic" intoxication syndrome. Based of this data it is possible to deem cytoflavin plugging in the complex of treatment the patients with RDD.

**615.322**

1 . . . , . . .

1 . . . , . . . „ „ . . .

2 . . . , . . . „ . . .

1 . . . , . . . „ . . .

1 . . . , . . . - . . .

1 . . . , . . . „ . . .

1 -

2 « » , .

«... : , , , , , ; - ...»

, 1, 26

«... : , , , , , ; - ...»

, 1, 26

«... : , , , , , ; - ...»

, 1, 26

[9].

«... : , , , , , ; - ...»

, 1, 26