

УДК 004.67

## LINEAR PROGRAMMING IN MATHCAD ON THE EXAMPLE OF SOLVING THE TRANSPORTATION PROBLEM

V. Ovcharuk, N. Vovkodav, T. Kryvets

*National University of Food Technologies*

I. Ovcharuk

*Kyiv State Maritime Academy*

---

**Key words:**

*Linear programming*

*MathCAD*

*Engineering calculations*

**Article history:**

Received 18.02.2015

Received in revised form

15.03.2015

Accepted 27.04.2015

**Corresponding author:**

V. Ovcharuk

**Email:**

Ovcharuk2004@ukr.net

---

**ABSTRACT**

This article presents the basic theoretical information, as well as a sample of solving transportation problem using classical methods and Mathcad software environment. Classical methods for solving linear programming problems require large amounts of mathematical calculations. Now it is common to use the newest information technologies, such as Mathcad math processor, in such cases. This development will contribute to better training of highly qualified specialists in the area of engineering calculations.

## ЛІНІЙНЕ ПРОГРАМУВАННЯ В МАТНСАД НА ПРИКЛАДІ РОЗВ'ЯЗАННЯ ТРАНСПОРТНОЇ ЗАДАЧІ

В.О. Овчарук, Н.І. Вовкодав, Т.О. Кривець

*Національний університет харчових технологій*

I.В. Овчарук

*Київська державна академія водного транспорту*

*У статті наведено приклад розв'язання транспортної задачі класичними методами та у програмному середовищі Mathcad. Класичні методи розв'язання задач лінійного програмування вимагають великої кількості математичних розрахунків, тому доцільно в таких випадках застосовувати новітні інформаційні технології, наприклад, математичний процесор Mathcad. Дана розробка сприятиме більшій якості підготовки висококваліфікованих спеціалістів у галузі інженерних розрахунків.*

**Ключові слова:** лінійне програмування, MathCad, інженерні розрахунки.

**Problem formulation.** The transportation problem has an important place in linear programming and is widely used in the transportation and industry. It also can be used in some practical situations connected with resources management, creating of replacement schedule, appointment of employees, etc. It is of special

importance for organization of rational supply of important cargoes as much as for optimal planning of cargo traffic and work of different types of transport. In recent years different facilities for engineering and scientific calculations have appeared. That enables specialists to solve posed problems without perfect knowing of programming languages, just using usual mathematical notation. However, it becomes necessary to master such software products as automated systems of engineering and economic calculations Excel and MathCad.

**Review of previous studies.** Some aspects of solving linear programming problems (including the transportation problem) in engineering calculations using MS Excel were described in [1, 2, 3]. However, methods of solving optimization and linear programming problems using modern computer technologies, in particular mathematical processor MathCad, are not developed enough. In Ukraine such scientists work over this problem: M.A. Martynenko, T.O. Kryvets, Ya.B. Petrivskii and others.

**Purpose of the article** is to propose methods of solving the linear programming transportation problem, as the most popular problem in economic calculations and a very important chapter in preparing of bachelors in the area of knowledge “Economy and business”, using mathematical processor MathCad.

**Main material description.** In points  $A_1, A_2 \dots A_m$  there are homogeneous raw materials or goods that are needed to be transferred into points of consumption  $B_1, B_2 \dots B_n$ . Reserves of supply points and needs of consumption points are known set values:  $A=(a_1, a_2 \dots a_m)$ ,  $B = (b_1, b_2 \dots b_n)$ . Transportation costs from each supply point to each point of consumption are characterized by a matrix:

$$(c_{ij}) = \begin{pmatrix} c_{11} & c_{12} & \cdot & \cdot & c_{1n} \\ c_{21} & c_{22} & \cdot & \cdot & c_{2n} \\ c_{31} & c_{32} & \cdot & \cdot & c_{3n} \\ \cdot & \cdot & \cdot & \cdot & \cdot \\ c_{m1} & c_{m2} & \cdot & \cdot & c_{mn} \end{pmatrix}$$

Then, from the economic point of view the problem is posed as follows: transportation of raw materials or goods from supply points to consumption points should be planned so that demands of all the consumers are completely satisfied, all the reserves are taken out and, at the same time, total cost of all the transportations is the lowest possible.

To construct mathematical model of the problem, we denote quantity of units of raw material or goods, that are planned to be transported from  $i$  - th supply point  $A_i$  to  $j$ -th point of consumption  $B_j$ , as  $x_{ij}$ . After that we obtain the following linear programming problem:

$$L = \sum_{i=1}^m \sum_{j=1}^n c_{ij} \cdot x_{ij} \rightarrow \min \tag{1}$$

$$\sum_{i=1}^m x_{ij} = b_j \quad j = 1 \dots n \tag{2}$$

$$\sum_{j=1}^n x_{ij} = a_i \quad i = 1 \dots m$$

$$x_{ij} \geq 0 \quad i=1..n, \quad j=1..n. \quad (3)$$

Definition 1. Plan of the transportation problem (1)—(3) is a set of values  $x=x_{ij}$  ( $i=1..n, j=1..n$ ) that satisfies conditions (2)—(3).

Definition 2. Optimal plan of the transportation problem (1)—(3) is the plan  $x^*=(x_{ij}^*)$  ( $i=1..n, j=1..n$ ), that satisfies condition (1).

Theorem 1. For the transportation problem to be solved it is necessary and sufficient to satisfy the balance condition

$$\sum_{i=1}^m a_i = \sum_{j=1}^n b_j .$$

An algorithm of the method of potentials is based on fairness of the following theorem:

Theorem 2. If for some reference plan  $X=(x_{ij})$ , ( $i=1..n, j=1..n$ ) of the transportation problem exist such numbers  $\alpha, \beta$  that

$$\beta_j - \alpha_i = c_{ij}$$

for  $x_{ij} > 0$  i

$$\beta_j - \alpha_i \leq c_{ij}$$

for  $x_{ij} = 0$ , then  $X = (x_{ij})$  is the optimal plan of the transportation problem.

Definition 3. Numbers  $\alpha_i, \beta_i$  are called potentials of supply and consumption points respectively.

Remark. If for the transportation problem (1)—(3) balance conditions are not satisfied, then we have an opened model of the transportation problem. In this case, we take an additional, fictitious supply (consumption) point with the quantity of reserves (needs) enough to satisfy the balance conditions. Transportation costs from this supply (consumption) point are equal to zero. After finding the solution, we discard the artificial components from the optimal plan.

To find the optimal plan of the transportation problem, we explore corresponding mathematical model using the method of potentials and built-in Mathcad functions.

Cost matrix	Suppliers	Consumers
$\begin{bmatrix} 2 & 8 & 4 & 8 & 3 \\ 3 & 2 & 5 & 2 & 6 \\ 6 & 5 & 8 & 7 & 4 \\ 3 & 4 & 4 & 2 & 1 \end{bmatrix}$	$\begin{bmatrix} 120 \\ 30 \\ 40 \\ 60 \end{bmatrix}$	$\begin{bmatrix} 30 \\ 90 \\ 80 \\ 20 \\ 30 \end{bmatrix}$

As  $\sum_{i=1}^4 a_i = \sum_{j=1}^5 b_j = 250$ , then the problem is balanced.

Using the north-west corner method we find an acceptable reference plan.

Table 1.

Suppliers	Consumers					Inventories
	B <sub>1</sub>	B <sub>2</sub>	B <sub>3</sub>	B <sub>4</sub>	B <sub>5</sub>	
1	2	3	4	5	6	7
A <sub>1</sub>	2	8	4	8	3	120 90 0
	30	90				

*Continued table 1*

1	2	3	4	5	6	7
A <sub>2</sub>	3	2	5	2	6	30 0
			30			
A <sub>3</sub>	6	5	8	7	4	40 0
			40			
A <sub>4</sub>	3	4	4	2	1	60 50 30 0
			10	20	30	
Demand for resources	30 0	90 0	80 50 10 0	20 0	30	250 25

$$(1,1) \Rightarrow \min(30,120) = 30$$

$$(1,2) \Rightarrow \min(90,90) = 90$$

$$(2,3) \Rightarrow \min(80,30) = 30$$

$$(3,3) \Rightarrow \min(50,40) = 40$$

$$(4,3) \Rightarrow \min(10,60) = 10$$

$$(4,4) \Rightarrow \min(20,50) = 20$$

$$(4,5) \Rightarrow \min(30,90) = 30$$

The reference plan is obtained. The following transportation costs correspond to this plan:

$$F = 30 \cdot 2 + 90 \cdot 8 + 30 \cdot 5 + 40 \cdot 8 + 10 \cdot 4 + 20 \cdot 2 + 30 \cdot 1 = 1360$$

The obtained reference plan is not the optimal one. For its optimization we use the method of potentials. To determine potentials of suppliers and consumers we construct a system of equations for filling cells of the table 2.

$$c_{ij} = u_i + v_j$$

$$\begin{cases} u_1 + v_1 = 2 & u_1 = 0 & v_1 = 2 - 0 = 2 \\ u_1 + v_2 = 8 & u_2 = 5 - 4 = 1 & v_2 = 8 - 0 = 8 \\ u_2 + v_3 = 5 & u_3 = 8 - 4 = 4 & v_3 = 4 - 0 = 4 \\ u_3 + v_3 = 8 & u_4 = 0 & v_4 = 2 - 0 = 2 \\ u_4 + v_3 = 4 & & v_5 = 1 - 0 = 1 \\ u_4 + v_4 = 2 & & \\ u_4 + v_5 = 1 & & \end{cases}$$

This undefined system has 7 equations and 9 unknowns, therefore we give an arbitrary value to one of the potentials in order to solve it. Values of potentials are presented in table 2.

*Table 2.*

Suppliers	Consumers					Inventories	$u_i$
	B <sub>1</sub>	B <sub>2</sub>	B <sub>3</sub>	B <sub>4</sub>	B <sub>5</sub>		
1	2	3	4	5	6	7	8
A <sub>1</sub>	2	8	4	8	3	0	0
	30	90 160	0 30	-6	-2		

1	2	3	4	5	6	7	8
A <sub>2</sub>	3	2	5	2	6	0	1
	0	7 30	30 10	1	-4		
A <sub>3</sub>	6	5	8	7	4	0	4
	0	7	40	-1	1		
A <sub>4</sub>	3	4	4	2	1	0	0
	-1	4	10	20	30		
Needs	0	0	0	0	0		
v <sub>i</sub>	2	8	4	2	1		

Next, we evaluate free cells  $\Delta_i = u_i + v_j - c_{ij}$ .

$$\begin{aligned} \Delta_{13} &= 0 + 4 - 4 = 0 & \Delta_{21} &= 1 + 2 - 3 = 0 \\ \Delta_{14} &= 0 + 2 - 8 = -6 & \Delta_{22} &= 1 - 8 - 2 = 7 \\ \Delta_{15} &= 0 + 1 - 3 = -2 & \Delta_{24} &= 1 + 2 - 2 = 1 \\ & & \Delta_{25} &= 1 + 1 - 6 = -4 \\ \Delta_{31} &= 4 + 2 - 6 = 0 \\ \Delta_{32} &= 4 + 8 - 5 = 7 & \Delta_{41} &= 0 + 2 - 3 = -1 \\ \Delta_{34} &= 4 + 2 - 7 = -1 & \Delta_{42} &= 0 + 8 - 4 = 4 \\ \Delta_{35} &= 4 + 1 - 4 = 1 \end{aligned}$$

$\max(\Delta > 0) = ?$  — we choose (2,2),  $\Delta_{22} = 7 > 0$ ,  $\min(90, 30) = 30$

Values in cells have changed.

*Table 3.*

	B <sub>1</sub>	B <sub>2</sub>	B <sub>3</sub>	B <sub>4</sub>	B <sub>5</sub>
A <sub>1</sub>	2	8	4	8	3
	30	60	30		
A <sub>2</sub>	3	2	5	2	6
		30	0		
A <sub>3</sub>	6	5	8	7	4
			40		
A <sub>4</sub>	3	4	4	2	1
			10	20	30

$$\left\{ \begin{array}{l} u_1 + v_1 = 2 \\ u_1 + v_2 = 8 \\ u_1 + v_3 = 4 \\ u_2 + v_2 = 2 \\ u_3 + v_3 = 8 \\ u_4 + v_3 = 4 \\ u_4 + v_4 = 2 \\ u_4 + v_5 = 1 \end{array} \right. \quad \begin{array}{l} u_1 = 0 \quad v_1 = 2 \\ u_2 = 2 - 8 = -6 \quad v_2 = 8 \\ u_3 = 8 - 4 = 4 \quad v_3 = 4 \\ u_4 = 0 \quad v_4 = 2 - 0 = 2 \\ v_5 = 1 - 0 = 1 \end{array}$$

$$\begin{aligned} \Delta_{21} &= -6 + 2 - 3 = -7 \\ \Delta_{14} &= 0 + 2 - 8 = -6 & \Delta_{23} &= -6 + 4 - 5 = -7 \\ \Delta_{15} &= 0 + 1 - 3 = -2 & \Delta_{24} &= -6 + 2 - 2 = -6 \\ & & \Delta_{25} &= -6 + 1 - 6 = -11 \end{aligned}$$

$$\begin{aligned} \Delta_{31} &= 4 + 2 - 6 = 0 \\ \Delta_{32} &= 4 + 8 - 5 = 7 > 0 & \Delta_{41} &= 0 + 2 - 3 = -1 \\ \Delta_{34} &= 4 + 2 - 7 = -1 & \Delta_{42} &= 0 + 8 - 4 = 4 > 0 \\ \Delta_{35} &= 4 + 1 - 3 = 2 > 0 \end{aligned}$$

We skip 2 iterations. After the 4th iteration we obtain the next plan:

$$F = 30 \cdot 2 + 80 \cdot 4 + 10 \cdot 3 + 30 \cdot 2 + 40 \cdot 5 + 20 \cdot 4 + 20 \cdot 2 + 20 = 810.$$

Let's find the solution of the transport problem in the software environment Mathcad.

*ORIGIN* := 1

$$X \begin{pmatrix} & x1 & x2 & x3 & x4 & x5 \\ x1 \dots x20 := & x6 & x7 & x8 & x9 & x10 \\ & x11 & x12 & x13 & x14 & x15 \\ & x16 & x17 & x18 & x19 & x20 \end{pmatrix}$$

$$C := \begin{pmatrix} 2 & 8 & 4 & 8 & 3 \\ 3 & 2 & 5 & 2 & 6 \\ 6 & 5 & 8 & 7 & 4 \\ 3 & 4 & 4 & 2 & 1 \end{pmatrix} \quad A := \begin{pmatrix} 120 \\ 30 \\ 40 \\ 60 \end{pmatrix} \quad B := \begin{pmatrix} 30 \\ 90 \\ 80 \\ 20 \\ 30 \end{pmatrix}$$

$$\begin{aligned} F(x1, x2, x3, x4, x5, x6, x7, x8, x9, x10, x11, x12, x13, x14, x15, x16, x17, x18, x19, x20) := \\ = 2 \cdot x1 + 8 \cdot x2 + 4 \cdot x3 + \\ + 8 \cdot x4 + 3 \cdot x5 + 3 \cdot x6 + 2 \cdot x7 + 5 \cdot x8 + 2 \cdot x9 + 6 \cdot x10 + \\ + 6 \cdot x11 + 5 \cdot x12 + 8 \cdot x13 + 7 \cdot x14 + 4 \cdot x15 + 3 \cdot x16 + \\ + 4 \cdot x17 + 4 \cdot x18 + 2 \cdot x19 + 1 \cdot x20 \end{aligned}$$

$$\begin{aligned} x1 := 1 \quad x2 := 1 \quad x3 := 1 \quad x4 := 1 \quad x5 := 1 \quad x6 := 1 \quad x7 := 1 \quad x8 := 1 \quad x9 := 1 \\ x10 := 1 \quad x11 := 1 \quad x12 := 1 \quad x13 := 1 \end{aligned}$$

$$x14 := 1 \quad x15 := 1 \quad x16 := 1 \quad x17 := 1 \quad x18 := 1 \quad x19 := 1 \quad x20 := 1$$

$$\begin{aligned} x1 \geq 0 \quad x2 \geq 0 \quad x3 \geq 0 \quad x4 \geq 0 \quad x5 \geq 0 \quad x6 \geq 0 \quad x7 \geq 0 \quad x8 \geq 0 \quad x9 \geq 0 \quad x10 \geq 0 \\ x11 \geq 0 \quad x12 \geq 0 \quad x13 \geq 0 \quad x14 \geq 0 \quad x15 \geq 0 \quad x16 \geq 0 \quad x17 \geq 0 \quad x18 \geq 0 \quad x19 \geq 0 \quad x20 \geq 0 \end{aligned}$$

Given

$$x1 + x2 + x3 + x4 + x5 = 120$$

$$x6 + x7 + x8 + x9 + x10 = 30$$

$$x11 + x12 + x13 + x14 + x15 = 40$$

$$x16 + x17 + x18 + x19 + x20 = 60$$

$$x1 + x6 + x11 + x16 = 30$$

$$x2 + x7 + x12 + x17 = 90$$

$$x3 + x8 + x13 + x18 = 80$$

$$x4 + x9 + x14 + x19 = 20$$

$$x5 + x10 + x15 + x20 = 30$$

$$\begin{pmatrix} x1 \\ x2 \\ x3 \\ x4 \\ x5 \\ x6 \\ x7 \\ x8 \\ x9 \\ x10 \\ x11 \\ x12 \\ x13 \\ x14 \\ x15 \\ x16 \\ x17 \\ x18 \\ x19 \\ x20 \end{pmatrix} := \text{Minimize}(F, x1 \dots x20)$$

$$F(x1 \dots x20) = 810$$

### **Conclusions**

In this paper, detailed solution for the transportation problem, that uses the automated system of engineering and economic calculations Mathcad, is given. The authors hope that introduced developments will contribute to training highly qualified specialists in economics, marketing, management, accounting and auditing, especially in conditions of limited classroom hours for studying informatics.

## **References**

1. *Задачі лінійного та нелінійного програмування*. Навчальний посібник [А.І. Українець, А.М. Гуржій, В.В. Самсонов та ін.]. — К.: НУХТ, 2007. — 158 с.
2. *Математичне програмування*: Навч. посібник / М.А. Мартиненко, О.М. Нецадим, В.М. Сафонов. — К.: «Четверта хвиля», 2002. — 220 с.
3. *Математичне програмування*. Лабораторний практикум в середовищі Mathcad. Методичні вказівки до виконання лабораторних робіт для студентів спеціальності 6.050102 «Економічна кібернетика» / Я.Б. Петрівський. — Рівне: РДГУ, 2003. — 80 с.
4. *Гетманцев В.Д.* Лінійна алгебра і лінійне програмування: Навч. посіб. / В.Д. Гетманцев. — К.: Либідь, 2001. — 253 с.
5. *Линейное и нелинейное программирование*: учеб. пособие / под общ. ред. И.Н. Ляшенко. — К.: Вища школа, 1975. — 371 с.

## **ЛИНЕЙНОЕ ПРОГРАММИРОВАНИЕ В MATHCAD НА ПРИМЕРЕ РЕШЕНИЯ ТРАНСПОРТНОЙ ЗАДАЧИ**

**В.А. Овчарук, Н.И. Вовкодав, Т.А. Кривец**

*Национальный университет пищевых технологий*

**И.В. Овчарук**

*Киевская государственная академия водного транспорта*

*В статье приведен пример решения транспортной задачи классическими методами и в программной среде Mathcad. Классические методы решения задач линейного программирования требуют большого количества математических расчетов, поэтому в таких случаях целесообразно применять новейшие информационные технологии, например, математический процессор Mathcad. Данная разработка будет способствовать более качественной подготовке высококвалифицированных специалистов в области инженерных расчетов.*

**Ключевые слова:** *линейное программирование, MathCad, инженерные расчеты.*