

INFORMATIVE PEDAGOGIC CONTROL INDICATORS OF 14-15 YEARS AGE GIRLS' MOTOR FITNESS

Ivashchenko O.V.¹, Kapkan O.O.² ¹H.S. Skovoroda Kharkiv National Pedagogical University ²Donbass State Machine-building Academy

Abstract. <u>Purpose</u>: to determine informative indicators for in-group and intra-group control of 14-15 years age girls' motor fitness. <u>Material</u>: in the research 99 girls participted: 14 years old (n=38), 15 years old (n=61). <u>Results</u>: for control of 15 years age girls' motor fitness the most informative are indicators of speed power, dynamic power endurance and physical condition. It was found that 14 years age girls have better power fitness than 15 years girls. It points at the fact that in 15 years' age the reasons of lagging behind 14 years girls are increase of body mass and reduction of motor activity. <u>Conclusions</u>: the received data show that factorial analysis as well as discriminant one is methodological base for determination of tests' in-group and intra-group informational potential. The most informative tests for determination of age dynamic are static and dynamic power endurance of abdomen muscles and connected with them result of long jumps from the spot.

Key words: motor fitness, tests, factorial, discriminant, analysis, girls.

Introduction

The problem of school physical education quality's rising appears in connection with weakening of children's and adolescents' motor functioning [6, 12, 31, 36]. The reason of motor activity reduction is complexity of individual approach realization at school physical culture lessons [4] and non consideration of adolescents' sensitive periods. It can result in negative after effects: worsening of health [1, 12], weakening of motivation for physical culture practicing in school [11, 16, 15].

One of this problem's solutions is working out pedagogic control methodology and, on its base, control over physical education of children's and adolescents [14, 17, 24, and 25].

In the process of physical education pedagogic control is directed at motor abilities increase [8, 10, and 22], training process [2, 4, and 20], control of physical exercises' and rest intervals' regimes in adolescents' and children's physical education [9, 21, and 35].

Effectiveness of pedagogic control depends on determination of informative indicators and on assessment methods for children's and adolescents' motor fitness [7, 26, and 30]. One of effective methods of determination indicators' informational potential and motor fitness assessment is modeling [3, 13, 5, and 32].

Thus, determination of pedagogic control informative indicators on the base of modeling of schoolchildren's motor fitness structure is important and relevant.

The purpose of the research is to determine informative indicators for in-group and intra-group control of 14-15 years age girls' motor fitness.

Material and methods

Participants: in the research 99 girls participted: 14 years old (n=38), 15 years old (n=61) (school No.22, Kramatorsk). Their parents gave consent for children's participation in experiment.

Organization of the research: testing program consisted of commonly known tests [18, 19].

Statistical analysis: the materials of the research were processed with IBM SPSS 20 program. Factorial and discriminant analysis were fulfilled. In factorial analysis we used the method of principle components with invocation method: Varimax with Kaiser's normalization. For every variable we calculated the following: mean values, standard deviations, t- test for independent samples. In discriminant analysis we formed prognostic model of belonging to group. This model builds functions in the form of linear combination of predictor variables that ensure the best distribution into groups. Further, these functions can be used in new observations with known predictor variables and unknown belonging to group. For every canonic discriminant function we calculated the following: Wilks' *Lambda,* Chi-square. For every step we calculated: prior probabilities, Fisher function's coefficients, non-standardized coefficients of function, Wilks' *Lambda for every canonic function*.

[©] Ivashchenko O.V., Kapkan O.O., 2016

doi:10.15561/18189172.2016.0603

Results of the research

In table 1 we gave results of motor fitness testing of 14-15 years' age girls. Analysis of testing results shows that 14 years girls demonstrate statistically confidently better results in tests No3 "Keeping angle on parallel bars, sec.", No6 "Pressing ups in lying position, quantity of times" (p<0.05). 15 years girls have statistically confident difference from 14 years girls by body mass and are statistically confidently better in tests No4 "Right hand strenth, kg", No5 "Left hand strength, kg", No8 "Long jump from the spot, cm", No10 "Forward torso bending from sitting position, cm", No11 "Shuttle run 4x9 m, sec.", No12 "Taking sitting position from lying position during 60 sec., quantity of times" (p<0.05).

Difference in results of tests $N_{2}7$ "Chin ups, quantity of times", $N_{2}9$ "Legs' raising up to straight angle from hanging on Swedish wall position, quantity of times" between 14 and 15 years age girls statistically was not confident (p>0.05).

Test	Test description	14 years age girls (n=38)		e girls 15 years age girls (n=61)		t	р
IN2		х	m	х	m		
1.	Body mass, kg	49.684	1.496	57.180	2.261	2.417	<0.05
2.	Body length in standing position, cm	162.95	.97	165.08	1.95	.825	>0.05
3.	Keeping of angle on parallel bars, sec.	3.2	.49	1.1	.16	4.630	<0.05
4.	Right hand strength, kg	16.553	.677	20.229	.694	3.571	<0.05
5.	Left hand strength, kg	15.842	.642	18.967	.645	3.248	<0.05
6.	Pressing ups in lying position, quantity of times	11.52	1.37	8.98	.64	1.874	<0.05
7.	Chin ups, quantity of times	5.55	.46	5.26	.44	.433	>0.05
8.	Long jump from the spot, cm	141.55	4.36	166.00	2.39	5.331	<0.05
9.	Legs' raising up to straight angle from hanging on Swedish wall position, quantity of times	6.52	.88	6.24	.56	.282	>0.05
10.	Forward torso bending from sitting position, cm	16.47	1.22	21.06	.79	3.313	<0.05
11.	Shuttle run 4x9 m, sec	11.78	.14	10.73	.09	6.730	<0.05
12.	Taking sitting position from lying position during 60 sec., quantity of times	25.47	1.14	38.11	.78	9.464	<0.05
13.	From lying on abdomen position torso raising upward during 60 sec, quantity of times	25.95	1.96	37.25	31.34	2.416	<0.05

Table 1.	Comparative	analysis of 2	14 and 15	years age girls'	motor fitnes	Таблиця 1
----------	-------------	---------------	-----------	------------------	--------------	-----------

For determination of the tests' in-group informational potential for 14 years girls we conducted factorial analysis by results of 13 tests (see table 2). In the process of analysis we marked out four factors, which explain 66.992% of indicators' total dispersion.

Factor 1 is the most informative (24.094%). It correlates with static and dynamic strength of abdomen muscles and speed power fitness. The factor was named "power fitness".

Factor 2 (information potential 15.770%) correlates to the largest extent with hand static strength. It was named "static power fitness".



Factor 3 (information potential 14.566%) correlates to the largest extent with test № 13"From lying on abdomen position torso raising upward during 60 sec., quantity of times". The factor was named "dynamic endurance of back muscles".

Factor 4 (information potential 12.563%) correlates to the largest extent with relative strength indicator. It was named "relative strength".

Analysis of populations shows that for motor fitness control the most informative are tests №4 "Right hand strength, kg", №5 "Left hand strength, kg", №8 "Long jump from the spot, cm", №13 "From lying on abdomen position torso raising upward during 60 sec., quantity of times".

Table 2. Matrix of 14 years girls'	motor fitness factoria	l analysis. Invocation	method: Varimax wit	h Kaiser's
normalization				

Test	Test description	Components				Donulations
Nº	lest description		2	3	4	Populations
1.	Body mass, kg		.475		593	.669
2.	Body length in standing position, cm				775	.701
3.	Keeping of angle on parallel bars, sec.	.629				.476
4.	Right hand strength, kg		.915			.841
5.	Left hand strength, kg		.893			.847
6.	Pressing ups in lying position, quantity of times	.375		.624		.537
7.	Chin ups, quantity of times	.423			.661	.662
8.	Long jump from the spot, cm	.655		.407		.745
9.	Legs' raising up to straight angle from hanging on Swedish wall position, quantity of times	.781				.641
10.	Forward torso bending from sitting position, cm	.767		396		.771
11.	Shuttle run 4x9 m, sec	564		405		.508
12.	Taking sitting position from lying position during 60 sec., quantity of times	.667				.583
13.	From lying on abdomen position torso raising upward during 60 sec, quantity of times			.849		.726
14.	Completely explained dispersion, %	24.094	15.770	14.566	12.563	66.992

For determination of the tests' in-group informational potential for 15 years girls we conducted factorial analysis by results of 13 tests (see table 3). In the process of analysis we marked out five factors, which explain 70.630% of indicators' total dispersion.

Factor 1 is the most informative (17.237%). It correlates with hand static strength and was named "static strength".

Factor 2 (information potential 15.614%) correlates to the largest extent with relative strength. It was named "power fitness".

Factor 3 (information potential 14.257%) correlates to the largest extent with physical condition indicators. The factor was named "Physical condition".

Factor 4 (information potential 10.288%) correlates to the largest extent with speed power (test No.8 "Long jump from the spot, cm" and dynamic endurance of abdomen muscles (test No.12 "Taking sitting position from lying position during 60 sec.". It was named "Power fitness".

2016

Factor 5 (information potential 10.288%) correlates to the largest extent with flexibility indicators (test No.10 "Forward torso bending from sitting position, cm" (test No.8 "Long jump from the spot, cm" and dynamic endurance of abdomen muscles (test No.12 "Forward torso bending from sitting position, cm". It was named "Flexibility".

Analysis of populations shows that for motor fitness control the most informative are indicators of speedpower (test №8 "Long jump from the spot, cm", dynamic power endurance (test No.12 "Taking sitting position from lying position during 60 sec." and physical condition.

Test	Test description	Components				Domulations	
N⁰	lest description		2	3	4	5	Populations
1.	Body mass, kg			.857			.786
2.	Body length in standing position, cm			885			.809
3.	Keeping of angle on parallel bars, sec.			.326		.633	.518
4.	Right hand strength, kg	.774					.681
5.	Left hand strength, kg	.875					.774
6.	Pressing ups in lying position, quantity of times		.855				.774
7.	Chin ups, quantity of times		.867				.794
8.	Long jump from the spot, cm	.374			.784		.819
9.	Legs' raising up to straight angle from hanging on Swedish wall position, quantity of times		.626		458	.354	.780
10.	Forward torso bending from sitting position, cm					.718	.630
11.	Shuttle run 4x9 m, sec	665					.480
12.	Taking sitting position from lying position during 60 sec., quantity of times				.798		.727
13.	From lying on abdomen position torso raising upward during 60 sec, quantity of times	315			.398	.468	.610
	Completely explained dispersion, %	17.237	15.614	14.257	13.234	10.288	70.630

Table 3. Matrix of 15 years girls' motor fitness factorial analysis. Invocation method: Varimax with Kaiser's normalization

For determination of tests' intra-group informational potential we conducted discriminant anlysis of 14-15 years age girls' motor fitness. The anlysis showed that tests N_{210} "Forward torso bending from sitting position, cm" and N_{23} "Keeping of angle on parallel bars, sec." make the biggest contribution in change of function (see table 4, standardized coefficients). The highest correlations with function have tests N_{212} "Taking sitting position from lying position during 60 sec., quantity of times", N_{28} "Long jump from the spot, cm", N_{23} "Keeping of angle on parallel bars, sec." (see table 4, structural coefficients). So, the most informative coefficients for age dynamic determination are static and dynamic power endurance of abdomen muscles and connected with it result of long jumps from the spot.



ICHOLOGI	training and sports				
Results of di	scriminant analysis	of 14-15 years girls' motor fitne	255		
		Coefficients of	canonic discri	minant func	tion
T (1 · /·				For classif	icati
Test desc	ription	Standardized	Structural	14 years	1
				1	2

Table 4. fitness

Test	Test description			For classification		
N⁰	l est description	Standardized	Structural	14 years	15 years	
				1	2	
1.	Body mass, kg	.145	.160	1.368	1.398	
2.	Body length in standing position, cm	.075	.055	2.389	2.408	
3.	Keeping of angle on parallel bars, sec.	634	-306	1.021	.099	
4.	Right hand strength, kg	.221	.236	1.051	1.189	
5.	Left hand strength, kg	353	.227			
6.	Pressing ups in lying position, quantity of times	.119	124	195	363	
7.	Chin ups, quantity of times	.144	056			
8.	Long jump from the spot, cm	.116	.353	1.088	1.105	
	Legs' raising up to straight angle from					
9.	hanging on Swedish wall position,	318	019	1.088	1.181	
	quantity of times					
10.	Forward torso bending from sitting position, cm	.729	.219	367	313	
11.	Shuttle run 4x9 m, sec	.122	445	40.168	38.856	
12.	Taking sitting position from lying position during 60 sec., quantity of times	.145	.626	034	.319	
	From lying on abdomen position torso					
13.	raising upward during 60 sec, quantity of	.075	.160	.130	.166	
	times					
	Constant			-554.228	-558.883	

Discussion

For practical application of discriminant analysis results canonic discriminant function coefficients for classification shall be used (see table 4).

Analysis of the received results shows that 14 years age girls have better power fitness (test № 3 " Keeping of angle on parallel bars, sec.", test №6 "Pressing ups in lying position, quantity of times") than 15 years age girls. It points that in 15 years age the reasons of lagging behind 14 years girls are increase of body mass and reduction of motor activity. It supplements the data of other authors [4, 15, 16] illustrating that the reason of adolescents' low motor fitness is significant reduction of motor functioning. All these take place together with loss of interest to school physical culture lessons and negative attitude to physical culture in general

The received results expand information about special aspects of motor abilities' development in children and adolescents and permit to obtain new information with the help of modeling method [5, 23, and 32].

The received data supplement also the data of other authors [27, 29, 33] about demand in structural and functional analysis of children's and adolescents' motor fitness as well as they prove the opinion that discriminant model can be used for pedagogic control of 14-15 years age schoolchildren's fitness level. The received functions can further be used in new observations with known predictor variables and unknown belonging to group.

The propesct of further researches are determination of discriminant function effectiveness in managing children's and adolescents' physical education.

Conclusions

For control over 14 years girls' motor fitness the most informative are tests №4 "Right hand strength, kg", №5 "Left hand strength, kg", №8 "Long jump from the spot, cm", №13 " From lying on abdomen position torso raising upward during 60 sec, quantity of times".

For control over 15 years girls' motor fitness the most informative are speed power indicators (test $N \otimes 8$ " Long jump from the spot, cm"), dynamic power endurance (test $N \otimes 12$ " Taking sitting position from lying position during 60 sec., quantity of times") and indicators of physical condition.

The obtained data witness that factorial and discriminant analysis are mehodological base for determination of tests' in-group and intra-group informational potential. For determination of age dynamic the most informative tests are static and dynamic endurance of abdomen muscles and connected with them result of long jump from the spot.

Acknowledgements

The research is a component of complex program of scientific-research work of physical education theory and methodic, health related and therapeutic physical culture department of Kharkov national pedagogic university, named after G.S. Skovoroda; the problem "Theoretical-methodic principles of modeling of children's and adolescents' motor skills training" (2012–2016) (state registration number 0112U002008).

Conflict of interests

The authors declare that there is no conflict of interests.

References:

- 1. Bar-Or O, Rouland T. Children's health and their motor functioning. Kiev: Olympic Literature; 2009. (in Russian)
- 2. Bezverkhnia GV. Motivaciia do zaniať fizichnoiu kuľturoiu i sportom shkoliariv 5–11-kh klasiv. Kand. Diss. [Morivation of 5-11 form pupils for physical culture and sports practicing Cand. Diss.], Lviv; 2004. (in Ukrainian)
- 3. Bodnar IR, Andres AS. Tests and standards for express-control of physical fitness and health of middle school age pupils. *Pedagogics, psychology, medical-biological problems of physical training and sports*, 2016;4:11-16. doi:10.15561/18189172.2016.0402
- Vedmedenko BF. *Teoriia i metodika vikhovannia interesu v uchniv do zaniať fizichnoiu kuľturoiu*. Dokt. Diss. [Theory and methodic of cultivation pupils' interest to physical culture classes. Doct. Diss.], Kiev; 2005. (in Ukrainian)
- 5. Vlasov Andrij, Demichkovs'kij Andrij, Ivashchenko Olga, Lopat'iev Anatolij, Pitin Mar'ian, P'ianilo Iaroslav, Khudolii Oleg. Sistemnij pidkhid i matematichne modeliuvannia biologichnikh ta prirodnikh ob'iektiv i procesiv [Systemic approach and mathematical modeling of biological and natural processes and objects]. *Fiziko-matematichne modeliuvannia ta informacijni tekhnologii*, 2016;23:17–28. (in Ukrainian)
- 6. Iermakov SS, Apanasenko GL, Bondarenko TV, Prasol SD. Physical culture as the main tool of health's culture. *Pedagogics, psychology, medical-biological problems of physical training and sports,* 2010; 11:31 33.
- Ivashchenko OV. Pedagogichnij kontrol' rukhovoi i funkcional'noi pidgotovlenosti divchat 15—16 rokiv [Pedagogic control of 15-16 years' age girls' motor and functional fitness]. *Teoria ta metodika fizicnogo vihovanna*, 2016;3:36-50. doi:10.17309/tmfv.2016.3.1171 (in Ukrainian)
- Ivashchenko OV, Iermakov SS, Karpunec' TV, Krinin IuV, Nazarenko SV. Metodika pedagogichnogo kontroliu rozvitku rukhovikh zdibnostej u khlopciv 7–9 klasiv [Pedagogic control methodic for control of 7-9 form boys' motor skills' training]. *Teoria ta metodika fizicnogo vihovanna*, 2015;1:3–15. doi:10.17309/tmfv.2015.1.1120 (in Ukrainian)
- 9. Ivashchenko OV, Khudolii OM, Titarenko AA, Skorniakov VS. Ocinka trenuval'nikh efektiv silovikh navantazhen' u divchatok molodshikh klasiv [Assessment of power loads' effects in primary school girls]. *Teoria ta metodika fizicnogo vihovanna*, 2016;1:3–15. doi:10.17309/tmfv.2016.1.1129 (in Ukrainian)
- Ivashchenko OV, Khudolii OM, Iermakov SS, Chernenko SO, Golovko AR. Pedagogichnij kontrol' rivnia rukhovoi pidgotovlenosti khlopchikiv molodshikh klasiv [Pedagogic control of primary school boys' motor fitness]. *Teoria ta metodika fizicnogo vihovanna*, 2015;2:32–40. doi:10.17309/tmfv.2015.2.1140
- 11. Krutsevych TYu, Bezverkhnya GV. Formirovanie motivacii k zaniatiiam fizicheskoj kul'tury i sportom v shkol'nom vozraste [Formation of motivation for physical culture and sports trainings in school age]. Mizhnarodnij naukovij kongres "Olimpijs'kij sport i sport dlia vsikh: problemi zdorov'ia, reakcii, sportivnoi medicini ta reabilitacii" [IV International scientific congress "Olympic sports and sport for all: problems of health, reaction, sport medicine and rehabilitation"]. Kiev; 2000. P. 385. (in Ukrainian)



problems of physical training and sports

- 12. Krutsevych TYu, Bezverkhnya GV. Rekreaciia u fizichnij kul'turi riznikh grup naselennia [Recreation in physical education of different population groups], Kiev: Olympic Literature; 2010. (in Ukrainian)
- 13. Krutsevych TYu, Vorobjov VI, Bezverkhnya GV. Kontrol' u fizichnomu vikhovanni ditej, pidlitkiv i molodi [Control in physical education of children, adolescents and youth], Kiev: Olympic Literature; 2011. (in Ukrainian)
- 14. Krutsevych TYu. Upravlenie fizicheskim sostoianiem podrostkov v sisteme fizicheskogo vospitaniia [Control over physical state of adolescents in physical education system], Kiev: Olympic Literature; 2000. (in Russian)
- 15. Petrina L. Stavlennia shkoliarok 15-16 rokiv do zaniať riznimi vidami rukhovoi aktivnosti [Attitude of 15-16 years age schoolgirls to different kinds of motor functioning]. Moloda sportivna nauka Ukraini, 2008;12:166-172. (in Ukrainian)
- 16. Salman KhR. Ozdorovitel'naia fizicheskaia kul'tura mal'chikov 12-14 let vo vneurochnoe vremia. Kand. Diss. [Health related physical culture for 12-14 years age boys in out-of-classes time. Cand. Diss.], Kharkov; 2006. (in Russian)
- 17. Sergijenko VM. Teoretiko-metodologichni osnovi kontroliu rukhovikh zdibnostej students'koi molodi u procesi fizichnogo vikhovannia. Dokt. Diss. [Theoretical-methodological principles of control over students' motor skills in the process of physical education. Doct. Diss.], Kiev; 2016. (in Ukrainian)
- 18. Khudolii OM, Ivashchenko OV. Pedagogichna praktika v shkoli [Teaching practice at school]. Teoriia ta metodika fizichnogo vikhovannia, 2011;9:19-32. doi:10.17309/tmfv.2011.9.740 (in Ukrainian)
- 19. Khudolii OM, Ivashchenko OV, Karpunets' TV. Robocha prohrama z pedahohichnoyi praktyky v shkoli [Working program of school pedagogic practice]. Teoria ta metodika fizicnogo vihovanna, 2012;9:19-31. doi:10.17309/tmfv.2012.9.821 (in Ukrainian)
- 20. Khudolii OM. Tekhnologiia navchannia gimnastichnim vpravam [Technology of gymnastic exercises' training. Report 1]. Teoriia ta metodika fizichnogo vikhovannia, 2009;8:19-34. doi:10.17309/tmfv.2009.9.562 (in Ukrainian)
- 21. Khudolii O.M. Teoretiko-metodichni zasadi sistemi pidgotovki iunikh gimnastiv 7-13 rokiv. Dokt. Diss. [Theoretical-methodic principles of system of junior, 7-13 yrs. age, gymnasts' training Dokt. Diss.,], Kiev, 2011, 44 p. (in Ukrainian)
- 22. Khudolii OM, Ivashchenko OV. Особливості функціональної, координаційної і силової підготовленості дівчат 7-8 класів [Special aspects of functional, coordination and power fitness of 7-8 form girls]. Teoria ta metodika fizicnogo vihovanna, 2014;2:15-21. doi:10.17309/tmfv.2014.2.1095 (in Ukrainian
- 23. Adashevskiy VM, Iermakov SS, Firsova IuIu. Physical mathematical modelling of difficult elements of acrobatic rock-and-roll. Physical Education of Students 2013;3:3-10. doi:10.6084/m9.figshare.662463
- 24. Ivashchenko Olga, Khudolii Oleg, Yermakova Tetiana, Iermakov Sergii, Nosko Mykola, Nosko Yuliya. Factorial and discriminant analysis as methodological basis of pedagogic control over motor and functional fitness of 14-16 year old girls. Journal of Physical Education and Sport, 2016;16(2):442 – 451. doi:10.7752/jpes.2016.02068
- 25. Ivashchenko OV. Methodic of pedagogic control of 16-17 years' age girls' motor fitness. Pedagogics, medical-biological problems of physical psychology, training and sports, 2016;5:26-32. doi:10.15561/18189172.2016.0504
- 26. Ivashchenko OV, Yermakova TS. Structural model of in-group dynamic of 6-10 years old boys' motor fitness. Pedagogics, psychology, medical-biological problems of physical training and sports, 2015;10:24–32. doi:10.15561/18189172.2015.1004
- 27. Ivashchenko OV, Yermakova TS, Cieślicka M, Muszkieta R. Discriminant analysis as method of pedagogic control of 9-11 forms girls' functional and motor fitness. Journal of Physical Education and Sport, 2015;15(3):576 - 581. doi:10.7752/jpes.2015.03086
- 28. Ivashchenko OV, Yermakova TS, Cieślicka M, Śukowska H. Discriminant analysis in classification of motor fitness of 9-11 forms' juniors. Journal of Physical Education and Sport, 2015;15(2):238 - 244. doi:10.7752/jpes.2015.02037
- 29. Ivashchenko OV, Khudolii OM, Yermakova TS, Pilewska Wiesława, Muszkieta Radosław, Stankiewicz Błazej. Simulation as method of classification of 7-9th form boy pupils' motor fitness. Journal of Physical Education and Sport, 2015;15(1):142-147. doi:10.7752/jpes.2015.01023
- 30. Ivashchenko OV, Yermakova TS. Assessment of functional, coordination and power fitness of 7-8 form boys.

Pedagogics, psychology, medical-biological problems of physical training and sports, 2015;9:20–25. doi:10.15561/18189172.2015.0903

- 31. Kashuba VO, Goncharova NN, Butenko HO. Effectiveness of health tourism application as the basis of health related recreational technology in primary school pupils' physical education. *Pedagogics, psychology, medical-biological problems of physical training and sports,* 2016;2:19–25. doi:10.15561/18189172.2016.0203
- 32. Khudolii OM, Ivashchenko OV, Iermakov SS, & Rumba OG. Computer simulation of junior gymnasts' training process. *Science of Gymnastics Journal*, 2016;8(3):215 228.
- 33. Khudolii OM, Iermakov SS, Prusik K. Classification of motor fitness of 7-9 years old boys. *Journal of Physical Education and Sport (JPES)* 2015;15(2): 245 253. doi:10.7752/jpes.2015.02038
- 34. Khudolii OM, Iermakov SS, Ananchenko KV. Factorial model of motor fitness of junior forms' boys. *Journal of Physical Education and Sport*, 2015;15(3):585 591. doi:10.7752/jpes.2015.03088
- 35. Khudolii OM, Titarenco AA. The effectiveness of development programming strength in primary school children. *Pedagogics, psychology, medical-biological problems of physical training and sports*, 2013;7:83–88. doi:10.6084/m9.figshare.744827
- 36. Kretschmann Rolf. Comparison of 9th grade students'physical activity levels during recess and regular class periods using objective measurement. *Pedagogics, psychology, medical-biological problems of physical training and sports*, 2016;4:59–63. doi:10.15561/18189172.2016.0409

Information about the authors:

Ivashchenko O.V.; http://orcid.org/0000-0002-2708-5636; public@tmfv.com.ua; H.S. Skovoroda Kharkiv National Pedagogical University; Alchevskikh str. 29, Kharkov, 61002, Ukraine.

Kapkan O.O.; http://orcid.org/0000-0003-4320-4276; tmfv@tmfv.com.ua; Donbass State Machine-building Academy; st. Shkadinova, 72, Kramatorsk, Donetsk region, 84313, Ukraine.

Cite this article as: Ivashchenko O.V., Kapkan O.O. Informative pedagogic control indicators of 14-15 years age girls' motor fitness. *Pedagogics, psychology, medicalbiological problems of physical training and sports*, 2016;6:18–25. doi:10.15561/18189172.2016.0603

The electronic version of this article is the complete one and can be found online at: http://www.sportpedagogy.org.ua/html/arhive-e.html

This is an Open Access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited (http://creativecommons.org/licenses/by/4.0/deed.en).

Received: 05.10.2016 Accepted: 01.11.2016; Published: 30.11.2016