



INFORMATION TECHNOLOGIES

DOI: 10.15587/2312-8372.2017.103177

DEVELOPMENT OF PROTOTYPE FOR USER INTERFACE OF INFORMATION SYSTEM

page 4–8

Dubinsky Alexey, PhD, Associate Professor, Department of Medical-biological Physics and Informatics, State Establishment «Dnipropetrovsk Medical Academy», Dnipro, Ukraine, e-mail: dubinsky@ukr.net, ORCID: <http://orcid.org/0000-0001-8536-1603>

For intellectual activity in the time of information explosion, it is necessary to explore a lot of documents obtained from open sources of the Internet. The object of research is the interface and structure of the information system. This system allows to reduce the processed information flow by filtering documents. The filtration is based on the documents set clustering. This method is seldom used due to the complexity of the user interface.

To solve this problem, it is proposed to use the mind map view for visualizing the clustering results. The cluster hierarchy automatically creates the initial graph of the map nodes. The binary graph of the clustering results will automatically transform to the n-ary graph tree. The n is no more than the Yngve-Miller's number and should be determined by the user. The user also controls the mapping of clusters to the mind map, using SQL-queries.

The structure of the information system is determined. This system uses free software solutions as its integral parts. Neural network subsystem is required to adapt to the specific user needs.

A prototype of the mind map user interface is developed. It is made in JavaScript and is represented as a web page. A list of the main use cases for implementation in the MVP (the minimum viable product) is given.

Keywords: hierarchical clustering, mind map, information overload, user interface.

References

1. Econ Stats: All Economic Indicators for All Countries. *Economy Watch*. Available: <http://www.economywatch.com/economic-statistics/economic-indicators/>. Last accessed: 20.03.2017.
2. Manning, C. D., Raghavan, P., Schütze, H. (2008). *Introduction to Information Retrieval*. Cambridge: Cambridge University Press, 482. doi:10.1017/cbo9780511809071
3. Tanatar, N. V., Fedorchuk, A. G. (2008). Intellectual'nye poiskovo-analiticheskie sistemy monitoringa SMI. *Biblioteki Natsional'nyh akademii nauk: problemy funktsionirovaniia, tendentsii razvoitiia*, 6, 205–219.
4. Lande, D. V. (2010). Instrumentarii analitika. *Telekom*, 4, 36–40.
5. Smith, C. (23.05.2017). How Many People Use the Top Social Media, Apps & Services? *DMR*. Available: <http://expandedramblings.com/?s=How+Many+People+Use+the+Top+Social+Media%2C+Apps+%26+Services%3F+>
6. Brin, S., Page, L. (1998). The anatomy of a large-scale hypertextual Web search engine. *Computer Networks and ISDN Systems*, 30 (1-7), 107–117. doi:10.1016/s0169-7552(98)00110-x
7. Enge, E., Spencer, S., Fishkin, R., Stricchiola, J. (2009). *The Art of SEO: Mastering Search Engine Optimization (Theory in Practice)*. O'Reilly Media, 608.
8. Liu, Y., Gao, B., Liu, T.-Y., Zhang, Y., Ma, Z., He, S., Li, H. (2008). BrowseRank. *Proceedings of the 31st Annual International ACM SIGIR Conference on Research and Development in Information Retrieval – SIGIR'08*, 451–458. doi:10.1145/1390334.1390412
9. Su, X., Khoshgoftaar, T. M. (2009). A Survey of Collaborative Filtering Techniques. *Advances in Artificial Intelligence*, 2009, 1–19. doi:10.1155/2009/421425
10. Turdakov, D., Astrakhantsev, N., Nedumov, Y., Sysoev, A., Andrianov, I., Mayorov, V., Fedorenko, D., Korshunov, A., Kuznetsov, S. (2014). Texterra: A Framework for Text Analysis. *Proceedings of the Institute for System Programming of RAS*, 26 (1), 421–438. doi:10.15514/ispras-2014-26(1)-18
11. DeVito, M. A. (2016). From Editors to Algorithms. *Digital Journalism*, 1–21. doi:10.1080/21670811.2016.1178592
12. Wang, Z., Crowcroft, J. (1996). Prefetching in World Wide Web. *Proceedings of GLOBECOM'96. 1996 IEEE Global Telecommunications Conference*, 28–32. doi:10.1109/glocom.1996.586110
13. Aggarwal, C. C., Zhai, C. X. (2012). *A Survey of Text Clustering Algorithms. Mining Text Data*. Springer US, 77–128. doi:10.1007/978-1-4614-3223-4_4
14. Dubinsky, A. (15.03.2005). Method for the clusterization of a set of objects by using a reference. *Patent of Ukraine № 72720, MPK G06F 7/00, G06F 17/30, G06F 7/16*. Appl. № 20031212875. Filed 29.12.2003. Bull. № 3. Available: <http://uapatents.com/9-72720-sposib-klasterizuvannya-naboru-obehktiv-z-vikoristannyam-zrazka.html>
15. Lewis, J., Fowler, M. (2014, March 25). Microservices: a definition of this new architectural term. *Martin Fowler*. Available: <http://martinfowler.com/articles/microservices.html>
16. Khan, M. S., Khor, S. W. (2004). Web document clustering using a hybrid neural network. *Applied Soft Computing*, 4 (4), 423–432. doi:10.1016/j.asoc.2004.02.003
17. Du, K.-L. (2010). Clustering: A neural network approach. *Neural Networks*, 23 (1), 89–107. doi:10.1016/j.neunet.2009.08.007
18. Chen, H., Houston, A. L., Sewell, R. R., Schatz, B. R. (1998). Internet browsing and searching: User evaluations of category map and concept space techniques. *Journal of the American Society for Information Science*, 49 (7), 582–603. doi:10.1002/(sici)1097-4571(19980515)49:7<582::aid-asi2>3.0.co;2-x
19. Canas, A. J., Coffey, J. W., Carnot, M. J., Feltovich, P., Hoffman, R. R., Feltovich, J., Novak, J. D. (2003). *A Summary of Literature Pertaining to the Use of Concept Mapping Techniques and Technologies for Education and Performance Support*. Report to the Chief of Naval Education and Training. Pensacola, Florida: The Institute for Human and Machine Cognition, 108.
20. Spangler, S., Kreulen, J. T., Lessler, J. (2002). MindMap: utilizing multiple taxonomies and visualization to understand a document collection. *Proceedings of the 35th Annual Hawaii International Conference on System Sciences*, 1170–1179. doi:10.1109/hicss.2002.994039
21. Karta uma – dlia teh, kto izuchaet Javascript. *GitHub, Inc*. Available: <https://github.com/Imater/mindmap>

DOI: 10.15587/2312-8372.2017.104033

DEVELOPING OF THE E-GOVERNMENT SYSTEM BASED ON JAVA FOR ONLINE VOTING

page 9–13

Mohammad Alhawawsha, Postgraduate Student, Department of Information Systems, Taras Shevchenko National University of Kyiv, Ukraine, e-mail: mhawawsha@gmail.com, ORCID: <http://orcid.org/0000-0001-5587-3501>

The current article is focused on proposing a new electronic voting system that will assist the government in conducting the online voting for the elections. The system will be secure with

the end to end encryption to ensure that no data theft occurs during the transfer. The key demerit of the system is the security from the end of the government. It has to be ensured that all the external threats are kept at bay when using the online voting system. The secondary research approach is considered to mine the information required to conduct the study and develop the system. Overall, it can be stated that the new system will allow the government and public to have improved voting experience if implemented successfully.

Keyword: Java-based E-government system, online voting, privacy theft.

References

- Becker, J., Niehaves, B., Algermissen, L., Delfmann, P., Falk, T. (2004). E-Government Success Factors. *Electronic Government*. Berlin, Heidelberg: Springer, 503–506. doi:10.1007/978-3-540-30078-6_87
- Gil-Garcia, J. R., Pardo, T. A. (2005). E-government success factors: Mapping practical tools to theoretical foundations. *Government Information Quarterly*, 22 (2), 187–216. doi:10.1016/j.giq.2005.02.001
- McClure, N., Lohry, K. (26.06.2001). Electronic voting system. *United States Patent 6250548*. Appl. № 08/953003. Filed 16.10.1997. Available: <http://www.freepatentsonline.com/6250548.html>
- Kohno, T., Stubblefield, A., Rubin, A. D., Wallach, D. S. (2004, May). Analysis of an electronic voting system. *IEEE Symposium on Security and Privacy 2004*. IEEE Computer Society Press, 27–40.
- Draper, S. W., Brown, M. I. (2004). Increasing interactivity in lectures using an electronic voting system. *Journal of Computer Assisted Learning*, 20 (2), 81–94. doi:10.1111/j.1365-2729.2004.00074.x
- Kennedy, G. E., Cutts, Q. I. (2005). The association between students' use of an electronic voting system and their learning outcomes. *Journal of Computer Assisted Learning*, 21 (4), 260–268. doi:10.1111/j.1365-2729.2005.00133.x
- Mercuri, R. (2002). A better ballot box? *IEEE Spectrum*, 39 (10), 46–50. doi:10.1109/mspec.2002.1038569
- Bederson, B. B., Lee, B., Sherman, R. M., Herrnson, P. S., Niemi, R. G. (2003). Electronic voting system usability issues. *Proceedings of the Conference on Human Factors in Computing Systems – CHI '03*. ACM Press, 145–152. doi:10.1145/642611.642638
- Stuart, S. A. J., Brown, M. I., Draper, S. W. (2004). Using an electronic voting system in logic lectures: one practitioner's application. *Journal of Computer Assisted Learning*, 20 (2), 95–102. doi:10.1111/j.1365-2729.2004.00075.x
- Bannet, J., Price, D. W., Rudys, A., Singer, J., Walach, D. (2004). Hack-a-vote: security issues with electronic voting systems. *IEEE Security & Privacy Magazine*, 2 (1), 32–37. doi:10.1109/msecp.2004.1264851
- Boneh, D., Franklin, M. (2001). Identity-Based Encryption from the Weil Pairing. *Advances in Cryptology – CRYPTO 2001*. Berlin, Heidelberg: Springer, 213–229. doi:10.1007/3-540-44647-8_13
- Clarkson, M. R., Chong, S., Myers, A. C. (2008). Civitas: Toward a Secure Voting System. *2008 IEEE Symposium on Security and Privacy (sp 2008)*. IEEE, 354–368. doi:10.1109/sp.2008.32
- Altameem, T., Zairi, M., Alshawi, S. (2006). Critical Success Factors of E-Government: A Proposed Model for E-Government Implementation. *2006 Innovations in Information Technology*. IEEE, 1–5. doi:10.1109/innovations.2006.301974
- Al-khamayseh, S., Lawrence, E., Zmijewska, A. (2006, December). Towards Understanding Success Factors in Interactive Mobile Government. *Proceedings of Euro mGov*. Available: <https://pdfs.semanticscholar.org/70eb/66b62cf8a5e67590849b182fb97ef39a4ef9.pdf>
- Chircu, A. M., Lee, D. H.-D. (2005). E-government: key success factors for value discovery and realisation. *Electronic Government, an International Journal*, 2 (1), 11–25. doi:10.1504/eg.2005.006645

DOI: 10.15587/2312-8372.2017.104124

APPLICATION OF THE HOMEOSTATIC APPROACH TO THE FORMATION OF THE PORTFOLIO OF REGIONAL DEVELOPMENT PROJECTS

page 13–19

Oberemok Ivan, PhD, Associate Professor, Department of Project Management, Kyiv National University of Construction and Architecture, Ukraine, e-mail: oberemokii@gmail.com, ORCID: <http://orcid.org/0000-0002-9194-0852>

Oberemok Nataliia, PhD, Associate Professor, Department of Geoinformatics, Taras Shevchenko National University of Kyiv, Ukraine, e-mail: oberemokn@gmail.com, ORCID: <http://orcid.org/0000-0002-7230-8149>

The transition to the knowledge economy requires a change in approach to the management of the development of both: individual regions and entire countries. The definition of competitiveness has become one of the key definitions in the formation of the regional development strategy. For management of the development of the region is recommended to use a project-based approach. At this, the important processes are the processes of formation of a portfolio of projects and determination of their priorities.

The peculiarity of regional development projects is that they are aimed at satisfying a large number of different stakeholder groups. Each stakeholder group has its own view of the results of development projects. Providing homeostasis between the stakeholders of regional development projects is a hard job. Because projects demand are formed based on quality indicators. Constantly changing list of quantitative indicators is used to describe the quality indicators. In addition, the indicators themselves change their planned value and their importance in the framework of a quality indicator.

Considering limited budget of regional development it is necessary to form a portfolio of projects that will ensure maximum stakeholder requirements. In this regard, the tools of formation and prioritize of regional development projects are proposed to build on the basis of a homeostatic approach. This approach allows to build a complex management system aimed at the survival of the object of manage in an aggressive environment. Realizing the selected projects on the proposed approach, the regional authorities will be able to improve the competitiveness of the region significantly.

Keywords: project management, project portfolio management, homeostatic approach, regional development projects.

References

- A Guide to the Project Management Body of Knowledge (PMBOK® Guide)*. Ed. 5. (2013). Project Management Institute, 590.
- Kerzner, H. (2009). *Project Management: A Systems Approach to Planning, Scheduling, and Controlling*. Ed. 10. USA, New Jersey: Wiley, 1120.
- P2M «Program & Project Management for Enterprise Innovation». (2016). *Project Management Association of Japan*. Available: http://www.pmaj.or.jp/ENG/p2m/p2m_guide/p2m_guide.html
- The Standard for Portfolio Management*. Ed. 3. (2013). Project Management Institute, 189.

5. *The Standard for Program Management. Ed. 3.* (2013). Project Management Institute, 176.
6. *ICB: IPMA Competence Baseline Version 3.0.* (2006). IPMA, Netherlands, 200.
7. *ISO 21500:2012. Guidance on project management.* (2012). Project Committee ISO/PC 236, 36.
8. Champy, J. (2002). *X-Engineering the Corporation: Reinventing Your Business in the Digital Age (Hardcover)*. New York: Warner Business Books, 232.
9. Gorsky, Y., Stepanov, A., Teslinov, A. (2008). *Homeostatics harmony in the game of contradictions*. Irkutsk: Reporter A1, 634.
10. Zhilyayeva, N. M. (2011). The mechanism of increasing the region's competitiveness in a globalizing. *Sustainability Ukraine*, 4, 124–129.
11. Kaplan, R. S., Norton, D. P. (1996). *The Balanced Scorecard: Translating Strategy into Action*. Boston: Harvard Business School Press, 336.
12. In: Niven, P. R. (2012). *Balanced Scorecard Step-by-Step for Government and Nonprofit Agencies*. John Wiley & Sons, Inc., 366. doi:10.1002/9781119197287
13. Oberemok, I. (2014). Homeostatic approach to project management. *Management of Development of Complex Systems*, 19, 50–53.
14. Oberemok, I., Oberemok, N. (2014). Gomestaz approaches to the management of the corporate project management system. *Bulletin of the Lviv State University of Life Safety*, 10, 106–111.
15. Oberemok, I., Oberemok, N. (2017). Development of mathematical model of decision making based on analysis of values of stakeholders. *Technology Audit and Production Reserves*, 1(2(33)), 13–18. doi:10.15587/2312-8372.2017.93461
16. Dorosh, M. S., Itchenko, D. M. (2012). Evaluation of life cycle regional projects and programs. *Management of Complex Systems*, 12, 55–59.

DOI: 10.15587/2312-8372.2017.105379

DEVELOPMENT OF THE METHOD FOR TERRITORIAL COMMUNITY FORMATION BASED ON MULTI-CRITERIA SWARM ALGORITHM APPROACH

page 20–27

Lytvyn Vasyi, Doctor of Technical Sciences, Professor, Department of Information Systems and Networks, National University «Lviv Polytechnic», Ukraine, e-mail: yevhen.v.burov@lpnu.ua, ORCID: <http://orcid.org/0000-0002-9676-0180>

Uhryn Dmytro, PhD, Associate Professor, Department of Information Systems, Chernivtsi Faculty of the National Technical University «Kharkiv Polytechnic Institute», Chernivtsi, Ukraine, e-mail: ugrund38@gmail.com, ORCID: <http://orcid.org/0000-0003-4858-4511>

Shevchuk Sergey, PhD, Associate Professor, Department of Information Systems, Chernivtsi Faculty of the National Technical University «Kharkiv Polytechnic Institute», Chernivtsi, Ukraine, e-mail: Shevchuk_sergey_2015@ukr.net, ORCID: <http://orcid.org/0000-0002-7833-3660>

Baliasnikova Oksana, Senior Lecturer, Department of Information Systems, Chernivtsi Faculty of the National Technical University «Kharkiv Polytechnic Institute», Chernivtsi, Ukraine, e-mail: oksana.balyasnikova@gmail.com, ORCID: <http://orcid.org/0000-0002-0236-4639>

Iliiyuk Olexiy, Department of Information Systems, Chernivtsi Faculty of the National Technical University «Kharkiv Polytechnic Institute», Chernivtsi, Ukraine, e-mail: olexiyilyukm@gmail.com, ORCID: <http://orcid.org/0000-0002-0904-3045>

The object of research is the formation of territorial communities based on swarm intelligence. In the process of research, a problem is identified that arises in the formation of territorial communities in Ukraine, namely the unstable political situation due to the introduction of many reforms.

In order to solve this problem, the aim is creation of an automated approach to the formation of territorial communities according to certain evaluation criteria.

The proposed method is used on the example of Zastavniivsky district of the Chernivtsi region (Ukraine) on such criteria as: the availability of hospitals, fire departments, police departments, kindergartens, and social institutions. With the help of swarm algorithms, 5 administrative centers and 19 settlements are created, satisfying the conditions of the task. The gray wolf and the bats algorithms formed a community and the center is determined, and the method of multi-criteria optimization optimizes the parameters of administrative units.

Geo-information technologies, statistical data of settlements of the Zastavniivskyi district of the Chernivtsi region, gray wolf and bats algorithms and the method of multi-criteria optimization make it possible to obtain the result of the process of formation of territorial communities of the proposed method. Due to these aspects, an automated process of forming territorial communities is obtained.

Keywords: bats algorithm, gray wolf algorithm, formation of territorial communities, evaluation criteria.

References

1. On the Voluntary Association of Territorial Communities. *Law of Ukraine from 05.02.2015 № 157-VIII*. Available: <http://zakon5.rada.gov.ua/laws/show/157-19>
2. Mirjalili, S., Mirjalili, S. M., Lewis, A. (2014). Grey Wolf Optimizer. *Advances in Engineering Software*, 69, 46–61. doi:10.1016/j.advengsoft.2013.12.007
3. Madadi, A., Motlagh, M. (2014). Optimal Control of DC Motor Using Grey Wolf Optimizer Algorithm. *Technical Journal of Engineering and Applied Science*, 4 (4), 373–379.
4. Yilmaz, S., Kucuksille, E. U. (2015). A new modification approach on bat algorithm for solving optimization problems. *Applied Soft Computing*, 28, 259–275. doi:10.1016/j.asoc.2014.11.029
5. Gandomi, A. H., Yang, X.-S., Alavi, A. H., Talatahari, S. (2012). Bat algorithm for constrained optimization tasks. *Neural Computing and Applications*, 22 (6), 1239–1255. doi:10.1007/s00521-012-1028-9
6. Alcalá-Fdez, J., Fernández, A., Luengo, J., Herrera, F., García, S., Sánchez, L., Herrera, F. (2011). KEEL Data-Mining Software Tool: Data Set Repository, Integration of Algorithms and Experimental Analysis Framework. *Valued Logic & Soft Computing*, 17, 255–287.
7. Nakamura, R. Y. M., Pereira, L. A. M., Costa, K. A., Rodrigues, D., Papa, J. P., Yang, X.-S. (2012). BBA: A Binary Bat Algorithm for Feature Selection. *2012 25th SIBGRAPI Conference on Graphics, Patterns and Images*, 291–297. doi:10.1109/sibgrapi.2012.47
8. Fister, I., Fister, D., Yang, X.-S. (2013). A Hybrid Bat Algorithm. *Electrotechnical Review*, 80 (1–2), 1–7.
9. Wang, G., Guo, L. (2013). A Novel Hybrid Bat Algorithm with Harmony Search for Global Numerical Optimization. *Journal of Applied Mathematics*, 2013, 1–21. doi:10.1155/2013/696491
10. Yang, X. S., He, X. (2013). Bat algorithm: literature review and applications. *International Journal of Bio-Inspired Computation*, 5 (3), 141–149. doi:10.1504/ijbic.2013.055093

SYSTEMS AND CONTROL PROCESSES

DOI: 10.15587/2312-8372.2017.101739

ANALYSIS OF THE TECHNICAL POSSIBILITY OF SUBMARINE CAMOUFLAGE FROM DIRECTION FINDING MEANS

page 28–33

Karachun Volodimir, Doctor of Technical Sciences, Professor, Department of Biotechnics and Engineering, National Technical University of Ukraine «Igor Sikorsky Kyiv Polytechnic Institute», Ukraine, e-mail: karachun11@i.ua, ORCID: <http://orcid.org/0000-0002-6080-4102>

Mel'nick Viktorij, Doctor of Technical Sciences, Professor, Head of Department of Biotechnics and Engineering, National Technical University of Ukraine «Igor Sikorsky Kyiv Polytechnic Institute», Ukraine, e-mail: vmm71@i.ua, ORCID: <http://orcid.org/0000-0002-0004-7218>

Fesenko Sergii, Postgraduate Student, Department of Biotechnics and Engineering, National Technical University of Ukraine «Igor Sikorsky Kyiv Polytechnic Institute», Ukraine, ORCID: <http://orcid.org/0000-0003-1001-0643>

The submarines studied in this work have an indisputable advantage, consisting in increased concealment, which allows them to concentrate in strategically important areas of the water area with attack means containing a combat unit of various composition and power. Concealment of the submarines significantly increases the danger of hitting critical infrastructures of states of medium and small area, even without their own water area.

Submarines, in addition to the marked advantage, have obvious disadvantages, which include «blindness» and «noisiness». Therefore, when solving tactical and strategic tasks of defense significance, it is necessary to take into account the need to eliminate these disadvantages.

One of the variants of the technical solution is presented for providing the submarine camouflage from the direction finding equipment with the help of hydroacoustic stations – underkeel, drop, towed. An analytical model of the technical effect is constructed to achieve limited visibility of the submarine outside the zone of geometric resonance. The effectiveness degree of submarine camouflage is analyzed in the case of the onset of a resonant situation in the enclosing module - wave coincidence. The pre-conditions for the onset of resonance are formulated under the condition that a large wave size of the outer shell of the enclosing module is provided. The content of aberration phenomenon irradiated by the outer shell of sound waves into the fluid of the inter-shell space is revealed.

Semi-detailed laboratory studies of the submarine model allow using ultrasonic technologies to ensure the concealment of the submarine in the absence of its own propulsion by means of a two-shell module separated by a liquid and artificially irradiated with ultrasound. At the same time, the theoretical prerequisites for increasing the effectiveness of submarine camouflage using resonant appearance in the form of wave coincidence in a laboratory unit confirms the correctness of the initial technical solutions. This allows to evaluate step-by-step the requirements of high camouflage efficiency:

- large wave size of the shell module;
- creation of caustic zones in the inter-shell space, which acts as an enclosing surface from the direction finding equipment;
- ensuring of the geometric resonance of the outer shell to form its «acoustic transparency»;

– creation of a zone of increased energy in the form of turbulence of the inter-shell liquid.

Keywords: aberration, wave coincidence, caustic surface, circumferential waves, bending waves of the shell.

References

1. 50 let bez dozpravki i shuma: amerikantsy sovershenstvuiut podlodki. (21.03.2013). *Zoom.CNews*. Available: http://zoom.cnews.ru/rnd/news/line/50_let_bez_dozpravki_i_shuma_amerikancy_sovershenstvuyut_podlodki
2. Nuzhen li voennym korabl'-podlodka? (09.12.2011). *Zoom.CNews*. Available: http://zoom.cnews.ru/rnd/news/line/nuzhen_li_voennym_korabl'podlodka
3. Aristov, A. P. (1986). Demaskiruiushchie priznaki, ih ustranenie i oslablenie v morskikh operatsiiah. *Voennaia mysl'*, 7, 22–30. Available: <http://militaryarticle.ru/voennaya-mysl/1986-vm/8121-demaskirujushhie-priznaki-ih-ustranenie-i>
4. Podvodnye lodki i korabli zakryli zvukovym bar'erom. (2017, March 31). *Gazeta Izvestiia*. Available: <http://izvestia.ru/news/674389>
5. Bardakov, R. N., Chaplina, T. O. (10.09.2015). Sposob maskirovki sleda podvodnogo apparata bar'erom. *Patent RU № 2564935*. Available: <http://www.findpatent.ru/patent/256/2564935.html>
6. Pavlikov, S. N. (15.11.1994). Samohodnyi imitator podvodnoi lodki. *Patent RU № 2022872, MPK B63G8/34*. Filed 13.11.1991. Available: <http://www.findpatent.ru/patent/202/2022872.html>
7. Talanov, B. P. (20.09.1999). Morskoi boevoi podvizhnyi kompleks. *Patent RU № 2137673, MPK B63G8/34, B63G 13/02; F41H 3/00*. Appl. № 97122056/28. Filed 22.12.1997. Available: <http://www.findpatent.ru/patent/213/2137673.html>
8. Nebolsin, V. A. (20.02.2014). Sposob maskirovki podvodnoi lodki. *Patent RU № 2507108, MPK B63G13/02, B63G 8/34, F41H 3/00*. Filed 07.11.2012. Available: <http://www.findpatent.ru/patent/250/2507108.html>
9. Aleksandrov, Yu. I., Gusev, A. N. (2000). *Boevye korabli mira na rubezhe XX–XX vekov. Part I. Podvodnye lodki*. St. Petersburg: Galeia-Print, 302.
10. Karachun, V., Mel'nick, V., Korobiichuk, I., Nowicki, M., Szewczyk, R., Kobzar, S. (2016). The Additional Error of Inertial Sensors Induced by Hypersonic Flight Conditions. *Sensors*, 16 (3), 299. doi:10.3390/s16030299
11. Ren, C., Xiang, Z. (2014). Camouflage devices with simplified material parameters based on conformal transformation acoustics. *Applied Mathematical Modelling*, 38 (15–16), 3774–3780. doi:10.1016/j.apm.2013.12.005
12. Wang, S.-Y., Liu, S.-B., Guo, Y.-N., Ghen, C. (2013). A v-shaped cavity camouflage coating. *Optics & Laser Technology*, 45, 666–670. doi:10.1016/j.optlastec.2012.05.014
13. Xu, Y., Basset, G. (2010). Virtual motion camouflage based phantom track generation through cooperative electronic combat air vehicles. *Automatica*, 46 (9), 1454–1461. doi:10.1016/j.automatica.2010.05.027
14. Yu, X., Lin, G., Zhang, D., He, H. (2006). An optimizing method for design of microwave absorbing materials. *Materials & Design*, 27 (8), 700–705. doi:10.1016/j.matdes.2004.12.022
15. Xu, J., Guo, Z. (2013). Biomimetic photonic materials with tunable structural colors. *Journal of Colloid and Interface Science*, 406, 1–17. doi:10.1016/j.jcis.2013.05.028
16. Mel'nick, V., Ladogubets, N. (2016). *Volnovye zadachi v akusticheskikh sredah*. Kyiv: Korneichuk, 432.
17. Karachun, V., Mel'nick, V. (2011). *Zadachi suprovodu ta maskuvannia rukhomykh ob'ektiv*. Kyiv: Kornichuk, 264.

DOI: 10.15587/2312-8372.2017.105146

DEVELOPMENT OF METHODS AND MODELS OF COMPLEX OF SECURITY TECHNOLOGIES FOR PRINTING PRODUCTS

page 33–40

Biziuk Andrii, PhD, Associate Professor, Department of Media Systems and Technologies, Kharkiv National University of Radio Electronics, Ukraine, e-mail: andrii.biziuk@nure.ua, ORCID: <http://orcid.org/0000-0001-9830-9206>

Tkachenko Volodymyr, PhD, Professor, Department of Media Systems and Technologies, Kharkiv National University of Radio Electronics, Ukraine, e-mail: volodymyr.tkachenko@nure.ua, ORCID: <http://orcid.org/0000-0002-5076-0724>

Vovk Aleksandr, PhD, Associate Professor, Department of Media Systems and Technologies, Kharkiv National University of Radio Electronics, Ukraine, e-mail: oleksandr.vovk@nure.ua, ORCID: <http://orcid.org/0000-0001-9072-1634>

The object of research is the process of selecting elements that make up a complex of security printing technologies to counter the fabrication of printing product. The problem is caused by the development of reproductive and digital technology, which makes it possible to easily reproduce an unsecured original packaging or label.

The analysis of existing technologies for describing the security level of a printing product against falsification with subsequent identification of its shortcomings is carried out. The application of the method of integral indicators for evaluating the security of a printing product against falsification is proposed. The peculiarity of the technique consists in determining the weigh coefficients taking into account 15 technological series to exclude the use of the same type of protective elements. The significance of each element in the integral evaluation is determined by the analysis of 500 labels (printed products). A further study is in refining of the proposed weight coefficients and development of an information support decision-making system for designers of secured printing products. Research results are recommendations for optimizing the choice of security complex.

Keywords: security of a printed product against falsification, technological series, security complex, security element.

References

1. Anderson, R. (2001). *Security Engineering: A Guide to Building Dependable Distributed Systems*. John Wiley & Sons, 640.
2. Lampert, C., Mei, L., Breuel, T. (2006). Printing Technique Classification for Document Counterfeit Detection. *2006 International Conference on Computational Intelligence and Security*, 1–6. doi:10.1109/iccias.2006.294214
3. Kyrychok, P. O., Korostil, Yu. M., Shevchuk, A. V. (2008). *Zakhyst tsimnykh paperiv ta dokumentiv suvoroho obliku*. Kyiv: NTUU «KPI», 368.
4. Cerulli, R., De Leone, R., Gentili, M. (2014). Finding Pattern Configurations for Bank Cheque Printing. *Procedia – Social and Behavioral Sciences*, 108, 219–234. doi:10.1016/j.sbspro.2013.12.833
5. Seto, A., Lisi, J., Ahmed, M. K. (2009). Ensuring document security and privacy in transpromo printing. *2009 IEEE Toronto International Conference Science and Technology for Humanity (TIC-STH)*. doi:10.1109/tic-sth.2009.5444488
6. Simske, S. J., Aronoff, J. S., Arnabat, J. (2006). Qualification of security printing features. *Optical Security and Counterfeit Deterrence Techniques VI*, 1–12. doi:10.1117/12.641762
7. Konshin, A. A. (1999). *Zashchita poligraficheskoi produktsii ot fal'sifikatsii*. Moscow: Sinus, 160.

8. Warner, R. D., Adams II, R. M. (2016). *Introduction to Security Printing*. Ed. 2. USA, Pittsburgh, PA: Printing Industries of America (PIA) Press, 240.
9. Krestianpol, O. A., Krestianpol, L. Yu., Palchevsky, B. O.; In: Palchevsky, B. O. (2015). *Informatsini tekhnologii v proektuvanni systemy zakhystu pakovanoi produktsii*. Lutsk: Vezha-Druk, 160.
10. Kyrychok, T. Yu. (2014). *Naukovi osnovy zabezpechennia znosostiikosti banknotnoi produktsii*. Lviv, 450.
11. Hampden-Smith, M., Haubrich, S., Kornbrekke, R., Shah, J., Bhatia, R., Hardman, N., Einhorn, R. (2006). Overt security features through digital printing. *Optical Security and Counterfeit Deterrence Techniques VI*, 1–10. doi:10.1117/12.641882
12. Biziuk, A. V., Zhernova, P. E. (2016). Raschet obobshchennogo pokazatelja zashchishchennosti poligraficheskogo izdeliia dlja informatsionnoi sistemy. *Bionica Intellecta*, 1 (86), 63–67.

DOI: 10.15587/2312-8372.2017.105351

DEVELOPMENT OF A MODEL FOR DETERMINING THE TIME PARAMETERS FOR THE INTERACTION OF PASSENGER TRANSPORT IN A SUBURBAN TRANSPORT AND TRANSFER TERMINAL

page 41–46

Vdovychenko Volodymyr, PhD, Associate Professor, Department of Transport Technology, Kharkiv National Automobile and Highway University, Ukraine, e-mail: Vval2301@gmail.com, ORCID: <http://orcid.org/0000-0003-2746-8175>

Servicing of passengers in the conditions of suburban communication is represented through a description of the connection between the components of the process of functioning of the route network and the totality of technological operations performed within the suburban transport and transfer terminal. The object of research is the process of functioning of a suburban transport and transfer terminal. It is suggested to consider the interaction of routes from the point of view of ensuring a reduction in the time of passenger transfer, which is realized by introducing a time combination of the location of vehicles of various types of services in a suburban transport and transfer terminal. The existing general structure and formalized components of the model of technological interaction of passenger transport in a suburban transport and transfer terminal. Based on the assessment of the total time of passenger transfer, the characteristic conditions and areas of acceptable values of the rational duration of the overlapped vehicle location in the suburban transport and transfer terminal are highlighted. The use of such form of interaction representation of passenger transport makes it possible to realize the procedure for finding rational time parameters for the simultaneous finding of vehicles of various types of services in suburban transport and transfer terminal. This search procedure ensures the minimization of the time spent by passengers for transfer in accordance with the existing opportunities of the resource channels of the subjects of passenger transport.

Keywords: suburban transport and transfer terminal, passenger transport, time of passenger transfer, time of overlapped idle.

References

1. Bondar, A. (2016). Transport interchange hub as part of city planning structure. *Mining, construction, road and melioration machines*, 88, 91–99.
2. Krystopchuk, M. Ye., Bychko, Z. V. (2012). Do pytannia rozmishchennia miskykh transportno-peresadochnykh vuzliv. *Komunalne hospodarstvo mist*, 103, 374–378.
3. Morozova, Y. B., Zharkevich, D. V. (2013). Principles and methods of architectural planning of passenger terminals in the republic of Belarus. *Architecture*, 6 (40), 208–212.

4. Azarenkova, Z. V. (2011). Planning Organization of Transport Transferring Junction. *Academia. Arhitektura i stroitel'stvo*, 1, 76–80.
5. Mikhailov, A. Iu., Kopylova, T. A. (2015). Classifying characteristics of intermodal connections of city public transport at the example of Vienna. *Izvestiya vuzov. Investitsiyi. Stroyitel'stvo. Nedvizhimost*, 1 (12), 137–144.
6. Reitsen, E. A., Berlog, A. I. (2012). Organizatsiia peresadok s linii GPT na metropoliten i logistika. *Vestnik Donetskoi akademii avtomobil'nogo transporta*, 3, 4–11.
7. Dessouky, M., Hall, R., Zhang, L., Singh, A. (2003). Real-time control of buses for schedule coordination at a terminal. *Transportation Research Part A: Policy and Practice*, 37 (2), 145–164. doi:10.1016/s0965-8564(02)00010-1
8. Sorensen, C. H., Longva, F. (2011). Increased coordination in public transport – which mechanisms are available? *Transport Policy*, 18 (1), 117–125. doi:10.1016/j.tranpol.2010.07.001
9. Vdovychenko, V. O., Samchuk, G. O. (2016). Development of a mathematical model of public transport interchanges functioning. *Bulletin of NTU «KhPI». Series: Mechanical-technological systems and complexes*, 17 (1189), 56–61.
10. Wu, W., Liu, R., Jin, W. (2016). Designing robust schedule coordination scheme for transit networks with safety control margins. *Transportation Research Part B: Methodological*, 93, 495–519. doi:10.1016/j.trb.2016.07.009
11. Nesheli, M. M., Ceder, A. A. (2015). Improved reliability of public transportation using real-time transfer synchronization. *Transportation Research Part C: Emerging Technologies*, 60, 525–539. doi:10.1016/j.trc.2015.10.006
12. Ibarra-Rojas, O. J., Lopez-Irarragorri, F., Rios-Solis, Y. A. (2016). Multiperiod Bus Timetabling. *Transportation Science*, 50 (3), 805–822. doi:10.1287/trsc.2014.0578
13. Li, L., Zhang, H., Wang, X., Lu, W., Mu, Z. (2011). Urban Transit Coordination Using an Artificial Transportation System. *IEEE Transactions on Intelligent Transportation Systems*, 12 (2), 374–383. doi:10.1109/tits.2010.2060195
14. Wu, Y., Yang, H., Tang, J., Yu, Y. (2016). Multi-objective resynchronizing of bus timetable: Model, complexity and solution. *Transportation Research Part C: Emerging Technologies*, 67, 149–168. doi:10.1016/j.trc.2016.02.007

MATHEMATICAL MODELING

DOI: 10.15587/2312-8372.2017.103150

FORECASTING OF PRODUCTION COST AND OTHER INDICES OF ACTIVITY OF INDUSTRIAL ENTERPRISE

page 47–52

Gritcyuk Katerina, PhD, Senior Lecturer, National Technical University «Kharkiv Polytechnic Institute», Ukraine, e-mail: gricekaterina12@gmail.com, ORCID: <http://orcid.org/0000-0003-3241-9482>

The forecasting of the cost of sales, the income of enterprises of the dairy and construction industries of Ukraine on the basis of statistical data of several enterprises is the object of research. It is necessary building economic-mathematical models for forecasting of the production cost and other economic indices of enterprise activity.

The factors that have the greatest impact on the cost of sales are determined. It is obtained that the first, third and fourth factor signs could be included in the regression model for the researching enterprise of dairy industry.

Correlation-regression analysis is used to analyze and forecast the indices of enterprise activity. Economic-mathematical models are constructed in the form of a linear multiple regression equation. These models describe the relationship between the production cost and the factors which affect on its result for the dairy industry, as well as between the net income of the enterprise of the construction industry of Ukraine and the cost of sales. Multiple correlation R and determination R^2 coefficients (0.9566841 and 0.91524451) for the first and (0.972 and 0.945) for the second models are found. These coefficients show that the constructed models are adequate to experimental data and can be used for analysis and forecast of indices of enterprise activity.

The values of F -statistics and T -criterion show the significance of the model of the cost of sales and the correlation coefficient. The economic-mathematical model is obtained, which allows estimate the dependence of the change of the cost of sales from the change of the expenses of the dairy industry enterprise of Ukraine with a sufficiently high accuracy (95 %).

The obtained models can be used for analysis, forecasting and management of indices of enterprise activity in the system of effective using of enterprise resources, which will lead to rational using of production resources, increase profitability of enterprises.

Keywords: economic-mathematical models, multiple regression equation, multiple coefficients of correlation and determination.

References

1. Afanasiev, N. V., Goncharov, A. B. (2004). *Ekonomika predpriiia*. Kharkiv: INZhEK, 518.
2. Davidovich, I. E. (2008). *Kontrolinh*. Kyiv: Tsentr uchebnoi literatury, 552.
3. Sidun, V., Ponomarova, Yu. (2003). *Ekonomika pidpriemstva*. Kyiv: Tsentr navchalnoi literatury, 435.
4. Dolgushevskii, F. G., Hristich, O. G. (2006). *Selskohoziastvenaia statistika s osnovami ekonomicheskoi statistiki*. Moscow: Statistika, 311.
5. Zahorianska, O. L., Karlik, Y. Y., Uglava, A. A. (2016). The effect of depreciation on production costs of modern enterprises in the context of competitive environment. *Herald of Khmelnytskyi National University*, 1 (2), 56–61.
6. Bourbonnais, R., Maftai, M. (2012). The Contribution of Econometrics to the Management of the Enterprise. *Romanian Journal of Economic Forecasting*, 1, 144–155.
7. Lefter, C. (2004). *Marketing researches. Theory and applications*. Brasov, Romania: Infomarket Publishing House, 101–104.
8. Vuchkov, I., Boiadzhieva, L., Solakov, E. (1987). *Prikladnoi lineinyi regressiionnyi analiz*. Moscow: Finansy i statistika, 239.
9. Milev, O. (2015). Factor analysis of cost of production in the production and processing of meat and meat products in the Stara Zagora. *Trakia Journal of Sciences*, 13 (Suppl. 1), 337–339. doi:10.15547/tjs.2015.s.01.057
10. Tudorel, A., Bourbonnais, R. (2008). *Econometrie*. Bucharest, 400.
11. Draper, N. R., Smith, H. (1998). *Applied Regression Analysis. Ed. 3*. John Wiley & Sons, 736. doi:10.1002/9781118625590
12. Krastin, O. P. (1983). *Razrabotka i interpretatsiya modeley korrelyatsionnykh svyazey v ekonomike*. Riga: Zinatne, 305.

DOI: 10.15587/2312-8372.2017.104775

INVESTIGATION OF THE ALGORITHM FOR CONSTRUCTING SMOOTH SPATIAL CURVES WITH THE ABILITY TO SPECIFY THE CURVATURE AND TORSION AT THE NODAL POINTS

page 53–57

Kovtun Alexander, PhD, Associate Professor, Department of General Technical Subjects, Izmail Faculty of Odessa National Maritime Academy, Izmail, Odessa Region, Ukraine, ORCID: <https://orcid.org/0000-0002-6531-2561>

In the existing methods for describing spline vector-parametric surfaces, a rich arsenal of algorithms has been accumulated. Often the development of hardware equipment outperforms the software. In addition, the state of the art often throws new «challenges» to the developer, for example, the need to obtain a channel surface with special properties, with predefined curvature and torsion, with a certain order of smoothness. This is important in the design of product pipelines, exhaust manifolds of internal combustion engines, etc. Therefore, it makes sense to investigate previously unexplored types of control over the future properties of spline curves, and surfaces based on them. Special polynomial splines of higher degrees (seventh degree) and mathematical apparatus (linear algebra, Cramer method, vector-parametric description of curves) are used in the work.

The formula for calculation of the vector-parametric segment of the seventh degree (on two end points, two first, second and third derivatives in them) is derived. The formula allows more flexible control over the shape of the desired spline, arbitrarily setting the initial data.

The algorithm given in the work allows to answer the «call», giving the designer complete freedom in controlling the geomet-

ric properties of the object even at the development stage. The algorithm allows to create better samples of modern technology thanks to the control of curvature and torsion.

Keywords: segment defined by two points and two first, second and third derivatives, smoothness of the corresponding degree.

References

1. Golovanov, N. N. (2002). *Geometricheskoe modelirovanie*. Moscow: Izdatel'stvo Fiziko-matematicheskoi literatury, 472.
2. Rogers, D. F., Adams, J. A. (1989). *Mathematical Elements for Computer Graphics. Ed. 2*. McGraw-Hill Science, 512.
3. Faux, I. D., Pratt, M. J. (1980). *Computational Geometry for Design and Manufacture*. Ellis Horwood Ltd, 329.
4. Zavyalov, Yu. S., Kvasov, B. I., Miroshnichenko, V. L. (1982). *Metody splain-funktsii*. Moscow: Nauka, 352.
5. Fu, Y. L., Di, H. T. (2009). Simultaneous Measurement of Torsion and Curvature Using Curvature Fiber Optic Sensor. *Key Engineering Materials*, 392-394, 448–453. doi:10.4028/www.scientific.net/kem.392-394.448
6. Rovenski, V. (2000). *Geometry of Curves and Surfaces with MAPLE*. Birkhäuser Basel, 310. doi:10.1007/978-1-4612-2128-9
7. Pogorelov, A. V. (1983). *Geometriia*. Moscow: Nauka, Matgiz, 288.
8. Heller, H. R. (1975). *Internationaler Handel*. Physica-Verlag HD, 250. doi:10.1007/978-3-642-93617-3
9. Lambek, J. (1971). Torsion Theories, Additive Semantics, and Rings of Quotients. *Lecture Notes in Mathematics*. Berlin, Heidelberg: Springer, 94. doi:10.1007/bfb0061029
10. Yaremenko, N. (2014). Derivation of Field Equations in Space with the Geometric Structure Generated by Metric and Torsion. *Journal of Gravity*, 2014, 1–13. doi:10.1155/2014/420123
11. Vasudevaiah, M., Patturaj, R. (1994). Effect of torsion in a helical pipe flow. *International Journal of Mathematics and Mathematical Sciences*, 17 (3), 553–560. doi:10.1155/s0161171294000803