



INFORMATION TECHNOLOGIES

DOI: 10.15587/2312-8372.2018.147861

RESEARCH OF METHODS AND TECHNOLOGIES FOR DETERMINING THE POSITION OF THE MOBILE OBJECT IN SPACE

page 4–10

Nechyporenko Olga, PhD, Associate Professor, Department of Robotics and Specialized Computer Technologies, Cherkassy State Technological University, Ukraine, e-mail: olne@ukr.net, ORCID: <http://orcid.org/0000-0002-3954-3796>

Korpan Yaroslav, PhD, Associate Professor, Department of Robotics and Specialized Computer Technologies, Cherkassy State Technological University, Ukraine, e-mail: populusdocti@gmail.com, ORCID: <http://orcid.org/0000-0002-1455-5977>

The object of research is the process of tracking the position of a mobile object in space. One of the weakest points in tracking systems for the position of a mobile object in space is the problem of eliminating the ambiguity of determining key points when scanning the environment. This problem is especially important when several methods (or technologies) of position tracking are applied simultaneously. There is a need for additional calibration and adjustment.

The study used the results of the analysis of methods and technologies for automatically determining the position and orientation of three-dimensional objects using technical vision systems. Analysis of the considered popular systems and methods for measuring the spatial position of objects, as well as algorithms and navigation technologies of a mobile robot, has shown that each of the considered systems has its advantages and disadvantages. And it is used depending on the objectives of this system.

A comparative analysis of the main types of algorithms of the SLAM method has been carried out. The perspectives of this method – the use of artificial intelligence methods and an extended Kalman filter – improve the speed of the SLAM method. Proof of this is the huge number of open projects to create this type of navigation in various competitions:

- VSLAM – implementation of the SLAM method based on computer vision methods;
- RGBDSLAM – package for registering a cloud of points with RGBD sensors, such as Kinect or stereo cameras;
- Hector_mapping – SLAM for platforms without odometer – only based on data from LIDAR, etc.

Since most modern technologies are increasingly using standardized formats of Wi-Fi, Bluetooth, GPS signals, it can be argued that using and analyzing information from a large number of sensors will increase the accuracy of determining the coordinates of an object several times. Creating the necessary information field of navigation and routing will allow to map and localize a mobile object on the ground with great accuracy.

Keywords: SLAM method algorithms, positioning, mobile object, technical vision.

References

1. Potapov, A. (2014). Sistemy komp'yuternogo zreniya: sovremennyye zadachi i metody. *Control Engineering*, 1 (49), 20–26.
2. Newcombe, R. A., Lovegrove, S. J., Davison, A. J. (2011). DTAM: Dense tracking and mapping in real-time. *IEEE International Conference on Computer Vision (ICCV)*. Barcelona, 2320–2327. doi: <http://doi.org/10.1109/iccv.2011.6126513>
3. Engel, J., Schöps, T., Cremers, D. (2014). LSD-SLAM: Large-Scale Direct Monocular SLAM. *Lecture Notes in Computer Science*. Cham, 834–849. doi: http://doi.org/10.1007/978-3-319-10605-2_54
4. Mur-Artal, R., Montiel, J. M. M., Tardos, J. D. (2015). ORB-SLAM: A Versatile and Accurate Monocular SLAM System. *IEEE Transactions on Robotics*, 31 (5), 1147–1163. doi: <http://doi.org/10.1109/tro.2015.2463671>
5. Werner, C., Werner, S., Schöne, R., Götz, S., Aßmann, U. (2018). Self-adaptive Synchronous Localization and Mapping using Runtime

Feature Models. *Proceedings of the 7th International Conference on Data Science, Technology and Applications*, 1, 409–418. doi: <http://doi.org/10.5220/0006945504090418>

6. Nechyporenko, O. V., Korpan, Ya. V. (2016). Biometrychna identyfikatsiia i avtentyfikatsiia osoby za heometriieiu oblychchia. *Visnyk Khmelnytskoho natsionalnoho universytetu*, 4, 133–138.
7. Nechyporenko, O., Korpan, Y. (2017). Analysis of methods and technologies of human face recognition. *Technology Audit and Production Reserves*, 5 (2 (37)), 4–10. doi: <http://doi.org/10.15587/2312-8372.2017.110868>
8. Miroshnichenko, N. (2018). Mirovoy rynek AR dostignet ob'ema v 198 milliardov dollarov k 2025 godu. BIS Research. *Novosti VR industrii*. Available at: <https://vrgeek.ru/mirovoj-rynek-ar-dostignet-obema-v-198-milliardov-dollarov-k-2025-godu/>
9. Santos, F. M., Silva, V. F., Almeida, L. M. (2002). A robust self-localization system for a small mobile autonomous robot. *International Symposium on Robotics and Automation*, 1–6. Available at: <http://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.134.2502>
10. Antoni, D., Ban, Z., Zagar, M. (2001). Demining Robots – Requirements and Constraints. *Automatika*, 42 (3-4), 189–197.
11. Melo, L. F. de, Rosário, J. M., Junior, A. F. da S. (2013). Mobile Robot Indoor Autonomous Navigation with Position Estimation Using RF Signal Triangulation. *Positioning*, 4 (1), 20–35. doi: <http://doi.org/10.4236/pos.2013.41004>
12. Zakharov, A. A., Tuzhilkin, A. Yu., Vedenin, A. S. (2014). Algoritm opredeleniya polozheniya i orientatsii trekhmernykh obektov po videoizobrazheniyam na osnove veroyatnostnogo podkhoda. *Fundamentalnye issledovaniya*, 11-8, 1683–1687.
13. Menache, A. (2011). *Understanding motion capture for computer animation*. The Morgan Kaufmann Series In Computer Graphics, 254.
14. Tobon, R. (2010). *The Mocap Book: A Practical Guide to the Art of Motion Capture*. Forisforce, 258.
15. Nguyen, V., Harati, A., Siegwart, R. (2007). Lightweight SLAM algorithm using orthogonal planes for indoor mobile robotics. *Intelligent Robots and Systems*, 658–663. doi: <http://doi.org/10.1109/iros.2007.4399512>
16. Yuldashev, M. N. (2015). Ul'trazvukovyye sistemy dlya opredeleniya prostranstvennogo polozheniya podvizhnogo obekta. *Naukoemkie tekhnologii i intellektual'nye sistemy 2015*. Moscow: MG TU im. N. E. Bauman, 465–472.
17. Nechyporenko, O. V., Korpan, Y. V., Nechyporenko, O. V., Khomchenko, O. S. (2018). Methods and technologies of monitoring of the position of a mobile object in space. *Kompiuterne modeliuвання ta optymizatsiia skladnykh system (KMOSS-2018)*. Dnipro: Balans-klub, 193–195.
18. Aulinas, J. (2008). The SLAM Problem: A Survey. *Proceedings of the 2008 Conference on Artificial Intelligence Research & Development*, 363–71. Available at: <http://citeseerx.ist.psu.edu/viewdoc/summary?doi=10.1.1.163.6439>

DOI: 10.15587/2312-8372.2018.148567

DEVELOPMENT OF INFORMATION AND ANALYTICAL MODEL OF THE STIMULATING INTERNET MARKETING

page 10–15

Tykha Tetiana, Senior Lecturer, Postgraduate Student, Department of Natural Sciences, Kharkiv National University of Radioelectronics, Ukraine, e-mail: tetiana.tykha@nure.ua, ORCID: <http://orcid.org/0000-0001-7601-1038>

The object of research is Internet marketing in the modern information network space. Against the background of the rapid development of information technology, the Internet network increasingly occupies a leading position in the areas of promotion and sale of various goods. At the same time, with this classic methods and approaches of marketing are experiencing obvious loss of dominant positions. One of the most problematic places is the effective application of modern methods and approaches for the development of Internet marketing and, in particular, stimulating Internet marketing, which contributes to the promotion of products in accordance

with the preferences of potential consumers. There is also a need to balance the resources involved in the implementation of Internet marketing in accordance with the possible volume of the result.

The classic methods of marketing and the latest information technology are used to distribute and process information in network systems. In order to eliminate the shortcomings, a combination of classic and new approaches is put together, in order to provide stimulating Internet marketing in an easier way to manage.

Information model of stimulating online marketing is summarized. This model will consist of separate, interconnected blocks, aimed at meeting the needs of potential customers, as well as meeting the requirements of those who provide relevant Internet services. It is the consideration of the needs and requirements of all parties involved in stimulating Internet marketing in the form of separate interrelated blocks of the model, which makes it possible to reveal the peculiarities of such a process.

Therefore, it is possible to determine the analytical description of the information model of the stimulating Internet marketing. This allows to determine the development of incentive Internet marketing, the direction of optimizing its conduct. This provides such advantages as the flexibility of the process of conducting the stimulating Internet marketing and targeted delivery of information to the chosen target audience.

Keywords: information model, stimulating Internet marketing, number of referrals (site visits), target audience, search engine optimization.

References

- Ahmad, S. Z., Abu Bakar, A. R., Faziharudean, T. M., Mohamad Zaki, K. A. (2014). An Empirical Study of Factors Affecting e-Commerce Adoption among Small- and Medium-Sized Enterprises in a Developing Country: Evidence from Malaysia. *Information Technology for Development*, 21 (4), 555–572. doi: <http://doi.org/10.1080/02681102.2014.899961>
- Shiunina, T. L., Bereznyi, Ye. B., Liashenko, V. V. (2007). Rozvytok vitchyznianoï merezhi bankivskikh ustanov: osoblyvosti ta rehionalni aspekty. *Visnyk KhNU im. V. N. Karazina. Ekonomichna seriya*, 755, 84–88.
- Azarenkova, H., Liashenko, V. (2009). Vidnoshennia perevah u porivnialnii otsynsi diialnosti bankiv. *Bankivska sprava*, 5, 65–72.
- Hossain, M. S., Rahman, M. F. (2017). Tools of online marketing. *International Journal of Science and Business*, 1 (1), 1–7.
- Omarov, M., Tikhaya, T., Lyashenko, V. (2018). Internet Marketing Technologies In Civil Engineering. *International Journal of Civil Engineering and Technology*, 9 (7), 1233–1240.
- Kaplinski, O., Koseleva, N., Ropaite, G. (2016). Big data in civil engineering: a state-of-the-art survey. *Engineering Structures and Technologies*, 8 (4), 165–175. doi: <http://doi.org/10.3846/2029882x.2016.1257373>
- Negi, D., Jain, M. P. (2017). E-Commerce and Insurance Internet Marketing: A Business Review from Indian Context. *International Journal of Scientific Research and Management*, 5 (9), 7124–7128.
- Shaltoni, A. M. (2017). From websites to social media: exploring the adoption of internet marketing in emerging industrial markets. *Journal of Business & Industrial Marketing*, 32 (7), 1009–1019. doi: <http://doi.org/10.1108/jbim-06-2016-0122>
- Thanasrivanchai, J., Moschis, G. P., Shannon, R. (2017). Explaining older consumers' low use of the internet. *International Journal of Internet Marketing and Advertising*, 11 (4), 355–375. doi: <http://doi.org/10.1504/ijima.2017.10007889>
- Key, T. M., Czaplewski, A. J. (2017). Upstream social marketing strategy: An integrated marketing communications approach. *Business Horizons*, 60 (3), 325–333. doi: <http://doi.org/10.1016/j.bushor.2017.01.006>
- Bloom, P. N., Pattie, Y. H., Lisa, R. S. (2018). *The benefits of corporate social marketing initiatives*. Social Marketing. Psychology Press, 313–331.
- Stead, M., Gerard, H. (2018). *Advertising in the social marketing mix: getting the balance right*. Social Marketing. Psychology Press, 29–43.
- Gray, C. (2017). *Stage models of ICT adoption in small firms. Impact of E-Commerce on Consumers and Small Firms*. Routledge, 19–36.
- Limba, T., Kiskis, M., Guleviciute, G., Stasiukynas, A., Pleta, T., Juozapaviciute, I. (2018). Model based on qualitative criteria for internet marketing development. *Entrepreneurship and Sustainability Issues*, 5 (3), 618–633. doi: [http://doi.org/10.9770/jesi.2018.5.3\(15\)](http://doi.org/10.9770/jesi.2018.5.3(15))
- Prasad, P., Pooja, S. (2018). Social Media Marketing: Tools and Techniques. Application of Gaming in New Media Marketing. *IGI Global*, 202–214. doi: <http://doi.org/10.4018/978-1-5225-6064-7.ch012>
- Khasawneh, R. T. (2017). Social Media as a New Emerging Tool of Marketing. Strategic Uses of Social Media for Improved Customer Retention. *IGI Global*, 1–10. doi: <http://doi.org/10.4018/978-1-5225-1686-6.ch001>
- Trusov, M., Bucklin, R. E., Pauwels, K. (2009). Effects of Word-of-Mouth versus Traditional Marketing: Findings from an Internet Social Networking Site. *Journal of Marketing*, 73 (5), 90–102. doi: <http://doi.org/10.1509/jmkg.73.5.90>
- Rust, R. T., Verhoef, P. C. (2005). Optimizing the Marketing Interventions Mix in Intermediate-Term CRM. *Marketing Science*, 24 (3), 477–489. doi: <http://doi.org/10.1287/mksc.1040.0107>

DOI: 10.15587/2312-8372.2018.147613

DEVELOPMENT OF INFORMATION TECHNOLOGY OF CORRELATION ANALYSIS OF TOURIST DEMAND

page 16–21

Lipyana Khrystyna, Lecturer, Department of Economic Cybernetics and Informatics, Ternopil National Economic University, Ukraine, e-mail: xrustya.com@gmail.com, ORCID: <http://orcid.org/0000-0002-2441-6292>

The object of research is the process of automating information technology of the correlation analysis of tourist demand on the basis of a cognitive-statistical approach. One of the most problematic places is determination of the factors affecting tourism demand, so it is necessary to develop information technology of correlation analysis, which will allow to determine the factors that most affect tourism demand.

The paper substantiates the improvement of the method of correlation analysis of tourist demand is the calculation of the multiple correlation coefficient of tourist demand, a distinctive feature of which is to take into account both qualitative and quantitative parameters. The following factors are chosen for the analysis of tourist demand:

- the average wage per person in the tourism industry;
- tourism expenses;
- the number of collective accommodation facilities;
- the number of subjects of tourist activity;
- the number of recreation;
- release in basic prices and release by types of economic activity;
- capital investment by region;
- transport connection;
- ecological situation;
- infrastructure (subjective indicator).

A block of information technology for modeling and analysis is developed for the study of tourist demand which determines the correlation dependence between the factors influencing tourist demand. Information technology is developed in the R programming language, by the Shiny package, which enables the creation of interactive web applications and the simplicity of the developed technology for the average user.

The following factors affecting tourist demand are identified:

- the number of collective accommodation facilities;
- the number of subjects of tourist activity;
- the number of recreation;
- level of infrastructure based on subjective expertise.

As a result, based on the correlation analysis, a model of the process of formation of tourist demand on the basis of the cognitive-statistical method is built.

Thanks to this, it is possible to further develop the methodological foundations of the strategic planning of the development of subjects at the macro and micro levels, to develop regulatory, economic and socio-political mechanisms for the flexible development of tourism enterprises in certain regions based on qualitatively new principles.

Keywords: information technology modeling unit, tourist demand, correlation analysis, programming language R.

References

1. UNWTO *Turism Highlights*. Available at: <https://www.e-unwto.org/doi/pdf/10.18111/9789284419876>
 2. *Derzhavna sluzhba statystyky Ukrainy*. Available at: <http://www.ukrstat.gov.ua/>
 3. Dritsakis, N., Athanasiadis, S. (2008). An Econometric Model of Tourist Demand. *Journal of Hospitality & Leisure Marketing*, 7 (2), 39–49. doi: http://doi.org/10.1300/j150v07n02_03
 4. Garin-Munoz, T., Amaral, T. P. (2000). An econometric model for international tourism flows to Spain. *Applied Economics Letters*, 7 (8), 525–529. doi: <http://doi.org/10.1080/13504850050033319>
 5. Botti, L., Peypoch, N., Randriamboarison, R., Solonandrasana, B. (2007). An Econometric Model of Tourism Demand in France. *Tourism: an International Multidisciplinary Journal of Tourism*, 2 (1), 115–126.
 6. Witt, S. F., Martin, C. A. (1987). Econometric Models for Forecasting International Tourism Demand. *Journal of Travel Research*, 25 (3), 23–30. doi: <http://doi.org/10.1177/004728758702500306>
 7. Yang, Y., Wong, K. K. F. (2012). A Spatial Econometric Approach to Model Spillover Effects in Tourism Flows. *Journal of Travel Research*, 51 (6), 768–778. doi: <http://doi.org/10.1177/0047287512437855>
 8. Kalchenko, O. M. (2013). Otsinka vplyvu faktoriv rozvytku pidpriemstv turystychnoi sfery. *Naukovyi visnyk Chernihivskoho derzhavnogo instytutu ekonomiky i upravlinnia. Seriya: Ekonomika*, 3, 94–101.
 9. Balashova, R., Ivchenko, L. (2011). Metodichni zasady analizu ta prohnozuvannya rynku turystychnykh posluh v Ukraini z vykorystanniam matematychnoho modeliuвання. *Ekonomika*, 3 (110), 3–9.
 10. Beidyk, O. O., Novosad, N. O. (2012). Faktornyi analiz formuvannya potokiv viznogo turizmu Ukrainy. *Ukrainskyi heohrafichnyi zhurnal*, 1, 44–49.
 11. Barna, M. Y., Myronov, Y. B. (2017). Econometric modelling of tourist flows dynamics. *Scientific bulletin of Polissia*, 1 (4 (12)), 165–170. doi: [http://doi.org/10.25140/2410-9576-2017-1-4\(12\)-165-170](http://doi.org/10.25140/2410-9576-2017-1-4(12)-165-170)
 12. Morokhovych, V. S. (2017). Ekonomiko-matematychno modeliuвання turystychnykh potokiv zakarpatskoi oblasti. *Naukovyi visnyk Uzhhorodskoho universytetu*, 1, 143–146.
 13. Kuvaieva, V. I., Lipyanina, Kh. V., Boltonkov, V. O. (2018). Processing expert information in the context of collective assessment of a tourist infrastructure. *Innovative Technologies and Scientific Solutions for Industries*, 5 (3 (5)), 35–43. doi: <http://doi.org/10.30837/2522-9818.2018.5.035>
- DOI: 10.15587/2312-8372.2018.149680
- ### THE INTRODUCTION OF INTELLECTUAL SYSTEM FOR EVALUATING PROFESSIONAL ABILITIES OF APPLICANTS INTO THE ACTIVITIES OF EDUCATIONAL INSTITUTIONS
- page 22–26
- Yeremenko Bohdan**, PhD, Department of Information Technology Design and Applied Mathematics, Kyiv National University of Construction and Architecture, Ukraine, e-mail: erembm@ukr.net, ORCID: <http://orcid.org/0000-0002-3734-0813>
- Riabchun Yulia**, Postgraduate Student, Department of Information Technology Design and Applied Mathematics, Kyiv National University of Construction and Architecture, Ukraine, e-mail: Nona-11@bigmir.net, ORCID: <http://orcid.org/0000-0002-8320-4038>
- Ploska Ganna**, Researcher, Limited Liability Company «Building Quarter», Kyiv, Ukraine, e-mail: super.etsy@ukr.net, ORCID: <http://orcid.org/0000-0002-4292-5285>
- The object of research is the methods and means of professional identification of applicants. The research aims to provide applicants with scientifically based decision support for choosing a field of study. The introduction of intelligent decision support systems in the process of self-actualization of applicants will significantly improve the effectiveness of vocational guidance activities of educational institutions.
- One of the biggest problems of the intellectualization of systems for assessing abilities and achievements is that the test results of applicants represent a lot of fuzzy data. At the same time, the correctness of data separation significantly depends on the construction of a fuzzy set of features for the conclusion of a diagnostic solution. In addition, the most common tests do not take into account the requirements for specialists of the construction industry.
- The basis of the developed system is tests to determine the personality structure of the Integrated Professional Orientation Diagnostics «Applicant». This system contains reference information about the vocational category of training and tests for determining the structure of the individual. Conclusions are based on techniques that allow to predict the success of activities in various industries. The ability of a person to a certain professional activity reflects the ability to acquire special knowledge and skills in the learning process. That is why in the course of the study the «Applicant» tests were used. To improve the reliability of assessing the professional abilities of the applicant, it is proposed to use an intelligent system based on the Takagi-Sugeno-Kang fuzzy neural network. This choice is due to the fact that the Takagi-Sugeno-Kang network has a number of features that provide it with advantages in solving the problem of matching the abilities of an applicant to the possibility of acquiring knowledge and skills in a particular specialty. In particular, the ability of fuzzy neural networks to separate linearly inseparable data. This ensures the ability of the system to isolate the natural abilities of applicants from a mixture of data.
- Compared to other means, the Takagi-Sugeno-Kang network makes it possible to solve the problem of classifying a very large amount of data by a network of smaller dimension.
- Keywords:** identification of abilities and achievements of a person, intellectual system, organization of processing fuzzy information.
- ### References
1. SAT Program. Available at: <http://www.collegeboard.com/student/testing/sat>
 2. Subbotin, S. O. (2008). *Podannia y obrobka znan u systemakh stuchnoho intelektu ta pidtrymky pryiniattia rishen*. Zaporizhzhia: ZNTU, 341.
 3. Ewing, M., Huff, K., Andrews, M., King, K. (2005). *Assessing the Reliability of Skills Measured by the SAT*. Research Notes. Office of Research and Analysis. New York: The College Board.
 4. Delaso (2006). *Principles and Practice of Language Testing: Materials of training in the Principles and Practice of Language Testing*. UK Ltd.
 5. Fischer, F., Kollar, I., Stegmann, K., Wecker, C. (2013). Toward a Script Theory of Guidance in Computer-Supported Collaborative Learning. *Educational Psychologist*, 48 (1), 56–66. doi: <http://doi.org/10.1080/00461520.2012.748005>
 6. Anastazi, A., Urbina, S. (2006). *Psikhologicheskoe testirovanie*. Saint Petersburg: Piter, 688.
 7. *Kompleksna proforientatsiina diahmostyka «Abiturient»*. Available at: <http://cleverdia.com/index.php?lang=uk>
 8. Bassina, E. (1990). Identification: reality or a theoretic construct? *Dynamische Psychiatrie. Dynamic Psychiatry*. West Berlin, 31–48.
 9. Coleman, M. R. (2003). *The Identification of Students Who Are Gifted*. ERIC EC Digest No. E644. 4.
 10. *Identification. National Association for gifted children*. Available at: <http://www.nagc.org/resources-publications/gifted-education-practices/identification>
 11. Shandruk, S. K. (2015). Theoretical-methodological foundations of organization of training-productive activity of students-psychologists. *Naukovyi ohliad*, 7 (17), 134–144.
 12. Zaitseva, E. N., Levashenko, V. G. (2013). Importance analysis by logical differential calculus. *Automation and Remote Control*, 74 (2), 171–182. doi: <http://doi.org/10.1134/s000511791302001x>
 13. Lytvyn, V. V. (2011). *Bazy znan intelektualnykh system pidtrymky pryiniattia rishen*. Lviv: Vydavnytstvo Lvivskoi politekhniki, 240.
 14. Blum, C., Puchinger, J., Raidl, G. R., Roli, A. (2011). Hybrid metaheuristics in combinatorial optimization: A survey. *Applied Soft Computing*, 11 (6), 4135–4151. doi: <http://doi.org/10.1016/j.asoc.2011.02.032>
 15. Osowski, S. (2000). *Sieci neuronowe do przetwarzania informacji*. Warszawa, 342.
 16. Tanaka, K., Yoshida, H., Ohtake, H., Wang, H. O. (2009). A Sum-of-Squares Approach to Modeling and Control of Nonlinear Dynamical Systems With Polynomial Fuzzy Systems. *IEEE Transactions on Fuzzy Systems*, 17 (4), 911–922. doi: <http://doi.org/10.1109/tfuzz.2008.924341>

17. Terenchuk, S., Pashko, A., Yeremenko, B., Kartavykh, S., Ershova, N. (2018). Modeling an intelligent system for the estimation of technical state of construction structures. *Eastern-European Journal of Enterprise Technologies*, 3 (2 (93)), 47–53. doi: <http://doi.org/10.15587/1729-4061.2018.132587>

DOI: 10.15587/2312-8372.2018.150512

DEVELOPMENT OF A DISCRETE OPTIMIZATION OPERATION SOLUTION INFORMATION TECHNOLOGIES BASED ON SWARM INTELLIGENCE

page 27–32

Lytvyn Vasyl, Doctor of Technical Sciences, Professor, Department of Information Systems and Networks, Lviv Polytechnic National University, Ukraine, e-mail: yevhen.v.burov@lpnu.ua, ORCID: <http://orcid.org/0000-0002-9676-0180>

Uhryn Dmytro, PhD, Associate Professor, Department of Information Systems, Chernivtsi Faculty of the National Technical University «Kharkiv Polytechnic Institute», Ukraine, ORCID: <http://orcid.org/0000-0003-4858-4511>

Olyvko Roman, Postgraduate Student, Department of Information Systems and Networks, Lviv Polytechnic National University, Ukraine, e-mail: oluvko07@gmail.com, ORCID: <http://orcid.org/0000-0003-3740-2786>

Borovets Yaroslav, Postgraduate Student, Department of Information Systems and Networks, Lviv Polytechnic National University, Ukraine, e-mail: jarborx@gmail.com, ORCID: <http://orcid.org/0000-0002-2379-5534>

The object of this research is the procedure of building information technologies, the functioning of which is based on the methods of swarm intelligence, for solving problems of discrete optimization.

To solve any optimization problem in the plurality of swarm algorithms, there will surely be at least one algorithm that will give at least satisfactory results. However, there is not and can't be an algorithm that could provide high efficiency in solving all optimization problems. Therefore, for each of the swarm algorithms, classes of problems that it solves can be distinguished: algorithms are better than others; something like other algorithms; worse than other algorithms.

In the course of the research, information technologies were used to solve discrete optimization problems based on swarm algorithms. Methods for applying various classes of swarm intelligence algorithms for solving discrete optimization problems are obtained. Methods of swarm intelligence to solve a specific class of problems are combined. The optimal values of the parameters of certain methods of swarm intelligence are determined.

An information technology is developed to use swarm algorithms depending on the class of the discrete optimization problem, based on the characteristics of swarm algorithms (type of input parameters, neighborhood of populations, type of population formation, type of iteration processes). This makes it possible to choose the relevant swarm algorithm for solving applied problems and to classify these tasks depending on the characteristics of the swarm algorithms that are used to solve it.

An information technology is developed using a combination of different methods of swarm algorithms for solving a certain class of problems, which, unlike other approaches, is based on a hybrid approach using swarm algorithms depending on their characteristics. This allows to take advantage of a specific swarm algorithm and thereby increase the efficiency of solving certain classes of applied discrete optimization problems.

Keywords: discrete optimization, swarm intelligence, information technologies, decision support systems.

References

1. Dorigo, M., Stützle, T. (2003). The Ant Colony Optimization Metaheuristic: Algorithms, Applications, and Advances. *International*

Series in Operations Research & Management Science. Boston: Springer, 250–285. doi: http://doi.org/10.1007/0-306-48056-5_9

2. Adubi, S. A., Misra, S. (2014). A comparative study on the ant colony optimization algorithms. *2014 11th International Conference on Electronics, Computer and Computation (ICECCO)*. doi: <http://doi.org/10.1109/icecco.2014.6997567>
3. SinghJadon, R., Dutta, U. (2013). Modified Ant Colony Optimization Algorithm with Uniform Mutation using Self-Adaptive Approach. *International Journal of Computer Applications*, 74 (13), 5–8. doi: <http://doi.org/10.5120/12943-9931>
4. Pham, D. T., Ghanbarzadeh, A., Koc, E., Otri, S., Rahim, S., Zaidi, M. (2005). The Bees Algorithm. *Technical Note, Manufacturing Engineering Centre*, Cardiff University.
5. Basturk, B., Karaboga, D. (2006). An artificial bee colony (abc) algorithm for numeric function optimization. *IEEE Swarm Intelligence Symposium 2006*. Indianapolis, Indiana.
6. Galchenko, V. Ya., Yakimov, A. N. (2015). *Populatsionnye metaevristicheskie algoritmy optimizatsii roem chastits*. Cherkassy: FLP Tretiakov A. N., 160.
7. Del Valle, Y., Venayagamoorthy, G. K., Mohagheghi, S., Hernandez, J.-C., Harley, R. G. (2008). Particle Swarm Optimization: Basic Concepts, Variants and Applications in Power Systems. *IEEE Transactions on Evolutionary Computation*, 12 (2), 171–195. doi: <http://doi.org/10.1109/tevc.2007.896686>
8. Coello, C. A. C. (2011). An Introduction to Multi-Objective Particle Swarm Optimizers. *Soft Computing in Industrial Applications*, 3–12. doi: http://doi.org/10.1007/978-3-642-20505-7_1
9. Karpenko, A. P. (2012). Populyatsionnye algoritmy global'noy optimizatsii. Obzor novykh i maloizvestnykh algoritmov. *Prilozhenie k zhurnalui «Informatsionnye tekhnologii»*, 7, 1–32.
10. Mirjalili, S., Mirjalili, S. M., Lewis, A. (2014). Grey Wolf Optimizer. *Advances in Engineering Software*, 69, 46–61. doi: <http://doi.org/10.1016/j.advengsoft.2013.12.007>
11. Madadi, A., Motlagh, M. (2014). Optimal Control of DC Motor Using Grey Wolf Optimizer Algorithm. *Technical Journal of Engineering and Applied Science*, 4 (4), 373–379.
12. Gandomi, A. H., Yang, X.-S., Alavi, A. H., Talatahari, S. (2012). Bat algorithm for constrained optimization tasks. *Neural Computing and Applications*, 22 (6), 1239–1255. doi: <http://doi.org/10.1007/s00521-012-1028-9>
13. Nakamura, R. Y. M., Pereira, L. A. M., Costa, K. A., Rodrigues, D., Papa, J. P., Yang, X.-S. (2012). BBA: A Binary Bat Algorithm for Feature Selection. *2012 25th SIBGRAPI Conference on Graphics, Patterns and Images*, 291–297. doi: <http://doi.org/10.1109/sibgrapi.2012.47>
14. Yang, X. S., He, X. (2013). Bat algorithm: literature review and applications. *International Journal of Bio-Inspired Computation*, 5 (3), 141–149. doi: <http://doi.org/10.1504/ijbic.2013.055093>
15. Kureychik, V. V., Kureychik, V. M., Rodzin, S. I. (2009). Kontseptsiya evolyutsionnykh vychisleniy inspirirovannykh prirodnyimi vychisleniyami. *Izvestiya YUFU. Tekhnicheskije nauki. Tematicheskij vypusk «Intellektual'nye SAPR»*, 4 (93), 16–24.
16. Karpenko, A. P. (2014). Sovremennye algoritmy poiskovoy optimizatsii. *Algoritmy, zdokhnovlennye prirodoj*. Moscow: MGU im. N. E. Baubana, 446.
17. Bonabeau, E., Dorigo, M., Theraulaz, G. (1999). *Swarm intelligence: From Natural to Artificial Systems*. Oxford University Press, 320.
18. Lytvyn, V., Uhryn, D., Shevchuk, S., Baliasnikova, O., Iliyuk, O. (2017). Development of the method for territorial community formation based on multi-criteria swarm algorithm approach. *Technology Audit and Production Reserves*, 3 (2 (35)), 20–27. doi: <http://doi.org/10.15587/2312-8372.2017.105379>
19. Lytvyn, V., Uhryn, D., Nadien, N., Klichuk, O. (2017). Modeling of the process of territorial communities formation using swarm intelligence algorithms. *Technology Audit and Production Reserves*, 5 (2 (37)), 17–33. doi: <http://doi.org/10.15587/2312-8372.2017.112198>

DOI: 10.15587/2312-8372.2018.149962

DEVELOPMENT OF THE METHOD FOR FILTERING VERBAL NOISE WHILE SEARCH KEYWORDS FOR THE ENGLISH TEXT

page 33–41

Bisikalo Oleg, Doctor of Technical Sciences, Professor, Department of Automation and Computer-Integrated Technologies, Vinnytsa National Technical University, Ukraine, e-mail: obisikalo@gmail.com, ORCID: <http://orcid.org/0000-0002-7607-1943>

Yahimovich Alexander, Postgraduate Student, Department of Automation and Computer-Integrated Technologies, Vinnitsa National Technical University, Ukraine, e-mail: yahimovich.alexandr@gmail.com, ORCID: <http://orcid.org/0000-0001-6960-5823>

Yahimovich Yaroslav, Postgraduate Student, Department of Electronics and Nanosystems, Vinnitsa National Technical University, Ukraine, e-mail: yaroslavyahimovich@gmail.com, ORCID: <http://orcid.org/0000-0003-2101-2791>

The object of research is the processing of verbal information to identify keywords in the text. The most important step in the search for key terms is the calculation of their weights in the document in question, which makes it possible to evaluate their significance relative to each other in this context. To solve this problem, there are many approaches that are conditionally divided into two groups: they require learning and do not require learning. Learning implies the need to pre-process the original body of texts in order to extract information about the frequency of occurrence of terms in the entire body. An alternative approach is using linguistic ontologies, which are more or less approximate models of the existing set of words in a given language. On the basis of both approaches, systems are created for the automatic extraction of key terms. Nevertheless, in the direction of searching for keywords, research is not stopped in order to improve the accuracy and completeness of the results, as well as to use methods of extracting information from the text to solve new problems.

Existing approaches to the definition of keywords are characterized. The best quality of text processing is achieved by linguistic methods or when their combinations are statistical. A system for automatically determining key phrases from natural language text should be developed using the morphological dictionary and syntax rules.

The study uses an approach to defining keywords based on finding syntactic links between word forms in sentences in English text using the instrumental capabilities of modern linguistic packages. In the framework of the general approach to reducing verbal noise in the method, it is proposed that it is achieved with the help of formalized operations: the replacement of pronouns with the corresponding nouns; removal of noise connections; removing noise words; withdrawal of stop words. The described operations can be used as additional modules that improve the results of finding keywords for both the developed method for determining keywords of English text and other algorithms for finding keywords.

Keywords: verbal noise filtering, English text keywords, linguistic package, DKPro Core, syntactic analysis.

References

- Ershov, Yu. S. (2014). Vydelenie klyuchevykh slov v russkoyazychnykh tekstakh. *Molodezhnyy nauchno-tekhnicheskyy vestnik, FS77-51038*, 70–79.
- Grashhenko, L. A. (2013). O model'nom stop-slovar. *Izvestiya Akademii nauk Respubliki Tadjikistan. Otdelenie fiziko-matematicheskikh, khimicheskikh, geologicheskikh i tekhnicheskikh nauk*, 1 (150), 40–46.
- Andreev, A. M., Berezkin, D. V., Syuzev, V. V., Shabanov, V. I. (2003). Modeli i metody avtomaticheskoy klassifikatsii tekstovyykh dokumentov. *Vestn. MGTU. Seriya Priborostroenie*, 3, 64–94.
- Abramov, E. G. (2011). Podbor klyuchevykh slov dlya nauchnoy stat'i. *Nauchnaya periodika: problemy i resheniya*, 1 (2), 35–40.
- Darkulova, K. N., Ergeshova, G. (2014). Neobkhodimost' vydeleniya klyuchevykh slov dlya svertyvaniya teksta. *Lingvisticheskyy analiz nauchnogo teksta. Yuzhno-Kazakhstanskiy gosudarstvennyy universitet im. Mukhtara Auezova Shymkent*, 30–35.
- Halkidi, M., Batistakis, Y., Vazirgiannis, M. (2001). On clustering validation techniques. *Journal of intelligent information systems*, 17 (2-3), 107–145. doi: <http://doi.org/10.1023/a:1012801612483>
- Barahnn, V. B., Tkachev, D. A. (2010). Clustering of text documents based on composite key terms. *Vestnik NSU. Series: Information Technology*, 8 (2), 5–14.
- Grashhenko, L. A. (2013). O model'nom stop-slovar. *Izvestiya Akademii nauk Respubliki Tadjikistan. Otdelenie fiziko-matematicheskikh, khimicheskikh, geologicheskikh i tekhnicheskikh nauk*, 1 (150), 40–46.
- Guo, A., Tao, Y. (2016). Research and Improvement of Feature Words Weight Based on TFIDF Algorithm. *2016 IEEE Information Technology, Networking, Electronic and Automation Control Conference*. Chongqing. doi: <http://doi.org/10.1109/itnec.2016.7560393>
- Grineva, M., Grinev, M., Boldakov, A., Novak, L., Syssoev, A., Lizorkin, D. (2009). Sifting Micro-blogging Stream for Events of User Interest. *Proceedings of the 32nd international ACM SIGIR conference on Research and development in information retrieval*. Boston, 327–333. doi: <http://doi.org/10.1145/1571941.1572157>
- Reed, J., Jiao, Y., Potok, T., Klump, B., Elmore, M., Hurson, A. (2006). TF-ICF: A New Term Weighting Scheme for Clustering Dynamic Data Streams. *2006 5th International Conference on Machine Learning and Applications*. Orlando, 258–263. doi: <http://doi.org/10.1109/icmla.2006.50>
- Mihalcea, R., Csomai, A. (2007). Wikify!: linking documents to encyclopedic knowledge. *Proceedings of the sixteenth ACM conference on Conference on information and knowledge management*. Lisbon, 233–242. doi: <http://doi.org/10.1145/1321440.1321475>
- Astrakhantsev, N. (2014). Automatic term acquisition from domain-specific text collection by using Wikipedia. *Proceedings of the Institute for System Programming of RAS*, 26 (4), 7–20. doi: [http://doi.org/10.15514/ispras-2014-26\(4\)-1](http://doi.org/10.15514/ispras-2014-26(4)-1)
- Özgür, A., Hur, J., He, Y. (2016). The Interaction Network Ontology-supported modeling and mining of complex interactions represented with multiple keywords in biomedical literature. *BioData Mining*, 9 (1). doi: <http://doi.org/10.1186/s13040-016-0118-0>
- Wong, W., Liu, W., Bennamoun, M. (2012). Ontology learning from text. *ACM Computing Surveys*, 44 (4), 1–36. doi: <http://doi.org/10.1145/2333112.2333115>
- Korobkin, D. M., Fomenkov, S. A., Kolesnikov, S. G. (2015). Method of ontology-based extraction of physical effect description. *Vestnik Komp'uternyykh i Informatsionnykh Tekhnologii*, 28–35. doi: <http://doi.org/10.14489/vkit.2015.02.pp.028-035>
- Besplatnyy onlayn-generator klyuchevykh slov s teksta*. Available at: <http://seotool.by/analiz/seo/keywordstext.php>
- Generator klyuchevykh slov s teksta*. Available at: <http://www.risetop.com>
- Advego*. Available at: <http://wiki.advego.ru/index.php/Адвего>
- Natural Language Processing: Integration of Automatic and Manual Analysis* (2014). Available at: <http://tuprints.ulb.tu-darmstadt.de/4151/1/rec-thesis-final.pdf>
- Bisikalo, O. V., Wójcik, W., Yahimovich, O. V., Smailova, S. (2016). Method of determining of keywords in English texts based on the DKPro Core. *Photonics Applications in Astronomy, Communications, Industry, and High-Energy Physics Experiments 2016*. doi: <http://doi.org/10.1117/12.2249225>
- Determiner*. Available at: <http://universaldependencies.org/u/dep/det.html>
- Expletive and Reflexives*. Available at: <http://universaldependencies.org/u/dep/expl.html>
- Welo, E. (2013). Null Anaphora. *Encyclopedia of Ancient Greek Language and Linguistics*. doi: http://doi.org/10.1163/2214-448x_eagll_com_00000254
- Manning, C., de Marneffe, M. (2016). *Stanford typed dependencies manual*. Available at: https://nlp.stanford.edu/software/dependencies_manual.pdf
- Fixed multiword*. Available at: <http://universaldependencies.org/u/dep/fixed.html>
- Punctuation*. Available at: <http://universaldependencies.org/u/dep/punct.html>
- Root*. Available at: <http://universaldependencies.org/u/dep/root.html>
- Taylor, A., Marcus, M., Santorini, B. (2003). The Penn Treebank: An Overview. *Text, Speech and Language Technology*, 5–22. doi: http://doi.org/10.1007/978-94-010-0201-1_1
- Penn Treebank II Constituent Tags: Word level*. Available at: <http://www.surdeanu.info/mihai/teaching/ista555-fall13/readings/Penn-TreebankConstituents.html#Word>
- Alphabetical list of part-of-speech tags used in the Penn Treebank Project*. Available at: https://www.ling.upenn.edu/courses/Fall_2003/ling001/penn_treebank_pos.html
- Bougé, K. *Lists of stop words*. Available at: <https://sites.google.com/site/kevinbouge/stopwords-lists>

SYSTEMS AND CONTROL PROCESSES

DOI: 10.15587/2312-8372.2018.149539

ANALYSIS OF POSSIBILITIES TO USE NEURAL NETWORK FOR REMOTE CONTROL OF ELECTRONIC DEVICES

page 42–49

Holikov Maksym, Department of Design and Operation of Electronic Devices, Kharkiv National University of Radio Electronics, Ukraine, e-mail: maksym.holikov@nure.ua, ORCID: <http://orcid.org/0000-0003-3054-7253>

Galkin Pavlo, Senior Lecturer, Department of Design and Operation of Electronic Devices, Kharkiv National University of Radio Electronics, Ukraine, e-mail: galkinletter@ukr.net, ORCID: <http://orcid.org/0000-0002-0558-6448>

The object of research in the work is the systems of remote control of electronic devices. There are wired and wireless means of implementing a remote communication channel between the slave and control devices. Analysis of existing means of creating a communication channel, found a low value of the ratio of system flexibility and data transfer rate within the created network. One of the reasons for the low ratio is the use of modules as part of a system with a high minimum operating time. Such modules are modules for filtering and decoding the received signal at the receiver side, encoding and modulation at the transmitter side. Replacing these modules with one with a significantly lower time spent will significantly improve the value of the ratio of system flexibility and data transfer rate. The ability to create a module that will have the necessary properties of time spent on work, provides a neural network.

The model of a remote control system obtained during the study has several advantages, in particular, the presence of a neural network, makes it possible to reduce the time spent and to improve the accuracy of the system during the entire system operation time. This is achieved thanks to the ability of the neural network to self-learning without human intervention and its ability to analyze any input signals with different background noise values. These properties allow the replacement of elements that do not allow to increase the rate of exchange for elements of the neural network that will perform the same functions with greater speed, reliability and accuracy.

The data obtained during the work proves the expediency of integrating the elements of the neural network into the remote control systems of electronic devices. Also, possible places for the integration of a neural network into the remote control system of electronic equipment have been proposed, which will improve the stability, accuracy, speed of the system.

Keywords: remote control, neural network, hardware interfaces to communicate, wireless communications.

References

1. Yashchuk, A. (2013). *Systemy bezprovidnykh tekhnologii peredachi danykh*. Available at: http://lutsk-ntu.com.ua/sites/default/files/4_yashchuk_sistemi_bezprov_tehnology_0.pdf
2. Halkin, P. V., Holikov, M. O. (2018). Bezkontaktnii metod kontroliu ob'ektiv. *Radyoelektronika y molodezh v 21 veke*. Kharkiv, 56–57.
3. Tengfei, Z., Qinxiao, L., Fumin, M. (2013). Remote control system of smart appliances based on wireless sensor network. *2013 25th Chinese Control and Decision Conference (CCDC)*, 3704–3709. doi: <http://doi.org/10.1109/ccdc.2013.6561592>
4. Yun, L., Wenxin, L., Jianguo, S., Qidi, W. (2018). Improving wireless devices identification using gray relationship classifier to enhance wireless network security. *IEEE Conference on Computer Communications Workshops (INFOCOM WKSHPS)*, 421–425. doi: <http://doi.org/10.1109/infcomw.2018.8406960>
5. Salnyk, S. V., Salnyk, V. V., Symonenko, O. A., Sova, O. Ya. (2015). Metod vyivavleniia vtvorhen v mobilni radiomerezhi na osnovi neironnykh merezh. *Nauka i tekhnika Povitrianykh Syl Zbroinykh Syl Ukrainy*, 4, 82–90.
6. Shubham, S., Achyut, H. (2016). WiFi-aware as a connectivity solution for IoT pairing IoT with WiFi aware technology: Enabling new proximity-based services. *International Conference on Internet of Things and Applications (IOTA)*, 2, 137–142. doi: <http://doi.org/10.1109/iota.2016.7562710>
7. Mi, L., Bowen, L., Xuping, Z., Yuejiang, S., Yingjie, Z., Guojie, T. (2015). Investigation on the performance of 10 Gb/s on uplink space optical communication system based on MSK scheme. *4th International Conference on Optical Communications and Networks (ICOON)*, 1–3. doi: <http://doi.org/10.1109/icocn.2015.7203690>
8. Liu, Y. (2016). Wireless Information and Power Transfer for Multirelay-Assisted Cooperative Communication. *IEEE Communications Letters*, 20 (4), 784–787. doi: <http://doi.org/10.1109/lcomm.2016.2535114>
9. Lyu, B., Yang, Z., Gui, G., Feng, Y. (2017). Wireless Powered Communication Networks Assisted by Backscatter Communication. *IEEE Access*, 5, 7254–7262. doi: <http://doi.org/10.1109/access.2017.2677521>
10. Kartashov, V. M., Olynikov, V. N., Tikhonov, V. A. et al. (2014). *Obrabotka signalov v radioelektronnykh sistemakh distantsionnogo monitoringa atmosfery*. Kharkiv: SMIT, 213.
11. Yurevich, E. (2016). *Teoriya avtomaticheskogo upravleniya*. Saint Petersburg: BKHV-Peterburg, 560.
12. Anantaram, V., Paolo, S., Erasmo, V., Silvio, A., Gianmario, P., Vittorio, C. (2018). Remotized Control of Power Electronic Devices Exploiting a Plastic Optical Fiber Photonic Bus. *20th International Conference on Transparent Optical Networks (ICTON)*, 1–4. doi: <http://doi.org/10.1109/icton.2018.8473992>
13. Pavan, K. Y. V., Ravikumar, B., Bogala, R., Anjaneyulu, A. (2014). Switch automation of smart devices between test beds using distributed control system. *International Conference on Control, Instrumentation, Communication and Computational Technologies (ICCICCT)*, 1330–1333. doi: <http://doi.org/10.1109/iccicct.2014.6993168>
14. Sabri, G., Cihan, K. (2017). Remote controllable electronic signboard. *International Conference on Computer Science and Engineering (UBMK)*, 78–83. doi: <http://doi.org/10.1109/ubmk.2017.8093561>
15. Jianlong, Z., Chunyu, W., Wenjing, Z., Jiwei, W. (2011). The design and realization of a comprehensive SPI interface controller. *Second International Conference on Mechanic Automation and Control Engineering*, 4529–4532. doi: <http://doi.org/10.1109/mace.2011.5988014>
16. Ali, I., Cho, S. H., Kim, D. G., Rehman, M. R. U., Lee, K.-Y. (2017). A design of ultra-low power I2C synchronous slave controller with interface voltage level independency in 180 nm CMOS technology. *International SoC Design Conference (ISOC)*, 262–263. doi: <http://doi.org/10.1109/isoc.2017.8368885>
17. Chandwani, N., Jain, A., Vyavahare, P. D. (2015). Throughput comparison for Cognitive Radio network under various conditions of primary user and channel noise signals. *Radio and Antenna Days of the Indian Ocean (RADIO)*, 1–2. doi: <http://doi.org/10.1109/radio.2015.7323379>
18. Pinku, R., Anand, S., Ravi, K. (2018). Experimental investigation on probe feed equilateral triangular dielectric resonator antenna for 5.8 GHz ISM band (IEEE 802.11). *Progress In Electromagnetics Research Symposium – Spring (PIERS)*, 2195–2199. doi: <http://doi.org/10.1109/piers.2017.8262115>
19. Suh, D., Ko, H., Pack, S. (2016). Efficiency Analysis of WiFi Offloading Techniques. *IEEE Transactions on Vehicular Technology*, 65 (5), 3813–3817. doi: <http://doi.org/10.1109/tvt.2015.2437325>
20. Khan, W. M., Zualkernan, I. A. (2018). SensePods: A ZigBee-Based Tangible Smart Home Interface. *IEEE Transactions on Consumer Electronics*, 64 (2), 145–152. doi: <http://doi.org/10.1109/tce.2018.2844729>
21. Galkin, P. V. (2014). Analysis of energy consumption nodes wireless sensor networks. *ScienceRise*, 2 (2), 55–61. doi: <http://doi.org/10.15587/2313-8416.2014.27246>
22. Galkin, P. V. (2014). An algorithm for operating and optimizing information flows in wireless sensor networks. *Eastern-European Journal of Enterprise Technologies*, 6 (3 (72)), 53–63. doi: <http://doi.org/10.15587/1729-4061.2014.30419>
23. Haykin, S. (1998). *Neural Networks: A Comprehensive Foundation*. Prentice Hall, 842.
24. Yonghua, Y., Lan, W., Erol, G. (2017). Multi-layer neural networks for quality of service oriented server-state classification in cloud servers. *2017 International Joint Conference on Neural Networks (IJCNN)*, 1, 1623–1627. doi: <http://doi.org/10.1109/ijcnn.2017.7966045>

25. Yasuaki, K., Hitoshi, I. (2016). A model of Hopfield-type octonion neural networks and existing conditions of energy functions. *2016 International Joint Conference on Neural Networks (IJCNN)*, 2, 4426–4430. doi: <http://doi.org/10.1109/ijcnn.2016.7727778>

DOI: 10.15587/2312-8372.2018.150924

INVESTIGATION OF ROAD TRAIN DIVERGENT STABILITY LOSS WHEN MOVING ALONG A PROGRAM TRAJECTORY

page 50–55

Popivshchyi Vasyl, PhD, Associate Professor, Department of Computerized System Software, Zaporizhzhya State Engineering Academy, Ukraine, e-mail: poi@zsea.edu.ua, ORCID: <http://orcid.org/0000-0002-2673-987X>

Bezverkhyy Anatoliy, PhD, Associate Professor, Department of Computerized System Software, Zaporizhzhya State Engineering Academy, Ukraine, e-mail: anatoliy.bezverkhyy@hotmail.com, ORCID: <http://orcid.org/0000-0002-0819-3690>

Tatievskiy Dmitry, Postgraduate Student, Department of Computerized System Software, Zaporizhzhya State Engineering Academy, Ukraine, e-mail: dtidissert@gmail.com, ORCID: <http://orcid.org/0000-0002-7841-9560>

The object of research is transport driven multilink wheel systems. In the development of the realized possibility of controlled movement of a semi-trailer truck along a program trajectory, the possibility of constructing a bifurcation set by a velocity parameter is considered. The velocity value is calculated for each discrete value of the calculated real trajectory. The trajectory can be specified in an explicit, implicit, parametric form or by the law of variation of the curvature radius. The study of this parameter is one of the most problematic places for analyzing the stability of the movement of a road train.

Changes in this parameter at certain values, called bifurcation, lead to changes in the qualitative structure of the solutions of the system of differential equations and, as a result, divergent stability of the road train. For such an investigation of the phenomenon, the method of continuation by parameter and the first Lyapunov method are applied.

During the research, many bifurcation velocity values are obtained. This is due to the fact that the proposed approach has a number of features, in particular, an iteration is performed for all control parameters of the program trajectory, and for each such value, the velocity has been iterated until its bifurcation value is reached.

At each iteration, the roots of the characteristic equation are checked for the presence of at least one root with a positive real part, which corresponds to the bifurcation value of the parameter of the velocity of a road train according to Lyapunov. Due to this, it is possible to obtain this set by an exclusively analytical method using computer calculations, without resorting to the use of graphic-analytical methods.

Obtaining these bifurcation sets can practically be used both to limit the velocity of a road train and to warn of its excess. Compared with similar known methods, this provides such advantages as a significant acceleration of the construction of this set and, as a result, its use in real time.

Keywords: characteristic equation, first Lyapunov method, parameter continuation method, bifurcation set, divergent stability loss.

References

1. Verbitskiy, V. G., Polyakova, N. P., Tatievskiy, D. N. (2018). Issledovanie vozmozhnosti realizatsii upravlyаемого dvizheniya avtopoezda vdol' programnoy krivoy. *Vcheni zapiski Tavriys'kogo natsional'nogo universitetu imeni V. I. Vernad's'kogo. Seriya: Tekhnichni nauki*, 29 (6 (68)), 2–4.
2. Verbitskiy, V. G., Lobas, L. G. (1996). Veshhestvennye bifurkatsii dvukhzhvennykh sistem s kacheniem. *Prikladnaya matematika i mekhanika*, 3, 418–425.

3. Verbitskiy, V. G., Lobas, L. G. (1991). Bifurkatsii statsionarnykh sostoyaniy svyazki absolyutno tverdykh i katyashhikhnya uprugikh tel. *Izvestiya AN SSSR. Mekhanika tverdogo tela*, 3, 30–37.
4. Lobas, L. G., Verbitskiy, V. G. (1990). *Kachestvennye i analiticheskie metody v dinamike kolesnykh mashin*. Kyiv: Naukova dumka, 216.
5. Verbitskiy, V., Bezverkhyy, A., Tatievskiy, D. (2018). Handling Analysis and Defining Conditions of Dangerous-Safe Divergent Stability Loss of a Two-Link Road Train Nonlinear Model. *Mathematical Modelling and Applications*, 3 (2), 31–38. URL: <http://www.sciencepublishinggroup.com/journal/paperinfo?journalid=247&doi=10.11648/j.mcs.20180301.13>
6. Verbitskiy, V. G., Zagorodnov, M. I. (2007). Opredelenie i analiz ustoychivosti krugovykh statsionarnykh rezhimov dvizheniya modeli sedel'nogo avtopoezda. *Visnik Donets'kogo in-tu avtomob. transportu*, 1, 10–19.
7. Verbitskiy, V. G., Lobas, L. G. (1990). Mnogobraziya statsionarnykh sostoyaniy dvukhzhvennogo avtopoezda i ikh ustoychivost'. *Prikladnaya mekhanika*, 12, 97–104.
8. Moysya, D. L., Bumaga, A. D. (2007). Opredelenie manevrennosti i analiz ustoychivosti dvizheniya modeli sedel'nogo avtopoezda. *Visnik Donets'kogo in-tu avtomob. transportu*, 3, 10–19.
9. Moysya, D. L. (2008). Analiz statsionarnykh sostoyaniy i ikh ustoychivosti trekhzhvennogo avtopoezda s bezopornym promezhutochnym zvenom avtopoezda. *Vistnik natsional'nogo transportnogo universitetu*, 17, 8–13.
10. Verbitskiy, V. H., Moisia, D. L. (2010). Matematychna model sidelnoho avtopoezda z kerovanyim napivprychepom. *Mizhuzivskiy zbirnyk «Naukovi notatky»*, 28, 98–103.
11. Kaneko, T., Kageyama, I. (2003). A study on the braking stability of articulated heavy vehicles. *JSAE Review*, 24 (2), 157–164. doi: [http://doi.org/10.1016/s0389-4304\(03\)00007-9](http://doi.org/10.1016/s0389-4304(03)00007-9)
12. Bondarenko, A. Ye., Kuplinov, A. V., Moisia, D. L., Makiiov, M. M., Kondratev, V. V. (2010). Analiz rezultativ doslidzhennia kursovoi stitkosti rukhu eksperymentalnoho avtopoezda v stalomu rusi. *Visnyk Donets'koi akademii avtomobilnoho transportu*, 2, 53–61.
13. Ei-Gindy, M., Mrad, N., Tong, X. (2001). Sensitivity of rearward amplification control of a truck/full trailer to tyre cornering stiffness variations. *Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering*, 215 (5), 579–588. doi: <http://doi.org/10.1243/0954407011528176>
14. Abdulwahab, A. (2018). *Investigations on the Roll Stability of a Semi-trailer Vehicle Subjected to Gusty Crosswind Aerodynamic Forces: Doctoral thesis*. University of Huddersfield, 239.
15. Ding, N., Shi, X., Zhang, Y., Chen, W. (2014). Analysis of bifurcation and stability for a tractor semi-trailer in planar motion. *Vehicle System Dynamics*, 52 (12), 1729–1751. doi: <http://doi.org/10.1080/00423114.2014.960431>
16. di Bernardo, M.; Chen, G., Hill, D. J., Yu, X. (Eds.) (2003). Bifurcation analysis for control systems applications. *Bifurcation control theory and application*. Heidelberg: Springer-Verlag, 249–264.
17. Catino, B., Santini, S., di Bernardo, M. (2003). MCS adaptive control of vehicle dynamics: an application of bifurcation techniques to control system design. *42nd IEEE conference on decision and control*. Maui: IEEE, 3, 2252–2257. doi: <http://doi.org/10.1109/cdc.2003.1272953>
18. Troger, H., Zeman, K. (1981). Application of Bifurcation Theory to Tractor-Semitrailer Dynamics. *Vehicle System Dynamics*, 10 (2-3), 156–161. doi: <http://doi.org/10.1080/00423118108968660>
19. Troger, H., Zeman, K. (1984). A Nonlinear Analysis of the Generic Types of Loss of Stability of the Steady State Motion of a Tractor-Semitrailer*. *Vehicle System Dynamics*, 13 (4), 161–172. doi: <http://doi.org/10.1080/00423118408968773>
20. Lyapunov, A. M. (2000). *Obshchaya zadacha obustoychivosti dvizheniya*. Cherepovets: Merkurij-PRESS, 386.
21. Shinohara, Y. (1972). A geometric method for the numerical solution of nonlinear equations and its application to nonlinear oscillations. *Publications of the Research Institute for Mathematical Sciences*, 8 (1), 13–42. doi: <http://doi.org/10.2977/prims/1195193225>
22. Kholodniok, M., Klich, A., Kubichek, M., Marek, M. (1991). *Metody analiza nelineynykh dinamicheskikh modeley*. Moscow: Mir, 368.
23. Rokar, I.; Obmorshhev, A. N. (Ed.) (1959). *Neustoychivost' v mekhanike*. Moscow: Izd-vo inostr. lit., 287.