

RATIONALIZING THE TRANSPORT AND TECHNOLOGICAL SCHEMES FOR PACKAGED CARGO DELIVERY (p. 4-6)

Nikolay Nefodov, Natalya Potaman, Mariya Cherkashina

The method of determination of rational transport and technological schemes for the delivery of goods in the supply chain is worked out. The overall cost of the products delivery in the supply chain is used as an efficiency criterion.

The supply chain is a structural element of the products supply chain. However, the study of supply chain production entails the building of complicated mathematical models. The use of such a measure as a degree of concentration / decomposition of material flow allows allocating the products supply chain and taking into account the cost changes depending on changes in the volume of material flow.

The studies were conducted on the basis of two the most common transport and technological schemes of product delivery. The dependence of the total discounted costs accounts the index of concentration / decomposition of the material flow, which allows allocating the product supply chain and takes into account the cost changes depending on the change of the material flow.

The numerical results for the identification of areas of the most efficient use of transport and technological schemes for the products delivery in the supply chain were determined

Keywords: products supply chain, costs, distribution warehouse, end supplier, delivery and logistics

References

1. Waters D. (2003). An Introduction to Supply Chain Management. Unifi-Dana, 503.
2. Kristofer M. (2004). Logistics and Supply Chain Management. SPB. Piter, 316.
3. Goryainov, A. N. (2006) Opredelenie ekonomicheskoi tselesoobraznosti raboti ychastnikov logisticheskoy tsepi. Logistica. Problemi i resheniya. №3(4), 31-37.
4. Jonsons, J. (2002). Sovremennaja logistika. J. S. Jonson. -7th izd. perevod s anglijskogo – M. Izdatelski dom "Vilyams" – 624str.
5. Maikl, R., Linders, Garold, E., Fyron. (2002). Upravlenie snabzheniem i zapasami. Perevod s anglijskogo– SPb.: "Viktoria plus" – 768s.
6. Sayd, B. (2001). Nauchites vystraivat tsepochnki postavok. Sayd B. – Loginfo, №10, 51 – 54.
7. Stok, J. R., Lambert, L. M.(2005). Strategicheskoe upravlenie logistikoy. Per. S 4th anglijskogo izdaniya – M.: INFRA-M. – XXXII, 797str.
8. Smirnov, I. (2003). Logistika: Territorialnye tsepi sbyta i ih proektyrovanye. Distributsiya i logistyka, № 2, 12–22.
9. Kurganov, V. M. Transport i sklad v tsepi postavok tovarov. Kurganov V.M. Logistika. – M.; mart 2006.
10. Potaman, N. V., Nefedov, M. A. (2006). Analiz metodov opredeleniya sumarnyh zatrat v logisticheskoi tsepi. Vistnyk Donetyskogo instytutu avtomobilnogo transportu. №1, 34 – 38.

PROCEDURE FOR FORMING A FORECAST PASSENGER FLOW MODEL FOR RAIL LINES (p. 7-10)

Larysa Parkhomenko

The article deals with formation of a traffic assignment forecast model on railway lines while introducing high-speed trains. The procedure for adjusting a forecast model based on a genetic algorithm with coding has been proposed. The main aim of the research is to improve a traffic assignment forecast model on railway lines while introducing high speed trains based on evolution modelling. Methods of fuzzy algebra, genetic algorithms and mathematic programming have been implemented to solve the scientific problem under consideration. It enabled to develop a procedure for adjusting a mathematical model based on an objective function which minimizes

an average relative error in forecast and actual data of the testing set. Apart from a search for a fuzzy relation in a relational equation, the article proposes a method to adjust membership functions of output linguistic terms for a variable models (within a genetic algorithm) to improve the accuracy of adjustment for a forecast model. The adjustment procedure proposed has improved the forecast model accuracy. A relative error in a forecast model for the testing set is less than 10,0144%. The results of the research can be implemented on railways while designing automated programme complex for traffic assignment forecast between cities in strategic planning

Keywords: rail transport, high-speed transportation, forecasting, genetic algorithm

References

1. Lukashin, Yu.P. (1979). Adaptivnye metodyi kratkosrochnogo prognozirovaniya. Statistika, 254.
2. Prohorchenko, A.V., Danko, O. M., Zhurko, S. M. (2009). Udoskonalennyya sistemi prognozuvannya pasazhiropotokiv na taktichnomu rlvni planuvannya perevezen. Zb.nauk.prats. Harkiv:UkrDAZT, 102, 60-67.
3. ErIna, A. M. (2001). Statistichne modelyuvannya ta prognozuvannya: Navch. posibnik. KNEU, 170.
4. Carrothers, G.A.P. (1956). An historical review of the gravity and potential concepts of human interaction. J. of the American Instit. Planners, 22, 94-102.
5. Doganis, R. (1966). Traffic forecasting and the gravity model. Flight International, 547–549.
6. Pogrebnyak, E. B. Samoilenko, N. I. (2006). Analiz metodov formirovaniya matritsyi korrespondentsiy transportnoy seti goroda. Kommunalnoe hozyaystvo gorodov, Nauchno-tehnicheskii sbornik Harkovskaya natsionalnaya akademiya gorodskogo hozyaystva, 69, 121-126.
7. Parhomenko, L. O. (2012). Rozroblennyya modeli prognozuvannya korrespondentsiy pasazhiriv v umovah vprovadzhennya zalzничного shvidkIsnogo pasazhirskogo spoluchennya na osnovi nechItkih relyatsIynih obchislen. ZbIrnik naukovih prats UkrDAZT, 131, 109-115.
8. Rutkovskaya, D., Pilinskiy, M., Rutkovskiy, L. (2004). Neyronnyie seti, geneticheskie algoritmyi i nechetkie sistemyi: Per.s polsk. I.D.Rudinskogo. M.:Goryachaya liniya. Telekom, 452.
9. Peeva, K., Kyosev, Y. (2005). Fuzzy Relational Calculus Theory: Applications and Software. World Scientific Publishing Co. Pte. Ltd, 291.
10. Wright, A. (1991). Genetic algorithms for real parameter optimization. Foundations of Genetic Algorithms, 1, 205-218.
11. Rotshteyn, A. P., Shtovba, S. D. (2006). Identifikatsiya nelineynoy zavisimosti nechetkoy bazoy znaniy s nechetkoy obuchayushey vyiborkoy. Kibernetika i sistemnyiy analiz, 2, 17-24.
12. Kislyakov, A. V. (2001). Geneticheskie algoritmyi: operatoryi skreshchivaniya i mutatsii. Informatsionnyie tehnologii, 1, 29-34.

INFORMATION TECHNOLOGIES OF QUANTITATIVE EVALUATION OF RISK GROUPS OF HUMAN IMMUNODEFICIENCY VIRUS INFECTION (p. 10-15)

Oksana Mulesa

The problems of estimating quantitative characteristics of objects and groups appear in various areas of economy and production. One of them is the task of evaluating the quantitative characteristics of different social groups in general and high-risk groups of HIV infection in particular. Mathematical model of evaluating the quantitative characteristics of these groups and the task decomposition into the task identification and clustering was developed in the paper.

The analysis of information technologies was made for solving the problem of estimating the number of members of groups with high risk of HIV infection and the grade of the person membership to such group. Advantages and disadvantages of the analyzed information technologies for solving these problems were defined. The need

of developing new information technologies is shown for solving the problems of estimating the quantitative characteristics of high-risk groups of HIV infection, which would allow taking into account such sources of input data as professional opinion of the person, capable of decision-making and expert judgments

Keywords: risk-group of human immunodeficiency virus infection, clustering technologies, identification technologies

Reference

1. Global Report : UNAIDS Report on the global AIDS epidemic. (2012). UNAIDS, 212.
2. Berleva G., Dumchev K., Kobyshecha Yu et al. Analytical report of survey "Assessment of the size of groups at high risk of HIV infection in Ukraine as of 2009". (2010). ICF "International HIV/AIDS Alliance in Ukraine", 104.
3. Grushetsky, A. (2012). Monitoring of behavior and HIV prevalence among commercial sex workers, as the surveillance component of the second generation : an analytical report on the bio-behavioral survey in 2011. ICF "International HIV/AIDS Alliance in Ukraine", 120.
4. Grushetsky, A. (2010). Monitoring of behavior and HIV prevalence among female sex workers as a surveillance component of the second generation: an analytical report on a survey of FSW in 2009. ICF "International HIV/AIDS Alliance in Ukraine", 74.
5. Artiukh, O. Balakirieva, O. Bochkova, L. et al. (2005). Monitoring the behavior of female commercial sex workers as a component of second generation surveillance. ICF "International HIV / AIDS Alliance in Ukraine", 60.
6. Berleva, G. Dumchev, K. Kasianchuk, M. et al. (2012). Estimation of the number of groups at high risk of HIV infection in Ukraine as of 2012 : Analytical report of research. ICF "International HIV / AIDS Alliance in Ukraine", 68.
7. Balakirieva, O. (2001). Evaluation through the participation. Guidelines. ICF "International HIV / AIDS Alliance in Ukraine", 157.
8. Mulesa, O. (2012). Fuzzy model speed sequential analysis of variants. Bulletin ChSTU, № 3, 9-13.
9. Zagoruiko, N. (1972). Recognition methods and their application. "Soviet Radio", 208.
10. Snytiuk, V.Ye. (2008). Prediction. Models. Methods. Algorithms: Tutorial. "Maklout", 364.
11. Tu, J. (1978). Principles of pattern recognition. "Mir", 412.
12. Grop, D. (1979). Methods of identification systems. "Mir", 302.
13. Kohonen, T. (1989). Self-organization and associative memory. Springer Verlag, 312.
14. Bolshakov, E. Klyshinskii, E. Lande, D. et al. (2011). Automatic processing of natural language text and computational linguistics: studies manual. MIEM, 272. Retrieved May, 13, 2013, from http://www.webground.su/data/lit/bolshakova_klyshinsky_landen_noskov_peskova_yagunova/Avtomaticeskaya_obrabotka_tekstov.pdf.
15. Shtovba, S. Introduction to the theory of fuzzy sets and fuzzy logic. Retrieved May, 13, 2013, from <http://matlab.exponenta.ru/fuzzylogic/book1/index.php>.
16. Smeshko, Yu. On a criterion for selecting an exponential weight in the classification algorithm of fuzzy C-means. Retrieved May, 13, 2013, from <http://conf.sfu-kras.ru/sites/mn2012/thesis/s012/s012-088.pdf>.
17. Ivakhnenko, A. (1981). Inductive method of self-organizing models of complex systems. Naukova dumka, 296.
18. Stepashko, V. Theoretical aspects MGUA as methods of inductive modeling. Retrieved May, 13, 2013, from <http://gmdh.net/ar-ticles/usim/Stepashko.pdf>.

IMPACT OF EXPONENTIAL MODULATED PULSES ON STIMULATION OF EYE MUSCLES (p. 16-19)

Leonid Verevkin

The use of electric pulses for oculomotor muscles stimulation allows restoring the weakened contractility of muscles and achieving positive therapeutic effect.

For myostimulation purposes the paper proposes to use exponential pulses with ascending and descending edges and adjustable basic frequency. The use of a microcontroller in the circuit of portable electrostimulator is relevant. It allows automating the process of affecting the muscle by impulsive complex-modulated current, not exceeding the pain threshold. The microcontroller determines the pain threshold, generates the code of stimulation pulses, not

exceeding the threshold, has the function of pulse control and setting by personal computer, transfers the data on electrostimulation parameters to PC for further documentation, analysis and consultations over the Internet.

The circuit of the generator of exponential-modulated pulses was developed based on the programmed microcontroller. It provides information about the pulse in the form of numeric codes and transfers it to digital-analog converter

The obtained pulse parameters correspond to the modes of electrostimulation of oculomotor muscles according to standard procedures

Keywords: electrostimulator, exponential pulse, microcontroller, generator, frequency, relative pulse duration, amplifier

References

1. Sosin, I. N., Buyavykh, A. G. (1998). Fizicheskaya tyerapiya glaznykh bolyeznyey. Simfyeropol: Tavriya, 248.
2. Avyetisov, E.S. (1977). Sodruzhestvennoye kosoglaziye. M.: Myeditsina, 312.
3. Yurov, S.I. (1968). Lyechyeniye sodruzhestvennogo kosoglaziya elyektrostimulyatsiyami naruzhnykh pryamykh myshts glaza. Oftal'mologicheskyy zhurnal, №8, 598-600.
4. Rukhlova, S. A. (2001). Osnovy oftal'mologii. M.: Myeditsinskaya kniga; N. Novgorod: Izd-vo NGMA, 252.
5. Ryemyezov, A. N. (1999). Myeditsinskaya i biologicheskaya fizika. M.: Vysshaya shkola, 616.
6. Shvyets, Ye. Ya., Vyeryevkin, L. L., Posun'ko, A. P. and others (2003). Elyektrostimulyator glaznykh myshts eksponyentsial'nymi modulirovannymi impul'sami. Radioelektronika Informatika Upravlyeniye, №1, 24-26.
7. Zapobihannya slipoti u ditey v Ukraini v ramkakh vykonannya prohramy VOOZ «Zir-2020» z praktychnym seminarom «Zhyva khirurhiya» (2005). Tezy ta leksiyyi Mizhnarodnoyi naukovo-praktychnoyi konferentsiyi likariv-oftal'molohiv Ukrainy, 11-12 bereznya 2005. M-vo okhorony zdorov'ya Ukrainy. Kyiv: KVITs, 380.
8. Yelisyeyeva, N. M., Syerova, N. K., Gnyezditskiy, V. V. and others (1997). Chryeskozhnaya elyektrostimulyatsiya zrytyel'nykh nyervov u nyeyrokhirurgichyetskikh bol'nykh so zrytyel'nymi narushenyiyami. Vvestnik oftal'mologii, T.113, №1, 19-22.
9. Shvyets, Ye. Ya., Vyeryevkin, L. L., Popravka, O. N. and others (2003). Miniaturnyy elyektrostimulyator glaznykh myshts. Elyektronika i svyaz', №18, 102-103.
10. Ponomarchuk, V. S., Slobodyanik, S. B., Drozhenko, V. S. (1998). Elyektrostimulyatsionnyye myetody lyechyeniya v oftal'mologii. Oftal'mol. zhurn., №4, 318-324.
11. Shigina, N. A., Kuman, I. G., Khyeylo, T. S. and others (2001). Primenyeniye elyekttrichyeskogo toka v diagnostiky i lyechyenii patologii zrytyel'nogo nyerva i syetchatki, T. 2, №2. M.: KOF, 243 - 256.

POSSIBILITIES OF USING ROBUST REGULATORS FOR TECHNOLOGICAL FACILITIES (p. 19-22)

Nadya Gricenko, Yaroslav Smityuh, Anatoly Ladanyuk

The class of non-stationary, multidimensional and multiply connected facilities, in particular, three-column distillation-rectification unit (DRU) of indirect action, which is characterized by complex hydrodynamic, mass- and heat exchange processes, is considered in the paper.

For effective control of the class of facilities, a robust approach was selected, since the purpose of robust control synthesis is ensuring the required system quality, regardless of possible errors and changes in system parameters.

The main objective of robust control is guaranteed control in conditions of incomplete priori information about the object, ensuring the system stability and maintaining its quality in the presence of all types of uncertainties which are studied and clearly identified for the DRU.

The aim of the study is the use of robust approach for optimal control of the selected class of facilities to guarantee quality and stability of automated control system in cases of emergency situations of technological regime

Keywords: robust control principles, conditions of uncertainty, robust regulator

References

- Pupkov K.A. (2004). Classical and modern methods of automatic control. Moscow, 656.
- Pupkov K.A. (2001). Robust methods, neuro-fuzzy and adaptive control. Moscow, 744.
- Polyak B.T., Shcherbako P.S. (2002). Robust stability and control. Moscow, Russia: Russian Academy of Sciences, 303.
- Dzharagyan M.A. (2005). Robust stabilization of the local systems management process of preparation of commercial oil. Saint Petersburg, 149.
- Mandelshteyn M.L. (1975). Automated process control system bragorektifikatsii). Moscow, USSR: Food processing industry, 240.
- Smityuh Y.V. (2007). Automated management bragorektifikatsionnoy plant based on the scenario approach. Kiev, 282.
- Dorf, R. (1998). Modern Control Systems. Addison-Wesley, 832.
- Zhou K., Doyle J.C., Glover K. (1996). Robust and optimal. Upper Saddle River, NJ: Prentice Hall, 586.
- Tsytkin Ya.Z., Polyak B.T. (1999). High-gain robust. Eur. J. Control, 5(1), 3-9.
- Morari M., Zafiriou M. (1989). Robust process control. Englewood Cliffs, NJ: Prentice-Hall, 147.

AUTOMATED CONTROL SYSTEM OF SPECIALIZED MARINE COMPLEX WITH TOWED UNDERWATER VEHICLE (p. 23-27)

Olixandr Blintsov, Dyck Than Tam

The generalized structure of three-level system of automatic control of spatial motion of specialized marine complex "towing vessel - single-mess towed underwater vehicle" was designed to take high-quality photos, videos and hydroacoustic surveys of the bottom surface and underwater objects. Basic scientific applied tasks, the solution of which ensures effective functioning of the complex, were defined: the synthesis of algorithms for automated complex control for its basic operation modes; the synthesis of automated control system of towing vessel trajectory when operating in conditions of external wind-wave effects; the development of mathematical software for prompt formation of the bottom topography and calculation of safe trajectory of towing vessel motion aimed at proactive control of its motion height and for efficient formation of reports on results of specialized marine complex operation

Keywords: towed underwater vehicle, automatic control system

References

- Ballard, R. D., Hiebert, F. T., Coleman, D. F., Ward, C., Smith, J., Willis, K., Foley, B., Croff, K., Major, C., Torre, F. (October 2001). Deepwater Archaeology of the Black Sea: The 2000 Season at Sinop, Turkey. American Journal of Archaeology, Vol. 105, No. 4, 607-623.
- Blintsov, V. S., Voronov, S. O. (2010). Aktual'ni zavdannya roboty-zatsiyi pidvodnykh arkhеологичныkh doslidzhen'. Problemy avtomatyky ta elektroobladnannya transportnykh zasobiv: Materialy mizhnarodnoyi naukovo-tekhnichnoyi konferentsiyi. Mykolayiv: NUK, 69-70.
- Shnyukov, E. F., Ziborov, A. P. (2004). Mineral'nye bogatstva Chernogo morya. K.: Natsional'naya Akademiya Nauk Ukrainy, 280.
- Blintsov, V. S., Voronov, S. A. (2012). Primenenie teleupravlyayemykh podvodnykh apparatov v proektakh issledovaniya morfosrukturnykh osobennostey morskogo dna na uchastkakh gazoproyavleniya v Chernom more. Innovatsiyi v sudnobuduvanni ta okeanotekhni: Materialy 3-yi mizhnar. nauk.-tekh. konf. Mykolayiv : NUK, 606-607.
- Okorokov, A. V. (2011). Sokrovishcha na dne. M.: Izdatel'stvo: Veche. Seriya: Puteshestvie za taynoy, 320.
- Vedernikov, Yu. V. (2007). Krasnyy drakon: sovremennye voennomorskie sily Kitaya. Izdatel'stvo: Vladivostok. Flot Tikhogo okeana, Vypusk 3, 140.
- Sakai, H., Tanaka, T. (2004). Underwater observation system using Autonomous Towed Vehicle. OCEANS '04. MTTs/IEEE TECHNO-OCEAN '04, Volume 2, 822-827.
- Ikonnikov, I. B., Gavrilov, V. M., Puzyrev, G. V. (1993). Podvodnye buksiruemye sistemy i bui neytral'noy plavuchesti. SPb.: Sudostroenie, 224.
- Wu Jiaming, Ye Jiawei, Yang Cheng, Chen Yuanming, Tian Huiping, Xiong Xiaohui. (October 2005). Experimental study on a control-

- lable underwater towed system. Ocean Engineering, Volume 32, Issues 14-15, 1803-1817.
- Blintsov, V. S., Voronov, S. O. (2010). Bazovi tekhnolohiyi zas-tosuvannya pidvodnykh aparativ-robotiv dlya zadach morskoyi arkhеологичiyi. Innovatsiyi v sudnobuduvanni ta okeanotekhni: Materialy mizhnarodnoyi naukovo-tekhnichnoyi konferentsiyi. Mykolayiv: NUK, 389-391.
- Mizhnarodna Konventsiya pro okhoronu pidvodnoyi kul'turnoyi spadshchyny YuNESKO (XXXI sesiya vid 02.XI.2001 r., pidypsana vid imeni Ukrainy 06.11.2001 r.).
- Yevropeys'ka konventsiya pro okhoronu arkhеологичnoyi spadshchyny (ratyfikovana Zakonom Ukrainy vid 10.12.2003 r. №1369-IV).
- Derzhavna tsil'ova sotsial'na prohrama protyminnoyi diyal'nosti Ministerstva z pytan' nadzvychaynykh sytuatsiy ta u spravakh zakhystu naselennya vid naslidkiv Chornobyl's'koyi katastrofy na 2009-2014 roky. Zatverdzheno Postanovoyu Kabinetu Ministriv Ukrainy vid 18 lyutoho 2009 r. N 131.
- Zakon Ukrainy «Pro Zahal'noderzhavnu tsil'ovu prohramu zakhystu naselennya i terytoriy vid nadzvychaynykh sytuatsiy tekhnohennoho ta pryrodnoho kharakteru na 2013-2017 roky». Vidomosti Verkhovnoyi Rady Ukrainy, 2013, № 19-20, st.173.
- Poddubnyy, V. I., Shamarin, Yu. E., Chernenko, D. A., Astakhov, L. S. (1995). Dinamika podvodnykh buksiruemykh sistem. SPb: Sudostroenie, 200.
- Egorov, V. I. (1981). Podvodnye buksiruemye sistemy: Uchebnoe posobie. L.: Sudostroenie, 304.
- Vinogradov, N. I., Gutman, M. L., Lev, I. G., Nisnevich, M. Z. (2000). Privyaznye podvodnye sistemy. Prikladnye zadachi statiki i dinamiki. SPb: Izd-vo S.-Peterb. Un-ta, 324.
- Masayoshi, T. (2005). A Theoretic Analysis of a Control System Structure of Towed Underwater Vehicles. Proceedings of the 44th IEEE Conference on Decision and Control, and the European Control Conference 2005. Seville, Spain, December 12-15 2005, 7526-7533.
- Kumar Srivastava Vineet, Sanyasiraju Yuss, Tamsir Mohammad. Dynamic Behavior of Underwater Towed-cable in Linear Profile. International Journal of Scientific & Engineering Research, Volume 2, Issue 7, July-2011, 1-10.
- Jiaming, Wu, Allen, T. Chwang. (2001). Investigation on a two-part underwater manoeuvrable towed system. Ocean Engineering, 28, 1079-1096.
- Lambert, C., Nahon, M., Buckham, B., Seto, M. (2003). Dynamics and control of a towed underwater vehicle system, part II: model validation and turn maneuver optimization. Ocean Engineering, 30, 471-485.
- Kuvshinov, G. E., Naumov, L. A., Chupina, K. V. (2005). Sistemy upravleniya glubinyo pogruzeniya buksiruemykh obektov: monografiya. Vladivostok: Dal'nauka, 285.
- Blintsov, O. V., Burunina, Zh. Yu., Klymenko, P. H., Chan Tam Dyk. (2012). Systema avtomaticheskoho upravleniya prostranstvennym dvizhenyem odnozvennoy podvodnoy buksiruemyy vydeosystemy. Zbirnyk naukovykh prats' NUK, №2, 70-74.

EXTRACTION OF QUANTITATIVE ASSOCIATION RULES CONSIDERING SIGNIFICANCE OF FEATURES (p. 28-34)

Tatyana Zayko, Andrii Oliynyk, Sergey Subbotin

The solution of the problem of automating the extraction of quantitative association rules in the diagnosis and recognition of images is considered in the paper, and some results of our research in this area are given. The main purpose of the study is developing a method for extracting quantitative association rules, considering the significance of features. The use of modern methods of searching association rules allows extracting new knowledge from large amounts of information.

The issues of extracting the quantitative association rules are considered in the paper for identifying new knowledge when solving problems of diagnosing and recognizing of images. The proposed method allows extracting quantitative association rules from the transaction databases. We propose to use a priori information concerning the significance of features that reduces the search scope, the time of rules extraction, the number of extracted rules, and accordingly, increases the levels of generalization and interpretability of the synthesized base of association rules. The research results can

be used by researchers who study and analyze complex objects, processes and systems in order to identify new knowledge, as well as in decision support systems in technical and medical diagnostics

Keywords: association rule, rules database, fuzzy logic, transaction, fuzzification, membership function

References

- Zhang, C., Zhang, S. (2002). Association rule mining: models and algorithms. Berlin : Springer-Verlag, 238.
- Gkoulalas-Divanis, A., Verykios, V. S. (2010). Association Rule Hiding for Data Mining. New York : Springer-Verlag, 150.
- Zhao, Y., Zhang, C., Cao, L. (2009). Post-mining of association rules: techniques for effective knowledge extraction. New York : Information Science Reference, 372.
- Dubois, D., Hullermeier, E., Prade, H. (2006). A Systematic Approach to the Assessment of Fuzzy Association Rules. *Data Mining and Knowledge Discovery*, 13, 167–192.
- Khan, M. S., Mueyba, M., Coenen, F. (2008). Weighted Association Rule Mining from Binary and Fuzzy Data. *Lecture Notes in Computer Science*, 5077, 200-212.
- Lian, W., Cheung, D. W., Yiu, S. M. (2005). An efficient algorithm for finding dense regions for mining quantitative association rules. *Computers & Mathematics With Applications*, 50 (3), 471-490.
- Sohn, S. Y., Kim, Y. (2008). Searching customer patterns of mobile service using clustering and quantitative association rule. *Expert Systems With Applications*, 34 (2), 1070-1077.
- Adamo, J.-M. (2001). Data mining for association rules and sequential patterns: sequential and parallel algorithms. New York : Springer-Verlag, 259.
- Koh, Y. S., Rountree, N. (2009). Rare Association Rule Mining and Knowledge Discovery. New York : Information Science Reference, 320.
- Zadeh, L. (1965). Fuzzy sets. *Information and Control*, 8, 338–353.
- Subbotin, S. O., Oliinyk, A. O., Oliinyk, O. O. (2009). Neiterativni, evoljucijni ta multiagentni metodi sintezu nechitkologichnih i nejromerzhnih modelej: monografija. Zaporizhzhja : ZNTU, 375.
- Dopico, J. R., Calle, J. D., Sierra, A. P. (2009). Encyclopedia of artificial intelligence. New York : Information Science Reference, 1–3, 1677.
- Subbotin S. A., Oliinyk, A. O., Gofman, Ye. A., Zajcev, S. A., Oliinyk, O. O. (2012). Intellectualnye informacionnye tehnologii proektirovanija avtomatizirovannyh sistem diagnostirovanija i raspoznavanija obrazov : monografija. Kharkov : Kompanija Smit, 317.
- Boguslaev, A. V., Oliinyk, O. O., Oliinyk, A. O., Pavlenko, D. V., Subbotin, S. A. (2009). Progressivnye tehnologii modelirovanija, optimizacii i intellektualnoj avtomatizacii jetapov zhiznennogo cikla aviadvigateljev : monografija. Zaporozhe : Motor Sich, 468.
- Filatov, V. A., Bodjanskij, Ye. V., Kucherenko V. Ye. et. al. (2008). Gibridnye nejro-fazzi modeli i multiagentnye tehnologii v slozhnyh sistemah : monografija. Dnipropetrovsk : Sistemni tehnologii, 403.
- Ajvazjan, S. A., Enjukov, I. S., Meshalkin, L. D. (1985). Prikladnaja statistika: Issledovanie zavisimostej. Moskva : Finansy i statistika, 487.
- Zajko, T. A., Oliinyk, A. O., Zhihareva, N. V., Subbotin, S. A. (2012). Diagnostirovanie nejro-artricheskikh anomalij na osnove asociativnyh pravil. Bionika intelekta, 53–57.

METHOD OF WEB SERVICES QUALITY EVALUATION (p. 34-39)

Oleg Rogov, Tatiana Duravkina, Anastasia Morozova

The paper gives the analysis of existing systems of service-oriented architecture control, which allowed concluding that although the considered systems provide comprehensive facilities of service monitoring and users informing in various situations, they do not provide the management of service quality policies. Also, the main quality parameters for SOA systems, such as response time, maximum bandwidth, accessibility and reliability, were defined.

The paper first proposed the method for monitoring QoS parameters for systems with service-oriented architecture on provider's side, which has two implementation modes – passive monitoring and active testing. The algorithms for selecting a particular service instance, which matches the specified quality parameters, were proposed

Keywords: web-services, SOA, response time, accessibility, reliability, service quality

References

- Channabasavaiah, K., Holley, K., & Edward M. Tuggle, J. (2004). Migrating to aservice-oriented architecture. IBM.
- Introduction to Service Oriented Architectures. (2007). <http://searchdatamanagement.techtarget.com/feature/Introduction-to-service-oriented-architecture-What-is-SOA>.
- McVittie, L. (2006). SOA as it is. *Networks and Systems*, 2. http://www.ccc.ru/magazine/depot/06_02/read.html?0104.htm.
- Linthicum, D. (2010). Cloud Computing and SOA Convergence in Your Enterprise. Boston, Addison-Wesley.
- Bieberstein, N., Bowes, S., & Jones, K. (2007). Service-Oriented Architecture (SOA) Compass. Moscow.
- Granchin, O. N., Chironov, I. L. (2007). Service-Oriented Architecture IS MHS and stochastic optimization problems. http://www.math.spbu.ru/user/gran/sb3/gran_sheron.pdf.
- Franch, X. (2009). Quality of Service (QoS) in SOA System. <http://upcommons.upc.edu/pfc/bitstream/2099.1/7714/1/Master%20thesis%20-%20Marc%20Oriol.pdf>.
- Gladtsyn, V. A., Krinkin, K.V., & Yanovsky V.V. (2006). Service-Oriented Architecture. Standards, algorithms, protocols. St. Petersburg., Publishing House
- Oracle Fusion Middleware. <http://www.oracle.com/ru/products/middleware/overview/index.html>.
- WebSphere software. www.ibm.com/software/ru/websphere.
- JBOSS enterprise SOA platform (ESB). <http://www.redhat.com/resource/library/datasheets/JBoss-SOA-datasheet>.

SELF-PROPELLED UNDERWATER SYSTEM CONTROL INTEGRATION WITHIN MARITIME TECHNOLOGICAL COMPLEX (p. 40-45)

Nadtochy Nadtochy

The concept of construction and generalized structure of an integrated system of automatic control of self-propelled subsea complex within the mother ship and self-propelled tethered underwater system as the only marine technological complex, which operates in conditions of uncertainty of external disturbances and non-stationarity of its parameters, were developed. The integrated system has five control levels – strategic, tactical, programming, execution and controlling.

The execution level consists of five automatic control subsystems, which provide a coordinated operation of actuating stabilization mechanisms of mother ship, cable winches, self-propelled underwater vehicle, underwater manipulator and its clamping unit. The implementation of the integrated ACS (automatic control system) will enable increasing the productivity and performance quality of complex technical underwater work using attached implements, such as remotely-controlled manipulators

Keywords: self-propelled tethered underwater system, automatic control system, external disturbances, manipulator

References

- Undersea Vehicles and national Needs. (1996). National Academy Press. Washington, D.C., 114.
- Blintsov, V. S. (1998). Privyaznye podvodnye sistemy. K.: Naukova dumka, 232.
- Christ, R., Wernli, R. (2007). The ROV Manual: A User Guide for Observation Class Remotely Operated Vehicles. Elsevier, 308.
- Voytov, D. V. (2012). Telepravlyaemye neobitaemye podvodnye apparaty. Kniga + CD. M.: MORKNIGA, 506.
- Blintsov, V. S. (1998). Privyaznye podvodnye sistemy. K.: Naukova dumka, 232.
- Alexander, V. Inzartsev. (2009). Underwater Vehicles. Publisher: InTech, 582.
- Taskaev, V. N. (2010). Metodika provedeniya podvodno-arkheologicheskikh rabot. M.: «Voprosy podvodnoy arkheologii», 45-95.
- Podvodnye tekhnologii i sredstva osvoiniya Mirovogo okeana. (2011). M.: Izdatel'skiy dom «Oruzhie i tekhnologii», 780.
- Shostak, V. P. (2011). Podvodnye apparaty-roboty i ikh manipulyatory. Chikago: Megatron, 134.
- Blintsov, V.S. (2007). Sovremennyye problemy sozdaniya elektrooborudovaniya i avtomatiki podvodnykh apparatov. Radioelektronni i komp'yuterni sistemi, №5 (24), 90-98.
- Naumov, L. A., Matvienko, Yu. V., Kiselev, L. V. (2013). Prioritety podvodnoy robototekhniki. Mat-ly KhIII Mezhdunarodnoy nauch-

- no-tehnicheskoy konferentsii «Sovremennyye metody i sredstva okeanologicheskikh issledovaniy». M.: APR. T. 1, 296-297.
12. Yastrebov, V. S. (1980). *Podvodnye apparaty-roboty i ikh manipulyatory*. M.: Nauka, 144.
 13. Thor, S. Sagatun, I. S. (1991). Fossen Adaptive Control of Nonlinear Underwater Robotic Systems: A case study of underwater robotic systems. *J. Field Robotics*, Vol. 8, Issue 3, 393-412.
 14. Yuh, J. (1994). Learning Control for Underwater Robotic Vehicles. *IEEE Control Systems*, 39-46.
 15. Howard, H. W., Stephen, M. R. (1996). The Design and Development of an Intelligent Underwater Robot. *Journal of Autonomous Robots*, №3, 297-320.
 16. Zain, Z. M., Ahmad, R. B., Arshad, M. R. (2004). Design and development of an RS232-based ROV controller system. *IEEE Region 10 Conference "Analog and digital techniques in electrical engineering"*, Vol. 4, 487-490.
 17. Tzung-Hang, Lee, Yusong, Cao, Yen-mi, Lin. (2001). Application of an On-line Training Predictor/Controller to Dynamic Positioning of Floating Structures. *Tamkang Journal of Science and Engineering*, Vol. 4, No. 3, 141-154.
 18. Bong-Huan, Jun, Pan-Mook, Lee, Seungmin, Kim. (2008). Manipulability analysis of underwater robotic arms on ROV and application to task-oriented joint configuration. *Journal of Mechanical Science and Technology*, №22, 887-894.
 19. Kostenko, V. V., Mokeeva, I. G. (2009). Issledovanie vliyaniya kabelya svyazi na manevrennost' telepravlyaemogo podvodnogo apparata. *Podvodnye issledovaniya i robototekhnika*, №1(7), 22-27.
 20. Govindarajan, R., Arulselvi, S., Thamarai, P. (2013). Underwater Robot Control Systems. *International Journal of Scientific Engineering and Technology*, Vol. 2, Issue 4, 222-224.
 21. Moore, S., Bohm, H., Jensen, V. (2010). *Underwater Robotics: Science, Design & Fabrication*. Publisher: Marine Advanced Technology Education (MATE) Center, 770.
 22. Vagushchenko, L. L., Tsymbal, L. L. (2002). *Sistemy avtomatichnskogo upravleniya dvizheniem sudov*. Odessa: Latstar, 310.
 23. Kharazov, V. G. (2009). *Integrirovannyye sistemy upravleniya tekhnologicheskimi protsessami*. M.: Izd-vo «Professiya», 591.
 24. Boykov, V. I., Boltunov, G. I., Mansurova, O. K. (2010). *Integrirovannyye sistemy proektirovaniya i upravleniya*. SPb: SPbGU ITMO, 162.
 25. Vagushchenko, L. L. (2003). *Integrirovannyye sistemy khodovogo mostika*. Odessa: Latstar, 169.
 26. Blintsov, V. S., Nadtochiy, V. A. (2012). Suchasni zadachi avtomatyzatsiyi keruvannya samokhidnymi pryv'yaznymi pidvodnymi systemamy z nachipnym obladnanniam. *Zbirnyk naukovykh prats' NUK*, №2, 79-83.

COMPLEXITY OF HIDDEN ABELIAN GROUP ACTION PROBLEM IN QUANTUM COMPUTING MODEL (p. 45-49)

Andriy Fesenko

The paper first examines the Hidden Abelian Group Action problem's complexity in quantum computing model. This algebraic problem is fundamental in determining the hardness of a one-way function constructed on the basis of commutative and locally commutative maps and ciphers. In fact, finding new one-way functions that will be resistant in quantum computing model is very important for modern cryptography.

The main objective of the study is to assess the complexity of the Hidden Abelian Group Action problem by using a reduction to already known problems, such as the Hidden Subgroup problem and the Hidden Shift problem. In this paper, reduction of the Hidden Abelian Group Action problem to the Hidden Shift problem was first shown, and limitations that distinguish them were first demonstrated. As a result, on the one hand, the existing partial solutions to the Hidden Shift problem, and general Kuperberg's subexponential algorithm can be extended to the case of the Hidden Abelian Group Action problem. Moreover, more limitations give more chances to effective general solution to this problem. On the other hand, the reduction and similarity to a known challenge in quantum computing model also indicate the complexity of the Hidden Abelian Group Action problem, which leaves a chance for making a real stand one-way function in quantum computing model based on a locally commutative mapping

Keywords: quantum computation model, hidden shift problem, one-way function

References

1. Shor, P. W. (1994). Algorithms For Quantum Computation: Discrete Logs and Factoring Proceedings of the 35th Symposium on the Foundations of Computer Science, 124-134.
2. Nielsen, M. A., Chuang I. L. (2000). *Quantum Computation and Quantum Information* Cambridge University Press, Cambridge, 702, ISBN 978-1107002173.
3. Aaronson, S. (2005). NP-complete problems and physical reality *ACM SIGACT News*, 36(1), 30-52.
4. Kitaev, A. (1995). Quantum measurements and the Abelian stabiliser problem, <http://arxiv.org/abs/quant-ph/9511026>.
5. van Dam, W., Hallgren S., Ip L. (2003). Quantum algorithms for some hidden shift problems In: Proceedings of the 14th annual ACM-SIAM symposium on Discrete algorithms, 489-498.
6. Gavinsky, D., Roetteler M., Roland J. (2011). Quantum algorithm for the Boolean hidden shift problem Proceedings of the 17th annual international conference on Computing and combinatorics, 158-167.
7. Kuperberg, G. (2005). A subexponential-time quantum algorithm for the dihedral hidden subgroup problem *SIAM Journal on Computing*, 35(№1), 170-188.
8. Regev, O. (2004). A subexponential time algorithm for the dihedral hidden subgroup problem with polynomial space, <http://arxiv.org/abs/quant-ph/0406151>.
9. Regev, O. (2010). On the complexity of lattice problems with polynomial approximation factors In Phong Q. Nguyen and Brigitte Valle, editors, *The LLL Algorithm, Information Security and Cryptography*, 475-496.
10. Childs, A. M., Jao D., Soukharev V. (2010). Constructing elliptic curve isogenies in quantum subexponential time, <http://arxiv.org/abs/1012.4019>.
11. Savchuk, M., Fesenko A. (2008). Using Symmetric Commutative and Locally Commutative Ciphers to Construct Classical and Post-Quantum Cryptographic Protocols *Information Technology and Computer Engineering*, №2(12), 43-51.

MEASUREMENT OF CARBON OXIDE IN EXHAUST GASES OF INTERNAL COMBUSTION ENGINES (p. 49-53)

Iliya Tymofeiev

The paper is devoted to the problem of searching the optimal parameters of time sampling of random stationary processes. Based on the analysis of existing approaches to this problem, the author suggests the approach developed by S. V. Dotsenko. This approach was applied for determining the optimal parameters of time sampling for the process, reflecting the change of carbon oxide content in exhaust gases of internal combustion engine. The algorithm for calculating the optimal parameters of time sampling was developed. Using the graphical environment of simulation modeling Simulink, the models of analog-digital and digital-analog converters are constructed. Simulation was carried out taking into account the optimal parameters obtained by the method, proposed by S. Dotsenko, and using the Nyquist sampling theorem. Based on the obtained results of relative errors of digital conversion, conclusions on advantages of the method, chosen by the author, were made

Keywords: optimal sampling, ADC, thermogas dynamic parameters of internal combustion engine

Reference

1. Pervukhina E., Osipov K., & Golikova V. (2010) Detection of engineering products during acceptance testing. *Problems of Mechanical Engineering and reliability of machines*, 5, 97 – 105.
2. Martyr A., Plint M. *Engine testing. Theory and Practice* – Elsevier Ltd – 2007. – 459.
3. Osipov K. N. (2011) Quality Control engine assembly at the stage acceptance testing. *Modern technology assembly* 147 – 153.
4. Pervukhina E., Golikova V., & Sopin P. (2010) Quality control assembly engineering products for diagnostic parameters. *Assembling in mechanical engineering, instrument*, 6, 14 – 20.
5. Pervukhina E., Golikova V., & Sopin P. (2009) Assessment of engineering products during manufacturing test after assembly. *Assembling in mechanical engineering, instrument*, 10, 3 – 9.

6. Pervukhina, E., Osipov K., & Golikova V. (2008) Statistical modeling of engineering products for diagnostic parameters. Problems of engineering and machine reliability of Sciences, 6, 89 – 95.
7. Pervukhina, E., & Golikova V. (2007) The analysis of non-stationary random processes in automation of production testing of engineering products. Assembling in mechanical engineering, instruments, 8, 29 – 35.
8. Golikova, V., Osipov K., & Pervukhina E. (2010) Assessment of the quality of internal combustion engine assembly during the acceptance tests. Vesnik KuzGTU, 9, 40 – 45.
9. Kir'yanov, K. (2008) Optimal sampling of experimental data for further digital processing. Vestnik N.I. Lobachevsky State University 39 – 46.
10. Dotsenko, S. (2010) Optimization methods of information systems and processes. / S. Dotsenko – Sevastopol, Ukraine: SevNTU, 262.

ESTIMATING LOCAL APPROXIMATION ACCURACY WITH THE NETWORK OF HYBRID NEURON-LIKE UNITS (p. 53-59)

Sergiy Popov, Kristina Shkuro

Accuracy is one of the most important properties of the solution to any practical problem. Neuro-fuzzy networks usually generate point estimates of the process under consideration, and the accuracy is estimated on average for the whole dataset. This is the easiest way of accuracy estimation and it is justified for most cases, however it is not enough in some situations, where approximation accuracy may be clearly non-uniform across the dataset. In this paper, a network of hybrid neuron-like units is considered, which is expanded to deliver local accuracy estimates. The architecture is constrained by a priori information about the properties of the input signals and the system being modeled and is subsequently optimized on a synaptic level by an evolutionary algorithm. Introduction of a priori information into evolutionary process enables a gray-box approach to systems modeling. Local accuracy estimation provides vital information for subsequent decision making and increases method's value for the users. The proposed approach is quite general and can be applied to many popular neural networks, e.g. MLP, FIR networks or any other neural and neuro-fuzzy networks (including emerging ones) that are special cases of the network of hybrid neuron-like units.

Keywords: local accuracy estimation, evolutionary architecture optimization, approximation reliability enhancement

References

1. Kononenko, I., & Kukar, M. (2007). Machine Learning and Data Mining: Introduction to Principles and Algorithms. Cambridge: Horwood Publishing, 454.
2. Popov, S., & Shkuro, K. (2011). Hybrid neuron-like unit – a new type of neural network building block. Nauchnyy vestnik Donbasskoy gosudarstvennoy mashinostroitelnoy akademii (2(8E)), 87-92.
3. Haykin, S. (1999). Neural Networks. A Comprehensive Foundation. Upper Saddle River: Prentice Hall, 842.
4. Crowder, M. J., Kimber, A. C., Smith, R. L., & Sweeting, T. J. (1991). Statistical concepts in reliability Statistical Analysis of Reliability Data (pp. 1-11). London: Chapman & Hall.
5. Schaal, S., & Atkeson, C. G. (1994). Assessing the quality of learned local models. Paper presented at the Advances in Neural Information Processing Systems, San Mateo, CA, 160-167.
6. Birattari, M., Bontempi, H., & Bersini, H. (1998). Local Learning for Data Analysis. Paper presented at the Proc. 8th Belgian-Dutch Conference on Machine Learning, Benelearn, 55-61.
7. Rodrigues, P. P., Gama, J., & Bosnic, Z. (2008). Online Reliability Estimates for Individual Predictions in Data Streams. Paper presented at the Data Mining Workshops, 2008. ICDMW '08. IEEE International Conference on, 36-45.
8. Kobzar, A. (2006). Applied mathematical statistics. Moscow: FIZ-MATLIT, 816.
9. Rivals, I., & Personnaz, L. (2000). Construction of confidence intervals for neural networks based on least squares estimation. Neural Networks, 13(4-5), 463-484.
10. Bishop, C. M., & Qazaz, C. S. (1997). Regression with Input-Dependent Noise: A Bayesian Treatment. Paper presented at the Advances in Neural Information Processing Systems 9: Proceedings of the 1996 Conference, Denver, 347-353.

11. Nix, D. A., & Weigend, A. S. (1995). Learning Local Error Bars for Nonlinear Regression. Paper presented at the Advances in Neural Information Processing Systems: Proceedings of the 1994 Conference, Denver, 489-496.
12. Popov, S., & Shkuro, K. (2012). Evolutionary Optimized Network of Hybrid Neuron-Like Units. Paper presented at the Proc. 7th Int. Conf. Neural Networks and Artificial Intelligence (ICNNAI-2012), Minsk, Belarus, 32-35.
13. Popov, S., & Shkuro, K. (2013). Method for parametric optimization of the network of hybrid neuron-like units based on Ψ -transform. Radioelektronni i komputerni systemy (2(61)), 94-100.
14. Rashedi, E., Nezamabadi-pour, H., & Saryazdi, S. (2009). GSA: A Gravitational Search Algorithm. Information Sciences, 179(13), 2232-2248.
15. Himmelblau, D. (1975). Applied nonlinear programming. Moscow: Mir, 536.

MODELING OF HEAT CONDUCTIVITY INFLUENCE OF HEATING STRUCTURE ON THERMAL CONDITIONS OF ITS SURFACE (p. 59-63)

Anatoliy Slesarenko, Nickolay Romanchenko

The paper proposes a mathematical model of heat conductivity influence of a multilayer structure of electric thermal storage heating system of underfloor heating at livestock production facilities with various functional purposes, which allows, at the stage of project development, to obtain the data on geometric and energy characteristics of heat-generating plants, which form the standards of specified thermal conditions on the surface of multi-tier electrically heated floor and make it possible to forecast the temperature in technologically active areas of production facilities at a given height, taking into account weather conditions. The mathematical model of heat transfer in a multilayer structure is built on the basis of accepted physical model and boundary problem of heat conductivity, and reduced to a system of linear heterogeneous equations. The solution of this problem is a piecewise continuous function of coordinate X, layers di thicknesses, power of heat sources. Solutions of heat equations are given in analytical form

Keywords: electrical technologies, microclimate, automation, heat conductivity, physical model

References

1. Krukovskij, P. G., Timchenko, N. P., Sudak, O. Ju., Rozinskij, D. I. (2002). Teplovye rezhimy polov razlichnyh konstrukcij s jelektrokabel'nymi sistemami obogreva. Promyshl. teplotehn., vol. 24, 1, 10-16.
2. Lozyn'skyj, D. J. (2002). Elektrychna kabel'na sistema opalennja v teplo-akumuljacijnomu rezhymi (EKSO-TA) zhytlovyh sil'skogospodars'kyh budynkiv. Budivnyctvo Ukrai'ny, vol. 5, 32-35.
3. Romanchenko, M. A., Slesarenko, A. P., Soroka, O. S., Rumjancev, O. O. (UA). Pat. 63667A UA, MKI A 01 K 1/015. Ustanovka dlja zabezpechennja teplovogo rezhymu vyrobnychych prymishhen' i sporud. №2003054650; Zajavl. 22.05.2003; Opubl. 15.01.2004; Bjul. №1, 2.
4. Romanchenko, M. A., Mazorenko D. I., Slesarenko A. P., Soroka O. S. (2006). Energozberigajuchi elektrotehnologii' zabezpechennja standartiv teplovogo rezhymu vyrobnychych sporud APK z elektroobigrivnymy pidlogamy. Elektryfik. ta avtomatyz. sil'skogo gospodarstva, vol. 2, 82-92.
5. Tabunshhikov, Ju. A. (2004). Jenergojektivnyje zdanija: mirovoj i oteches-tvennyj opyt. Jenergija, vol. 10, 20-28.
6. Dincer, I., Rosen, M. A. (2002). Thermal energy storage. Systems and Applications. Chichester (England): John Wiley & Sons.
7. Hasnain, S.M. (1998). Review on sustainable thermal energy storage technologies, part I: Heat storage materials and techniques. Energy Conversion and Management, Vol. 39, 1127-1138.
8. Hasnain, S. M. (1998). Review on sustainable thermal energy storage technologies, part II: Cool Thermal Storage. Energy Conversion and Management, Vol. 39, 1139-1153.
9. Kuznik, F., Virgone, J. (2009). Experimental assessment of a phase change material for wall building use. Applied Energy, vol. 86, 2038-2046.
10. Sharma, A., Tyagi, V. V., Chen, C. R., Buddhi, D. (2009). Review on thermal energy storage with phase change materials and applications. Renewable and Sustainable Energy Reviews, Vol. 13, 318-345.

11. Anderson, B. R. (1991). Calculation of the Steady-State Heat Transfer through a Slab-on-Ground Floor. *Building and Environment*, Vol. 26, No. 4, 405-415.
12. Weitzmann, P., Kragh, J. & Jensen, C. F. (2002). Numerical Investigation of Floor Heating Systems in Low Energy Houses. Proc. of the Sixth Symposium on Building Physics in the Nordic Countries, 905-912.
13. Weitzmann, P., Kragh, J., Roots, P., Svendsen, S. (2005). Modelling Floor Heating Systems Using a Validated Two-Dimensional Ground Coupled Numerical Model. *Buildings and Environment*, Vol. 40/2, 153-163.
14. Motes, Je. (1976). *Mikroklimat zhivotnovodcheskih pomeshhenij*. Moscow: Kolos, 190.
15. Maljarenko, V. A. (2009). *Osnovy teplofizyky budivel' ta energozberzhennija*. Kharkiv: "Vydavnytstvo SAGA", 484.
16. Marchuk, G. I. (1977). *Metody vychislitel'noj matematiki*. Moscow: Nauka, 456.
10. The National Society of simulation: interview with the president of R.M. Yusupov. (2011). *Applied Informatics*, 4(34), 4-9.
11. Boccara, N. (2004). *Modeling Complex Systems*. Springer-Verlag New York, Inc., 397.
12. Shilov, N.V., Gorodnja, L.V., Bodin, E.V. (2011). Paradigm parallel programming: to teach or not to teach. *Exaflopstion Future: Proceedings of the International Super Computer Conference*, Novosibirsk, Moscow State University Press, 193-197.
13. Peter van Roy, Seif Haridi. (2004). *Concepts, Techniques and Models of Computer Programming*. The MIT Press, 900.
14. P. van Roy. (2009) *Programming Paradigms for Dummies: What Every Programmer Should Know*. In G. Assayag and A. Gerzso (eds.) *New Computational Paradigms for Computer Music / IRCAM / Delatour*, France, 9-38.
15. Vernicov, G. (2012). *Modeling Standards IDEF and ABC*. Available at: <http://www.cfin.ru/vernicov/idef/idef0>. (Accessed 18 December 2012).
16. Rassel, D.A. (2006). *Management of high-technology programs and projects*. Moscow, DMK-press, Co.IT, 472.
17. Strogalev, V.P. (2008). *Simulation modeling: study guide*. Moscow, Publishing House of Moscow State Technical University na N.E. Bauman, 280.
18. Serdjuk, A.G. (2001). Component model of of distributed information systems. *Proceedings of the 8th Int. Scientific-Technical Conference "New Information Technologies in University Education: Computer networks, Telecommunications systems and Tools."*, Novosibirsk, SGUPS, 39.
19. Pankova, L.A., Pronina, V.A. (2006). Ways to create a universal tool for computer simulation. *Control Sciences*, 6, 2-5.
20. Lytshkina, N.N. (2012). Innovative paradigms of simulation modeling and application in the field of management consulting, logistics and strategic management. *Modern control technology logistics infrastructure - III: Collection of scientific. articles*. Ed. V.I. Sergeyev. Moscow, Publishing House of the Es-Si-Em Consulting, 9-28.
21. Dikman, L.G. (2002). *Organization of construction industry: study guide*. Moscow, Publishing House of the ACB, 512.
22. Forrester, D. (2003). *World Dynamics*. Per. from English. - Moscow: Publishing House Ltd. AST, St. Petersburg.: Terra Fantestica, 379.
23. Katalievskij, D.J. (2013). System dynamics and agent-based modeling: the need for a combined approach. Available at: <http://www.anylogic.ru/articles/sistemnaya-dinamika-i-agentnoe-modelirovanie-neobkhodimost-kombinirovannogo-podkho-da>. (Accessed 27 August 2013).
24. Kothkarow, A.A., Salpagarov, M.B. (2007). Cognitive modeling of regional socio-economic systems. *Managing large systems / Proceedings. Issue 16*. - M.: Institute of Control Sciences, 137-145.
25. Gorelova, G.V. (2013). Cognitive approach to simulation modeling of complex systems. *Bulletin of JFU. Technical sciences*, 3 (140), 239-250.
26. Stojan, V.A. (2008). Modeling and identification of dynamics systems with distributed parameters. *Kyiv: Kyiv University*, 201.
27. Svjatnyj, V.A. (2011). Problems parallel simulation of complex dynamic systems. Available at: <http://masters.donntu.edu.ua/2013/fknt/skorych/library/article8.htm>. (Accessed 15 June 2013).
28. Kolpakov, F., Puzanov, M., Koshukov, A. (2006). BioUML: visual modeling, automated code generation and simulation of biological systems. *Proceedings of the 5th International Conference on Bioinformatics of Genome Regulation and Structure (BGRS'2006)*, July 16-22, 2006, Novosibirsk, volume 3, 281-284.
29. Lissov P.M. (2008). Technology for creating software complex for modeling of physiological systems. *Problems of Programming, Special Issue*, 2-3, 770-776.
30. Shenon R. (1978). *Simulation modeling systems - the art and science*. Trans. from English. under. Ed. E.K. Maslovskogo. - Moscow: Publishing House of the "World", 418.
31. Buslenko, N.P., Kalashnikov, V.V. and other (1973). *Lectures on the theory of complex systems*. Moscow, Sov. radio, 440.
32. Lytshkina, N.N. (2005). *Simulation modeling of economic processes: study guide*. Moscow, Academy IT, 164.
33. Voevodin, V.V. (1986). *Mathematical models and methods in parallel processes*. Moscow, Science, Home Edition physical and mathematical literature, 296.

PARADIGMS OF SIMULATION MODELING IN STUDYING COMPLEX PARALLEL SYSTEMS

(p. 63-67)

Oksana Suprunenko

Today, simulation modeling is one of the most powerful tools for studying parallel systems, which are characterized by structural, functional and development complexity. Studying modern complex parallel systems requires new approaches based on integration of developed methods belonging to various paradigms of simulation modeling. The paper gives an overview of paradigms which were highlighted in current researches: dynamic systems modeling, discrete-event simulation, system dynamics and agent-based modeling. The element basis, the range of tasks, which can be studied using the considered paradigms, were analyzed, their advantages and disadvantages were described. The problems of simulation modeling, which arise in constructing simulation models for complex parallel systems, requiring the use of elements of various paradigms with continuous and discrete description of properties, were singled out. The requirements to modern modeling tools and promising ways of simulation modeling development were formed.

Keywords: simulation modeling, discrete-event simulation, system dynamics, agent-based modeling.

References

1. Vasilev, V.V., Kuzmuk, V.V. (1990). Petri nets, parallel algorithms and models of multiprocessor systems. *Kyiv, USSR: Naukova dumka*, 216.
2. Ryzikov, J.I. (2007). Problems of the theory and practice of simulation modeling. *Simulation modeling. Theory and practice (IMMOD-2007): Proceedings of the III All-Russian. Scientific-practical conference, volume I*, 58-70.
3. Samarskiy, A.A., Mihaylov, A.P. (2001). *Mathematical modeling. Ideas. Methods. Examples*. Moscow, Fizmatlit, 320.
4. Kuzmuk, V.V., Suprunenko, O.A. (2010). The use of modified Petri nets in the formation algorithms of large computational problems. *Proceedings of the 3rd International Scientific-Technical Conference MEES'10, Kyiv*, 36-38.
5. Voevodin, V.V. (2007). The solution of large problems in distributed computing environments. *Avtomatika i Telemekhanika*, 5, 32-45.
6. Borodakiy, V.J., Okorozenko, G.E. (2007). Analysis of simulation modeling tools distributed information systems. *Computer systems and technologies: Scientific Session MEPI, volume 12*, 129-130.
7. Karpov, J.G. (2005). *Simulation modeling systems. Introduction to modeling with AnyLogic 5*. Saint Petersburg, BHV-Petersburg, 400.
8. Borsteb A.V. (2013). Practical Agent-based modeling and its place in the arsenal of analytics. Available at: <http://www.gpss.ru/immod05/p/borshev/intro.html>. (Accessed 06 July 2013).
9. Vasilev, V.V., Grezdov, G.I., Simak, L.A., Vasilev, A.V. and other. (2002). *Simulation of Dynamic Systems: Aspects of monitoring and signal processing*. Kyiv, National Academy of Sciences of Ukraine, 344.