

## ABSTRACT AND REFERENCES

## CONTROL PROCESSES

DOI: 10.15587/1729-4061.2017.117635

**DESIGN OF THE SYSTEM TO CONTROL A VIBRATORY MACHINE FOR MIXING LOOSE MATERIALS (p. 4-13)****Vitaliy Yanovych**Vinnytsia National Agrarian University, Vinnytsia, Ukraine  
ORCID: <http://orcid.org/0000-0002-8152-7124>**Tetiana Honcharuk**Vinnytsia National Agrarian University, Vinnytsia, Ukraine  
ORCID: <http://orcid.org/0000-0001-6998-4325>**Inna Honcharuk**Vinnytsia National Agrarian University, Vinnytsia, Ukraine  
ORCID: <http://orcid.org/0000-0002-1599-5720>**Kateryna Kovalova**Vinnytsia National Agrarian University, Vinnytsia, Ukraine  
ORCID: <http://orcid.org/0000-0001-7183-2996>

Based on the analysis of special features in the implementation of process of mixing a loose material, we have proven a prospect of using vibratory machines. The application of vibratory machines for mixing loose materials makes it possible to increase performance efficiency of the machine, reduce its energy consumption and improve quality of the obtained mixture. Intensive oscillatory motion of controlling elements of the vibratory machine contributes to the creation of a circulating transportation of mixture in the processing zone and ensures destruction of coagulated structures of the treated material.

To ensure the highly-dynamic state during treatment of a material, regardless of the physical-mechanical properties of raw materials and the degree of its loading, we designed a system of control over operational parameters of the vibratory machine.

The designed system improves control systems based on the adapted vibration drive that may enable a change in the arrangement of its unbalanced masses during operation of the vibratory machine. However, the shortcoming of these systems is the assessment of amplitude-frequency characteristics of the machine only. In contrast, in the proposed system, the monitoring unit runs a comprehensive analysis of kinematic and speed characteristics of both the machine and the dynamic state of the treated material.

The proposed control system includes the unit for active analysis of the dynamic state of oscillatory system and the control unit over a drive mechanism of the vibratory machine. Functional interaction between specified units, depending on the type of a raw material, ensures independent adaptation of the vibratory machine to the technologically optimal parameters of its work.

By using designed control system, we obtained operational parameters for the kinematic and speed indicators of the vibratory machine for preparing a premix, which ensure high homogeneity of the resulting mixture at minimum energy consumption for its preparation. Specifically, at angular velocity of drive shaft  $\omega=110-120$  rad/s-1 and oscillation amplitude  $A=2.0-2.2$  mm, homogeneity of the resulting mixture of premix is 96-98 %. Total energy consumption for these indicators is equal to 1,250 W·h.

**Keywords:** effect of vibration on the process of mixing, loose material, control system, optimal operational parameters of vibratory machine.

**References**

- Blekhman, I. I., Gortinskiy, V. V., Ptushkina, S. E. (1963). Dvizhenie chastitsy v koleblyushcheysya srede pri nalichki soprotivleniya tipa suhogo treniya. *Mekhanika v mashinostroenii*, 4, 31-41.
- Honcharevych, I. F., Frolov, K. V. (1981). *Teoriya vibratsiyanoi tekhniki ta tekhnolohiy*. Moscow: Nauka, 320.
- Mizonov, V., Berthiaux, H., Gatamel, C., Barantseva, E., Khokhlova, Y. (2009). Influence of crosswise non-homogeneity of particulate flow on residence time distribution in a continuous mixer. *Powder Technology*, 190 (1-2), 6-9. doi: 10.1016/j.powtec.2008.04.052
- Roseman, B. (1973). Mixing of solids. *The industrial Chemist*, 10, 84-90.
- Gyenis, J., Kátai, F. (1990). Determination and randomness in mixing of particulate solids. *Chemical Engineering Science*, 45 (9), 2843-2855. doi: 10.1016/0009-2509(90)80177-g
- Potantin, A. A. (1992). On models of granular material flow under dynamic conditions. *Powder Technology*, 69 (2), 107-117. doi: 10.1016/0032-5910(92)85063-2
- Mizonov, V., Balagurov, I., Berthiaux, H., Gatamel, C. (2017). A Markov chain model of mixing kinetics for ternary mixture of dissimilar particulate solids. *Particuology*, 31, 80-86. doi: 10.1016/j.partic.2016.05.006
- Manley, D., Clark, H. (2011). Mixing and premixes in biscuit manufacture. *Manley's Technology of Biscuits, Crackers and Cookies*, 410-426. doi: 10.1533/9780857093646.4.410
- Regner, M., Östergren, K., Trägårdh, C. (2006). Effects of geometry and flow rate on secondary flow and the mixing process in static mixers – a numerical study. *Chemical Engineering Science*, 61 (18), 6133-6141. doi: 10.1016/j.ces.2006.05.044
- Kippers, N., Holloway, G. (2009). Vibration of Standard Pitched Blade Impellers in Baffled Mixing Vessels. Vol. 4. *Fluid-Structure Interaction*, 379-387. doi: 10.1115/pvp2009-77718
- Sheliang, W., Shimin, Z., Mingming, Z., Wei, L. (2016). Effect of vibration mixing on the performance of recycled concrete. *Applied Engineering, Materials and Mechanics*, 119-127. doi: 10.1142/9789813146587\_0019
- Osorio, J. G., Vanarase, A. U., Romañach, R. J., Muzzio, F. J. (2015). Continuous Powder Mixing. *Pharmaceutical Blending and Mixing*, 101-127. doi: 10.1002/9781118682692.ch6
- Vance, J., Zeidan, E., Murphy, B. (2010). *Fundamentals of Machine Vibration and Classical Solutions. Machinery Vibration and Rotor-dynamics*, 1-34. doi: 10.1002/9780470903704.ch1
- Palamarchuk, I. P., Tsurkan, O. V., Yanovych, V. P., Herasymov, O. O., Pentiuk, B. M., Zehaliuk, O. V. (2012). Vyznachennia amplitudno-chastotnykh ta enerhetychnykh parametrov vibratsiyanoi susharky dlia sushinnia nasinnia harbuza. *Vibratsiy v tekhnitsi ta tekhnolohiyakh*, 3, 121-125.
- Kaletnik, H. M., Yanovych, V. P. (2017). Doslidzhennia ekspluatatsiynykh kharakterystyk vibrovidtsentrovoho zmishuvacha dlia pryhotuvannia premiksiv. *Silske hospodarstvo ta lisivnytstvo*, 5, 6-16.
- Palamarchuk, I. P., Yanovych, V. P., Mykhalova, Yu. O. (2017). Rozrobka vibrovidtsentrovoho zmishuvacha dlia vyrobnytstva sypyknykh substansiy. *Tekhnika, enerhetyka, transport APK*, 1 (96), 104-107.

DOI: 10.15587/1729-4061.2017.116351

**DEVELOPMENT OF AUTOMOTIVE COMPUTER SYSTEMS BASED ON THE VIRTUALIZATION OF TRANSPORTATION PROCESSES MANAGEMENT (p. 14-25)**

**Oleg Aleksiyev**

Kharkiv National Automobile and Highway University,  
Kharkiv, Ukraine

ORCID: <http://orcid.org/0000-0002-9503-825X>

**Volodymyr Aleksiyev**

Simon Kuznets Kharkiv National University of  
Economics, Kharkiv, Ukraine

ORCID: <http://orcid.org/0000-0001-6767-7524>

**Dmytro Klets**

Kharkiv National Automobile and Highway University,  
Kharkiv, Ukraine

ORCID: <http://orcid.org/0000-0001-7463-1030>

**Mikola Artiymov**

Kharkiv Petro Vasylenko National Technical University of  
Agriculture, Kharkiv, Ukraine

ORCID: <http://orcid.org/0000-0002-2947-2664>

**Alexander Kurenko**

Ivan Kozhedub Kharkiv National University of Air Force,  
Kharkiv, Ukraine

ORCID: <http://orcid.org/0000-0002-0563-8455>

**Ihor Rohozin**

Ivan Kozhedub Kharkiv National University of Air Force,  
Kharkiv, Ukraine

ORCID: <http://orcid.org/0000-0003-4126-6705>

**Serhi Novichonok**

Ivan Kozhedub Kharkiv National University of Air Force,  
Kharkiv, Ukraine

ORCID: <http://orcid.org/0000-0003-1269-5797>

**Volodymyr Khabarov**

Kharkiv National Automobile and Highway University,  
Kharkiv, Ukraine

ORCID: <http://orcid.org/0000-0002-5970-5860>

**Bohdan Kruk**

Ivan Kozhedub Kharkiv National University of Air Force,  
Kharkiv, Ukraine

ORCID: <http://orcid.org/0000-0002-0937-8777>

We proposed the concept of creating automotive computer systems based on the virtualization of transportation processes management. It was proven that the implementation of basic principles and rules of the virtual management of the enterprises of a transportation services market makes it possible to improve efficiency of operation of transportation and road enterprises of Ukraine. A new approach is proposed to the creation of a unified informational space of the market of transportation services based on using cloud computing. A special feature of such a synergistic approach to the informational development of the market of transportation services is zero capital investment on their implementation and introduction to the transportation and traffic organizations. We investigated interactive monitoring of the chosen route. An artificial neural network for estimating a route is designed. A transportation information matrix is proposed to use a source of information about state of the routes of respective transfer, both of cargo and passengers, in contrast to conventional transportation processes.

**Keywords:** virtual management, transportation services, unified information space, synergetics, automobile computer systems, interactive monitoring, road transport portal.

**References**

- Huang, C., Chen, L., Jiang, H. B., Yuan, C. C., Xia, T. (2014). Nonlinear Analysis and Intelligent Control of Integrated Vehicle Dynamics. *Mathematical Problems in Engineering*, 2014, 1–15. doi: 10.1155/2014/832864
- Podrigalo, M., Klets, D., Podrigalo, N., Abramov, D., Tarasov, Y., Kaidalov, R. et. al. (2017). Creation of the energy approach for estimating automobile dynamics and fuel efficiency. *Eastern-European Journal of Enterprise Technologies*, 5 (7 (89)), 58–64. doi: 10.15587/1729-4061.2017.110248
- Guo, J., Wang, J., Guo, X., Yu, C., Sun, X. (2014). Preceding Vehicle Detection and Tracking Adaptive to Illumination Variation in Night Traffic Scenes Based on Relevance Analysis. *Sensors*, 14 (8), 15325–15347. doi: 10.3390/s140815325
- Aksjonov, A., Augsburg, K., Vodovozov, V. (2016). Design and Simulation of the Robust ABS and ESP Fuzzy Logic Controller on the Complex Braking Maneuvers. *Applied Sciences*, 6 (12), 382. doi: 10.3390/app6120382
- Chen, C., Liu, H., Xiang, H., Li, M., Pei, Q., Wang, S. (2016). A Rear-End Collision Avoidance Scheme for Intelligent Transportation System. *MATEC Web of Conferences*, 81, 02001. doi: 10.1051/mateconf/20168102001
- Bodyanskiy, Y. V., Tyshchenko, O. K., Kopaliani, D. S. (2016). Adaptive learning of an evolving cascade neo-fuzzy system in data stream mining tasks. *Evolving Systems*, 7 (2), 107–116. doi: 10.1007/s12530-016-9149-5
- Zidek, K., Koubek, T., Procházka, D., Vytečka, M. (2015). Assistance System for Traffic Signs Inventory. *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis*, 63 (6), 2197–2204. doi: 10.11118/actaun201563062197
- Thüm, T., Schulze, S., Pukall, M., Saake, G., Günther, S. (2012). Secure and Customizable Data Management for Automotive Systems: A Feasibility Study. *ISRN Software Engineering*, 2012, 1–7. doi: 10.5402/2012/424230
- Naumov, V. (2015). Evaluation of freight forwarder risk to transportation market entry. *Eastern-European Journal of Enterprise Technologies*, 4 (3 (76)), 28–31. doi: 10.15587/1729-4061.2015.47699
- Naumov, V. (2012). Definition of the optimal strategies of transportation market participators. *Transport Problems: an International Scientific Journal*, 7 (1), 43–52.
- Kovac, M., Leskova, A. (2012). Innovative applications of vehicle. *Journal of Systems Integration*, 3 (4), 51–60.
- Li, S., Wang, G., Wang, T., Ren, H. (2017). Research on the Method of Traffic Organization and Optimization Based on Dynamic Traffic Flow Model. *Discrete Dynamics in Nature and Society*, 2017, 1–9. doi: 10.1155/2017/5292616
- Aleksiyev, V. O., Naumov, V. S., Sukhovarov, M. A., Vasiutina, H. O. (2016). Information and communication technology of transport and information portal development. *Information Technologies and Mechatronics. Education, Science and Employment*, 9–16.
- Aleksiyev, V., Aleksiyev, O. (2017). Information growth of the portal for virtual management of transportation services. *Information Technology: Problems and Prospects*, 32–47.

DOI: 10.15587/1729-4061.2017.119500

**INTEGRATED APPROACH TO THE DEVELOPMENT OF THE EFFECTIVENESS FUNCTION OF QUALITY CONTROL OF METAL PRODUCTS (p. 16-34)**

**Igor Dymko**

National Technical University “Kharkiv Polytechnic Institute”,  
Kharkiv, Ukraine

ORCID: <http://orcid.org/0000-0003-1772-9925>

**Arsen Muradian**

Odessa National Maritime University, Odessa, Ukraine  
**ORCID:** <http://orcid.org/0000-0002-6488-6627>

**Yevgeny Leheza**

University of Customs and Finance, Dnipro, Ukraine  
**ORCID:** <http://orcid.org/0000-0001-9134-8499>

**Andrii Manzhula**

Volodymyr Vynnychenko Central  
 Ukrainian State Pedagogical University, Kropyvnytskyi, Ukraine  
**ORCID:** <http://orcid.org/0000-0003-4662-9376>

**Oleksandr Rudkovskiy**

Khmelnitsky Economic University, Khmelnytsky, Ukraine  
**ORCID:** <http://orcid.org/0000-0003-1551-7865>

The principle of development of the integrated effectiveness function of quality control of metal products is proposed. A characteristic feature of this function is that it combines different criteria, expressed through the coefficients of technological effectiveness, economic and legal capacity. Within this framework, the approach to formalization of the description, which can be used to search for optimum control of the metallurgical duplex process on the basis of the universal mathematical description of both process stages is proposed. This approach is very convenient, since it allows using the same mathematical model, but with different variables when searching for optimum control. The control of the induction duplex process, chosen on the basis of this mathematical description, allows maximizing the product quality, and, accordingly, the coefficient of technological effectiveness included in the description of the integrated effectiveness function of quality control of metal products.

It is shown that the greatest uncertainty is present in the assessment of the legal capacity associated with the possibilities of legal regulation as a mechanism of promotion of Ukrainian metal products to the European market. However, despite the difficulty of evaluating the coefficients included in the description of the integrated quality control effectiveness function, at the conceptual level it can be considered reasonable. In this case, this function can be considered as an analog of the risk function and used to select a control strategy based on the statistical game theory.

**Keywords:** induction duplex process, heat treatment, quality control of metal products, legal regulation, control effectiveness function.

**References**

1. Nardep poyasnil, pochemu "metallurgicheskiy zakon" vazhen dlya kazhdogo ukraintsa. Available at: <https://www.segodnya.ua/politics/opinions/nardep-poyasnil-pochemu-metallurgicheskiy-zakon-vazhen-dlya-kazhdogo-ukrainca-1032742.html>
2. Novye poshliny ES ugrozhayut ukrainskoy metallurgii. Available at: <https://www.segodnya.ua/economics/business/novye-poshliny-es-ugrozhayut-ukrainskoy-metallurgii-1062942.html>
3. Luzgin, V. I., Petrov, A. Yu., Fatkullin, S. M., Frizen, V. E. Induktsionnye plavil'no-liteynye komplekсы dlya proizvodstva vysokokachestvennogo chuguna. Available at: [http://xn--j1aboj7cc.xn--p1ai/upload/image/poslednya\\_statiya.pdf](http://xn--j1aboj7cc.xn--p1ai/upload/image/poslednya_statiya.pdf)
4. Kuvaldin, A. B., Pogrebisskiy, M. Ya., Fedin, M. A. (2007). Raschet teplovyh i elektricheskikh harakteristik induktsionnyh tigel'nyh mikroserov. *Elektrometallurgiya*, 12, 18–26.
5. Mineev, A. R., Korobov, A. I., Pogrebisskiy, M. Ya. (2004). Modelirovanie elektrotehnologicheskikh protsessov i ustanovok. Moscow: Kompaniya Sputnik+, 124.

6. Trufanov, I. D., Chumakov, K. I., Bondarenko, A. A. (2005). Obshcheteoreticheskie aspekty razrabotki stohasticheskoy sistemy avtomatizirovannoy ekspertnoy otsenki dinamicheskogo kachestva proizvodstvennykh situatsiy elektrostaleplavleniya. *Eastern-European Journal of Enterprise Technologies*, 6 (2 (18)), 52–58.
7. Roberts, D. G., Hodge, E. M., Harris, D. J., Stubington, J. F. (2010). Kinetics of Char Gasification with CO<sub>2</sub> under Regime II Conditions: Effects of Temperature, Reactant, and Total Pressure. *Energy & Fuels*, 24 (10), 5300–5308. doi: 10.1021/ef100980h
8. Kim, S. K., Park, C. Y., Park, J. Y., Lee, S., Rhu, J. H., Han, M. H. et al. (2014). The kinetic study of catalytic low-rank coal gasification under CO<sub>2</sub> atmosphere using MVRM. *Journal of Industrial and Engineering Chemistry*, 20 (1), 356–361. doi: 10.1016/j.jiec.2013.03.027
9. Mohanad, M. K., Kostyk, V., Domin, D., Kostyk, K. (2016). Modeling of the case depth and surface hardness of steel during ion nitriding. *Eastern-European Journal of Enterprise Technologies*, 2 (5 (80)), 45–49. doi: 10.15587/1729-4061.2016.65454
10. Demin, D. (2017). Synthesis of optimal control of technological processes based on a multialternative parametric description of the final state. *Eastern-European Journal of Enterprise Technologies*, 3 (4 (87)), 51–63. doi: 10.15587/1729-4061.2017.105294
11. Demin, D. A. (2012). Synthesis of optimal temperature regulator of electroarc holding furnace bath. *Scientific Bulletin of National Mining University*, 6, 52–58.
12. Eksport loma. Samoregulyatsiya kak panatseya. Available at: [http://www.ukrudprom.ua/analytics/Eksport\\_loma\\_Samoregulirovanie\\_kak\\_panatseya.html](http://www.ukrudprom.ua/analytics/Eksport_loma_Samoregulirovanie_kak_panatseya.html)

**DOI:** 10.15587/1729-4061.2017.119259

**DEVELOPMENT OF THE DECISION MAKING SUPPORT SYSTEM TO CONTROL A PROCEDURE OF FINANCIAL INVESTMENT (p. 35-41)**

**Valeriy Lakhno**

European University, Kyiv, Ukraine  
**ORCID:** <http://orcid.org/0000-0001-9695-4543>

**Volodimir Malyukov**

European University, Kyiv, Ukraine  
**ORCID:** <http://orcid.org/0000-0002-7533-1555>

**Nataliia Gerasymchuk**

National Academy of Management, Kyiv, Ukraine  
**ORCID:** <http://orcid.org/0000-0002-3931-5320>

**Iryna Shtuler**

National Academy of Management, Kyiv, Ukraine  
**ORCID:** <http://orcid.org/0000-0002-0852-8526>

The model of continuous control of the procedure of mutual financial investment for the decision support system was proposed. The model makes it possible to optimize finding multi-variant strategies in mutual financial investment of projects. From the mathematical point of view, this model is based on solution of a bilinear differential quality game with multiple terminal surfaces. A specific feature of this game is that the right part of the system of differential equations is bilinear functions with arbitrary coefficients.

The model is implemented in the high-level language C++ in the software product "Decision support system for mutual investment – SSDMI", which was tested in a number of investment projects. The model allows solving the problem of improvement of effectiveness of the procedure of mutual financial investment for participants at different ratios of interaction parameters. There can be found a condition, under which the procedure of mutual financial investments

becomes beneficial to all participants. Apparatus of the theory of differential games was proposed as a toolkit for development of an effective strategy for mutual financial investment. In the framework of this research, the process of interaction between an investor from one country and its counterparty from another country is explored. The selected approach enables us to identify the areas of possible initial states of resources (financial capitals) of interacting objects. The objects are supposed to have the following property: if interaction starts from these initial states, there can be a loss of financial capital either by one interacting party or the other at one of the moments of time.

Solution to the game lies in the identification of sets of preference of the parties and the strategies (control actions) of the parties, by applying which it is possible to obtain the outcomes, preferable for each side. Based on the findings, conclusions were made and recommendations were given to investors in terms of their subsequent actions with a view to obtaining the best possible outcome in terms of financial investment and a decrease in investment risks.

**Keywords:** decision support system, investing, financial capital, selection of strategy, game theory.

### References

- Al-augby, S., Majewski, S., Nermend, K., Majewska, A. (2016). Proposed investment decision support system for stock exchange using text mining method. 2016 Al-Sadeq International Conference on Multidisciplinary in IT and Communication Science and Applications (AIC-MITCSA). doi: 10.1109/aic-mitsa.2016.7759917
- Bagstad, K. J., Semmens, D. J., Waage, S., Winthrop, R. (2013). A comparative assessment of decision-support tools for ecosystem services quantification and valuation. *Ecosystem Services*, 5, 27–39. doi: 10.1016/j.ecoser.2013.07.004
- Musienko, T. (2015). Deiaki aspekty ukladannia mizhnarodnykh investytsiynykh uhod v umovakh hlobalizatsiy. *Visnyk NBU*, 5 (231), 32–36.
- Illiusha, S. N. (2014). Otsinka vplyvu vstupu do SOT na zovnishniu torhivliu Ukrainy. *Ekonomika i prohozuvannia*, 4, 57–72.
- Oliynyk, O. (2015). Zovnishnoekonomichna polityka Kyntai v umovakh hlobalizatsii svitovoi ekonomiky: uroky dlia Ukrainy. *Visnyk NBU*, 6, 40–47.
- Malyukov, V. P. (1989). A constructive method of solving a differential game of quality with two terminal surfaces. *USSR Computational Mathematics and Mathematical Physics*, 29 (2), 1–6. doi: 10.1016/0041-5553(89)90001-3
- Peppard, J., Ward, J. (2016). *The strategic management of information systems: Building a digital strategy*. John Wiley & Sons.
- Malyukov, V. P. (1991). A differential game of quality for two groups of objects. *Journal of Applied Mathematics and Mechanics*, 55 (5), 596–606. doi: 10.1016/0021-8928(91)90106-5
- Cassidy, A. (2016). *A practical guide to information systems strategic planning*. CRC press, 400.
- Bonczek, R. H., Holsapple, C. W., Whinston, A. B. (2014). *Foundations of decision support systems*. Academic Press, 412.
- Malyukov, V. P. (1994). Discrete-approximation method for solving a bilinear differential game. *Cybernetics and Systems Analysis*, 29 (6), 879–888. doi: 10.1007/bf01122741
- Koziolek, A., Avritzer, A., Suresh, S., Menasché, D. S., Diniz, M., de Souza e Silva, E. et. al. (2016). Assessing survivability to support power grid investment decisions. *Reliability Engineering & System Safety*, 155, 30–43. doi: 10.1016/j.ress.2016.05.015
- Lausberg, C., Krieger, P. (2015). Decisions, decision-making, and decision support systems in real estate investment management. 22nd Annual European Real Estate Society Conference. doi: 10.15396/eres2015\_215
- Ekhosuehi, V. U., Oyegue, F. O. (2015). On the State of Budgetary Balance Over Time Via the One-Way Classification Model. *Central European Journal Of Social Sciences And Humanities (CEJSH)*, 25 (3), 5–16. doi: 10.5277/ord150301
- Songsangyos, P. (2014). The Decision Support System for Hierarchical Portfolio Management. *International Journal of Information and Education Technology*, 4 (4), 328–331. doi: 10.7763/ijiet.2014.v4.423
- Meng, X., Shoulin, P., Jia, P. (2016). Government Subsidies, New Energy Automobile Industry Market and the Enterprises' R&D Investment-An empirical study based on exchange option and evolutionary game theory. *Review of Investment Studies*.
- Colman, A. M. (2016). *Game theory and experimental games: The study of strategic interaction*. Elsevier, 314.
- Ho, S.-J., Lin, S.-L., Tserng, H.-P. (2017). An Analysis Using Game Theory on the Investment Incentive of PPP Projects. *Proceedings of the 34th International Symposium on Automation and Robotics in Construction (ISARC)*. doi: 10.22260/isarc2017/0076
- Fielder, A., Panaousis, E., Malacaria, P., Hankin, C., Smeraldi, F. (2016). Decision support approaches for cyber security investment. *Decision Support Systems*, 86, 13–23. doi: 10.1016/j.dss.2016.02.012
- Lakhno, V., Petrov, A., Petrov, A. (2017). Development of a Support System for Managing the Cyber Security of Information and Communication Environment of Transport. *Advances in Intelligent Systems and Computing*, 113–127. doi: 10.1007/978-3-319-67229-8\_11
- Lakhno, V. A. (2017). Development of a support system for managing the cyber security. *Radio Electronics, Computer Science, Control*, 2, 109–116. doi: 10.15588/1607-3274-2017-2-12

DOI: 10.15587/1729-4061.2017.116788

### DEVELOPMENT OF THE METHOD FOR DETERMINING OPTIMAL PARAMETERS OF THE PROCESS OF DISPLACEMENT OF TECHNOLOGICAL OBJECTS (p. 41-48)

Igor Lutsenko

Kremenchuk Mykhailo Ostrohradskyi National University,  
Kremenchuk, Ukraine

ORCID: <http://orcid.org/0000-0002-1959-4684>

Valerii Tytiuk

Kryvyi Rih National University, Kryvyi Rih, Ukraine

ORCID: <http://orcid.org/0000-0003-1077-3288>

Iryna Oksanych

Kremenchuk Mykhailo Ostrohradskyi National University,  
Kremenchuk, Ukraine

ORCID: <http://orcid.org/0000-0002-4570-711X>

Zhanna Rozhnenko

State Higher Educational Institution "Kryvyi Rih National University", Kryvyi Rih, Ukraine

ORCID: <http://orcid.org/0000-0002-3906-4728>

The optimization of technological processes is the only tool that can ensure maximization of financial resources of the owner of an enterprise. The most numerous class of managed systems is the systems of displacement.

It is believed that finding an optimum of the displacement process can be implemented using the methods of dynamic programming. However, in this case, the search process is carried out under the assumption that an increase in the displacement velocity has no effect on the magnitude of wear of the technological mechanism of a

displacement system. In this case, parameters of the acceleration and the established process of displacement are determined employing different criteria for the quality of control.

In contrast to the conventional approach, within the framework of present study, a two-stage operational displacement process is optimized based on a single criterion of the efficiency of resource use. However, the optimization model of a displacement process is essentially non-linear. Classical methods of searching for a global optimum under such conditions imply unnecessarily long work of technological equipment under non-optimal modes.

The idea of the method is to significantly narrow the region of a two-parametric search optimization using a one-parametric search for local extrema of the sub-processes of acceleration and uniform displacement and to maximally close approach the global optimum at its first step.

The research has shown that the narrowing of the region of a two-parametric search optimization of the process of displacement can be ensured through preliminary four-stage single-parametric search for local extrema for the sub-processes of acceleration and the process of uniform displacement. Within the range of the first and second stages of search for local minima of the sub-processes costs we determine initial conditions in the search for local maxima of the efficiency of displacement sub-processes. The coordinates of the found extrema enable determining a starting point of the search optimization and limit the search region.

The proposed method significantly reduces the dimensions of region of search optimization (by seven times in the considered example) and reduces the number of steps in the search optimization by an order of magnitude.

Therefore, the proposed practical method of searching for the optimal trajectory of control is robust in its essence.

**Keywords:** optimal trajectory, practical optimization method, two-stage optimization, search optimization.

## References

1. Siromiatnikov, V. S., Ortega, M. G., Podzharov, E., Garc a, J. M., Zamora, L. A. Simulation and Optimization of a Chain Conveyor. Proceedings of the Sixth International Conference on Engineering Computational Technology. doi: 10.4203/ccp.89.123
2. Pereira, A. I., Lima, J., Costa, P. (2015). Combining gait optimization with passive system to increase the energy efficiency of a humanoid robot walking movement. AIP Conference Proceedings, 1648 (1). doi: 10.1063/1.4912422
3. Sun, A. P., Chen, H. L., Kong, Q. Y., Wang, F. Y. (2015). Double crane lifting delivery method hoisting technology and optimization. Advanced Control, Automation and Robotics. doi: 10.2495/acar140481
4. Xu, M., Yang, J., Gao, Z. (2010). Particle Swarm Optimization Algorithm in Transport Continuous Network Design Problems. 2010 Third International Joint Conference on Computational Science and Optimization. doi: 10.1109/cso.2010.53
5. Vuykova, O. N., Larin, O. N. (2011). Voprosy povysheniya ehffektivnosti raboty kar'ernogo avtotransporta. Vestnik Orenburgskogo gosudarstvennogo universiteta, 10 (129), 20–25.
6. Li, S., Kawajiri, Y., Raisch, J., Seidel-Morgenstern, A. (2011). Optimization of startup and shutdown operation of simulated moving bed chromatographic processes. Journal of Chromatography A, 1218 (25), 3876–3889. doi: 10.1016/j.chroma.2011.04.051
7. Zhang, S., Xia, X. (2011). Modeling and energy efficiency optimization of belt conveyors. Applied Energy, 88 (9), 3061–3071. doi: 10.1016/j.apenergy.2011.03.015
8. Burmistrova, O. N., Korol', S. A. (2013). Opredelenie optimal'nyh skorostey dvizheniya lesovoznyh avtopoezdov iz usloviy minimizatsii raskhoda topliva. Lesnoy vestnik, 1, 25–28.
9. Timofeefa, G., Timofeev, N. (2015). Evaluation of payment flows based on Markov chain model with incomplete information. AIP Conference Proceedings, 1631 (1). doi: 10.1063/1.4902452
10. Boiko, I. (2013). Improving the Accuracy of Tuning of PID Controllers. Non-Parametric Tuning of PID Controllers, 81–95. doi: 10.1007/978-1-4471-4465-6\_4
11. He, D., Pang, Y., Lodewijks, G. (2017). Green operations of belt conveyors by means of speed control. Applied Energy, 188, 330–341. doi: 10.1016/j.apenergy.2016.12.017
12. Zavalishchin, D. (2015). Dynamic programming in applied optimization problems. AIP Conference Proceedings, 1690 (1). doi: 10.1063/1.4936687
13. Nagorniy, V. V. (2017). Avtomatizirovanoe upravlenie rezhimami rezaniya na osnove prognoza individual'nogo resursa rezhushchego instrumenta. Radioelektronika, avtomatika, upravlenie, 3, 183–191.
14. Tytyuk, V. K. (2015). Effect of electromechanical equipment wear on startup process indicators. Eastern-European Journal of Enterprise Technologies, 6 (2 (78)), 23–30. doi: 10.15587/1729-4061.2015.55924
15. Banichuk, N., Kurki, M., Neittaanmaki, P., Saksala, T., Tirronen, M., Tuovinen, T. (2013). Optimization and Analysis of Processes with Moving Materials Subjected to Fatigue Fracture and Instability. Mechanics Based Design of Structures and Machines, 41 (2), 146–167. doi: 10.1080/15397734.2012.708630
16. Kulakov, G. T., Kulakov, A. T., Korzun, M. L., Basalay, D. V. (2012). Strukturno-parametricheskaya optimizatsiya sistem avtomaticheskogo regulirovaniya s differencirovaniem promezhutochnogo signala. Ehnergetika. Izvestiya vysshih uchebnyh zavedeniy i ehnergeticheskikh ob'edineniy SNG, 64–71.
17. Aleksandrovskiy, N. M. (2013). Ehlementy teorii optimal'nyh sistem avtomaticheskogo upravleniya. Tbilisi, 136.
18. Arnaout, A., Heber, M., Wolf-Zoellner, P., Thonhauser, G. (2017). A new method for rig move optimization – Case study on moving land rigs. Oil Gas European Magazine, 43 (1), 28–30.
19. Lutsenko, I., Fomovskaya, E. (2015). Synthesis of cybernetic structure of optimal spooler. Metallurgical and Mining Industry, 9, 297–301.
20. Tytiuk, V. (2016). Analytical determination of the electromechanical system starting process efficiency index with regard to the distributed nature of input products consumption. Eastern-European Journal of Enterprise Technologies, 6 (2 (84)), 51–59. doi: 10.15587/1729-4061.2016.83203
21. Lutsenko, I. (2016). Definition of efficiency indicator and study of its main function as an optimization criterion. Eastern-European Journal of Enterprise Technologies, 6 (2 (84)), 24–32. doi: 10.15587/1729-4061.2016.85453
22. Lutsenko, I., Fomovskaya, E., Oksanych, I., Koval, S., Serdiuk, O. (2017). Development of a verification method of estimated indicators for their use as an optimization criterion. Eastern-European Journal of Enterprise Technologies, 2 (4 (86)), 17–23. doi: 10.15587/1729-4061.2017.95914
23. Lutsenko, I., Fomovskaya, O., Konokh, I., Oksanych, I. (2017). Development of a method for the accelerated two-stage search for an optimal control trajectory in periodical processes. Eastern-European Journal of Enterprise Technologies, 3 (2 (87)), 47–55. doi: 10.15587/1729-4061.2017.103731

DOI: 10.15587/1729-4061.2017.119237

**EVALUATION OF THE RAILWAY TRAFFIC SAFETY LEVEL USING THE ADDITIVE RESULTANT INDICATOR**

(p. 48-57)

**Oleksandr Ohar**Ukraine State University of Railway Transport, Kharkiv, Ukraine  
ORCID: <http://orcid.org/0000-0003-1967-5828>**Oleksandr Rozsokha**Ukraine State University of Railway Transport, Kharkiv, Ukraine  
ORCID: <http://orcid.org/0000-0001-6281-0226>**Maksym Kutsenko**Ukraine State University of Railway Transport, Kharkiv, Ukraine  
ORCID: <http://orcid.org/0000-0001-6020-7749>**Yulia Smachilo**Ukraine State University of Railway Transport, Kharkiv, Ukraine  
ORCID: <http://orcid.org/0000-0003-1042-2170>

A comprehensive approach to determining the level of safety of train traffic on the objects of the railway infrastructure was proposed. This approach involves taking into account a wide range of factors of influence when determining the safety level. These factors include technical means, personnel management, production practice and investments to the traffic safety. Each factor is characterized by its indicators. The total number of indicators is twelve. They have different dimensionality. In this case, the problem of complex estimation is considered as a multicriteria optimization problem. Solution to this problem is proposed using an additive resultant indicator. It was proposed to introduce a term that determines quality of the safe operation of the sector dealing with transportation of goods and passengers: the level of safety of the transportation process at an infrastructure object. As a criterion for assessing the traffic safety, a resultant additive indicator was formed which determines the level of traffic safety of the train traffic at an infrastructure object. This indicator represents the sum of monotonically growing positive additive functions each of which has its weight (weight factor). The resultant indicator is dimensionless and does not exceed the value of 1. In determining the weight factors, the method of expert estimates is used.

The proposed method of assessment of traffic safety will provide analysis of the situation at the railway range at a higher quality level. It is possible to identify more dangerous infrastructure objects that affect the overall level of safety of the railway net. Application of this method will optimize allocation of resources to ensure traffic safety while adhering to its permissible level. The method can be used in the design of infrastructure projects to determine their level of safety in the process of transportation of goods and passengers.

**Keywords:** traffic safety, method of assessing the level of traffic safety, complex indicator.

**References**

- Transportna stratehiya Ukrainy na period do 2020 roku (2010). Kabinet Ministriv Ukrainy, No. 2174-r. Available at: <http://zakon3.rada.gov.ua/laws/show/2174-2010-p>
- Pro zatverdzhennia Polozhennia pro klasyfikatsiyu transportnykh podiy na zaliznytsiakh Ukrainy (2017). Ministerstvo Infrastruktury Ukrainy No. 235. Available at: <http://zakon3.rada.gov.ua/laws/show/z0904-17>
- ISO/IEC 31010:2009. Risk management – Risk assessment techniques (IDT) (2009). International Organization for Standardization, 176. Available at: <https://www.iso.org/standard/51073.html>
- Schabe, H. (2001). Different principles used for determination of tolerable hazard rates. Conference Proceeding, 1, 435–442. Available at: [https://uic.org/cdrom/2001/wcrr2001/pdf/poster/3\\_5/041.pdf](https://uic.org/cdrom/2001/wcrr2001/pdf/poster/3_5/041.pdf)
- Rozsokha, O. V., Smachylo, Yu. V. (2016). Analiz i osoblyvosti isnuichykh naukovykh pidkhodiv shchodo vyznachennia rivnia bezpeky rukhu. Zbirnyk naukovykh prats DETUT, 28, 202–214.
- An, M. (2013). An Intelligent Railway Safety Risk Assessment Support System for Railway Operation and Maintenance Analysis. The Open Transportation Journal, 7 (1), 27–42. doi: 10.2174/1874447801307010027
- Peng, Z., Lu, Y., Miller, A., Johnson, C., Zhao, T. (2014). Risk Assessment of Railway Transportation Systems using Timed Fault Trees. Quality and Reliability Engineering International, 32 (1), 181–194. doi: 10.1002/qre.1738
- Leitner, B. (2017). A General Model for Railway Systems Risk Assessment with the Use of Railway Accident Scenarios Analysis. Procedia Engineering, 187, 150–159. doi: 10.1016/j.proeng.2017.04.361
- Mahboob, Q. (2014). A Bayesian network methodology for railway risk, safety and decision support. Dresden, 153. Available at: <https://pdfs.semanticscholar.org/2825/f8432dec94c4af485b4c4b98516a298fbc8f.pdf>
- Joung, E., Oh, S., Park, S., Kim, G. (2009). Safety criteria and development methodology for the safety critical railway software. INTELEC 2009 – 31st International Telecommunications Energy Conference. doi: 10.1109/intlec.2009.5351957
- Liu, J. T., Tang, T., Zhu, J. B., Zhao, L. (2016). An extended system-theoretic hazard analysis method for the safety of high-speed railway train control systems. Proceedings of the Institution of Mechanical Engineers, Part F: Journal of Rail and Rapid Transit, 231 (8), 821–834. doi: 10.1177/0954409716664931
- Wigger, P. (2007). Experience with Safety Integrity Level (SIL) allocation in railway applications. WCRR, 25–29. Available at: <http://www.railway-research.org/IMG/pdf/043.pdf>
- Tarasov, V. A., Gerasimov, B. M., Levin, I. A., Korneychuk, V. A. (2007). Intel'ektual'nye sistemy podderzhki prinyatiya resheniy: Teoriya, sintez, effektivnost'. Kyiv: MAKSN, 336.
- Gutkin, L. S. (1975). Optimizatsiya radioelektronnykh ustroystv po sovokupnosti pokazateley kachestva. Moscow: Radio i svyaz', 367.
- Brahman, T. R. (1984). Mnogokriterial'nost' i vybor al'ternativy v tekhnike. Moscow: Radio i svyaz', 287.
- Hamhanova, D. N. (2006). Teoreticheskie osnovy obespecheniya edinstva ekspertnykh izmereniy. Ulan-Ude: VSGTU, 170.
- Popov, G. V. (2003). Vybor resheniy i bezopasnost'. Ivanovo: IGEU, 92.
- Volkova, V. N. (Ed.) (2004). Sistemniy analiz i prinyatie resheniy. Moscow: Vysshaya shkola, 200.
- Bol'shev, L. N., Smirnov, N. V. (1983). Tablitsy matematicheskoy statistiki. Moscow: Nauka, 416.

DOI: 10.15587/1729-4061.2017.119100

**DEVELOPMENT OF THE SYSTEM FOR PREDICTION OF SECURITY STATE OF AN ENTERPRISE USING SEMANTIC-FRAME FUZZY MODELS OF KNOWLEDGE BASE (58-65)****Olga Chubukova**

Kyiv National University of Technologies and Design, Kyiv, Ukraine

ORCID: <http://orcid.org/0000-0002-7125-0635>**Hennadii Ivanchenko**

Kyiv National Economic university named after Vadym Hetman, Kyiv, Ukraine

ORCID: <http://orcid.org/0000-0002-8125-3303>

**Nadii Ivanchenko**

National Aviation University, Kyiv, Ukraine  
**ORCID:** <http://orcid.org/0000-0002-7289-3587>

The system based on results of prediction of technical and technological potential was proposed; it provided clear current values of indicators of the enterprise's operation, properties and permissible restrictions of these properties. It was proved that the proposed system has a special purpose and consists of units of classes of indicators and the base of the facts of individual instances of classes, and can be used for the implementation of prediction problems in any industry.

As a result of modeling, it was found that introduction of the prediction unit into a system allows us more accurately and objectively to consider and evaluate a whole range of indicators of the enterprise's operation. The proposed prediction system calculated approximated prospective value of the indicator of the state of technical and technological potential of an enterprise in time, which greatly affects probability of bankruptcy of an enterprise. It is appropriate to use the prediction system for complex processes with fuzzy logic, when there is no simple mathematical model and expert knowledge can be formulated without fuzzy logic only in linguistic form. This proves that the proposed system can be used for prediction of all other potential of an enterprise that also influence probability of bankruptcy of an enterprise.

**Keywords:** semantics, frame, knowledge models, knowledge base, output machine, regressive dynamic models, prediction, security, potential, expert knowledge, taxonomy.

#### References

- Arefieva, O. V. (2015). Finansova bezpeka pidprijemstva: metodychni osoblyvosti zabezpechennia. *Naukovyi visnyk NLTU Ukrainy*, 25.3, 187–192.
- Analitychna informatsiya kompleksnoi systemy informatsiyno-pravovoho zabezpechennia. *Liha: Zakon*. Available at: <http://products.ligazakon.ua/systems/enterprises>
- Pro vidnovlennia platospromozhnosti borzhnyka abo vyznannia yoho bankrutom (2011). *Verkhovna Rada Ukrainy*, No. 4212-VI. Available at: <http://zakon4.rada.gov.ua/laws/show/4212-17>
- Ivanchenko, N. O. (2012). Semantychni modeliuvannia tekhniko-tekhnolohichnoi funktsionalnoi skladovoi ekonomichnoi bezpeky pidprijemstva. *Aktualni problemy ekonomiky*, 127, 276–282.
- Shtanhret, A. M., Ya. V. Kotliarevskiy, O. V. Melnykov (2013). Finansova bezpeka pidprijemstva: metodychni zasady upravlinnia. *Finansy Ukrainy*, 11, 56–65.
- Tereshchenko, O. O. (2004). Dyskryminantna model intehralnoi otsinky finansovoho stanu pidprijemstva. *Ekonomika Ukrainy*, 5, 38–44.
- Chubukova, O. Yu., Voronkova, T. Ye. (2014). Systema ekonomichnoi bezpeky (ekoseiteit): sutnist, struktura. *Efektivna ekonomika*, 2.
- Dubas, O. P. (2004). *Informatsiyni rozvytok suchasnoi Ukrainy u svitovomu konteksti*. Kyiv: Vyd-vo «Geneza», 208.
- Zghurovskiy, M. Z., Yakymenko, Yu. I., Tymofieiev, V. I. (2002). Informatsiini merezhevi tekhnolohiy v nautsi i osviti. *Systemni doslidzhennia ta informatsiyni tekhnolohiy*, 3, 43–56.
- Dey, L., Abulaish, M. (2008). Fuzzy ontologies for handling uncertainties and inconsistencies in domain knowledge description. 2008 IEEE International Conference on Fuzzy Systems (IEEE World Congress on Computational Intelligence). doi: 10.1109/fuzzy.2008.4630550
- Zhai, J., Li, M., Zhou, K. (2010). Linguistic Variable Ontology and Its Application to Fuzzy Semantic Retrieval. *Information Computing and Applications*, 188–195. doi: 10.1007/978-3-642-16339-5\_25
- Popova, Yu. B., Burakovskiy, A. I. *Matematicheskie modeli pol'zovateley v adaptivnykh obuchayushchih sistemah*. Konferentsiya MIDO. Available at: <http://www.bntu.by/news/67-conference-mido/1545-2014-11-22-12-18-35.html>
- Klebanova, T. S., Rudachenko, O. O. (2015). Prohnozuvannia pokaznykiv finansovoi diialnosti pidprijemstva zhytlovo-komunalnogo hospodarstva za dopomohoiu adaptyvnykh modelei. *Biznes Inform*, 1, 143–148.
- Khotomlianskyi, O., Chernata, T., Severyna, H. (2003). Kompleksna otsinka finansovoho stanu pidprijemstva na osnovi vykorystannia matrychnykh modelei. *Ekonomika Ukrainy*, 3, 35–39.
- Arranz, N., Arroyabe, J. (2009). Technological cooperation: a new type of relations in the Progress of national innovation systems. *The Innovation Journal: The Public Sector Innovation Journal*, 14 (2), 1–11.
- Smith, K., Estibals, A. (2011). Innovation and Research Strategy for Growth. *BIS Economics Paper*, 15, 1–162.
- Dudatiev, A. V., Baryshev, Yu. V. (2007). Pat. No. 29269 UA. Systema optymizatsiy kompleksnoi bezpeky obiekta. MPK G 05 V 13/00. No. u200709463; declared: 20.08.2007; published: 10.01.2008. *Bul. No. 1/2008*.
- Ivanchenko, N. O. (2014). MIVAR technologies modeling of technical – technological potential of enterprise. *Aktualni problemy ekonomiky*, 151, 505–511.
- Ivanchenko, H. F., Dalayin, B. O. A. (2015). Modeliuvannia freimovykh populiatsiy pidprijemstv. *Rozvytok novoi ekonomichnoi systemy na svitovomu, derzhavnomu ta rehionalnomu rivniakh: materialy Mizhnarodnoi naukovo-praktychnoi konferentsiyi*. Lviv: LEF, 122–124.
- Tho, Q. T., Hui, S. C., Fong, A. C. M., Cao, T. H. (2006). Automatic fuzzy ontology generation for semantic Web. *IEEE Transactions on Knowledge and Data Engineering*, 18 (6), 842–856. doi: 10.1109/tkde.2006.87
- Cai, Y., Leung, H. (2008). A Formal Model of Fuzzy Ontology with Property Hierarchy and Object Membership. *Lecture Notes in Computer Science*, 69–82. doi: 10.1007/978-3-540-87877-3\_7
- Sanchez, E., Yamanoi, T. (2006). Fuzzy Ontologies for the Semantic Web. *Lecture Notes in Computer Science*, 691–699. doi: 10.1007/11766254\_59
- Gorshkov, S. (2016). *Vvedenie v ontologicheskoe modelirovanie reviziya 2.2*. Ekaterinburg: OOO «TriniData», 165.
- Hordienko, I. V. (2008). *Informatsiini systemy v menedzhmenti*. Kyiv: KNEU, 544.
- Antoshkina, L. I. (2011). *Systemni tekhnolohiy suspilstva znan*. Donetsk: Yuho-Vostok, 486.

DOI: 10.15587/1729-4061.2017.119083

A PROCEDURE FOR OPTIMIZATION OF ENERGY SAVING AT HIGHER EDUCATIONAL INSTITUTIONS (p. 65-75)

**Ivan Gryshchenko**

Kyiv National University of Technologies and Design,  
 Kyiv, Ukraine  
**ORCID:** <http://orcid.org/0000-0001-7572-4757>

**Valeriia Shcherbak**

Kyiv National University of Technologies and Design,  
 Kyiv, Ukraine  
**ORCID:** <http://orcid.org/0000-0002-7918-6033>

**Oleg Shevchenko**

Kyiv National University of Technologies and Design,  
 Kyiv, Ukraine  
**ORCID:** <http://orcid.org/0000-0003-0431-7307>

A base of the methodology of optimization of an energy saving system in higher educational institutions of Ukraine is maintenance of a given level of thermal comfort. Its aim is the increase of HEI efficiency. The methodology of optimization of an energy saving system in higher educational establishments should be realized in two stages. At the first stage, we should carry out an energy audit of premises. The audit is a compilation of a balance of heat loss and heat supply of each HEI premise. At the second stage, we carry out optimization of energy saving and making managerial decision on loading of premises. We carry out optimization of energy saving by means of a model of optimal control of a thermal mode of premises with minimization of energy consumption for heating and energy loss.

The given methodology is substantiated and correct for estimation of potential efficiency of HEI premises and making up an energy-efficient plan for use of an auditorium during a heating period. We carried out a pilot testing of the energy saving system optimization project at Kyiv National University of Technology and Design. The testing confirmed a high level of its energy efficiency.

**Keywords:** heat supply, heat loss, ABC-XYZ-analysis, game theory, optimal mode of heat consumption, higher educational institutions.

### References

- Yermilov, S. F., Heiets, V. M., Yashchenko, Yu. P., Hryhorovskiy, V. V., Lir, V. E. et al. (2014). Enerhoefektyvnist yak resurs innovatsiynoho rozvytku: Natsionalna dopovid pro stan ta perspektivy realizatsiy derzhavnoi polityky enerhoefektyvnosti u 2015 rotsi. Kyiv: NAER, 93.
- Postanova KMU «Pro zatverdzhennia Derzhavnoi tsilovoi ekonomichnoi prohramy enerhoefektyvnosti i rozvytku sfery vyrobnytstva enerhonosiyv z vidnovliuvanykh dzherel enerhii ta alternatyvnykh vydiv palyya na 2010–2016 roky» (2010). Verkhovna Rada Ukrainy, No. 243. Available at: <http://zakon0.rada.gov.ua/laws>
- Enerhoefektyvnist v ukrainskykh VNZ za pidtrymky yevropeiskoho investytsiynoho banku. Naukovo-doslidnyi instytut prykladnykh informatsiynykh tekhnolohiy. Available at: <http://www.ndipit.com.ua/instytut/pres-centr/novyny/energoefektyvnist-v-ukrainskykh-vnz-za-pidtrymky-yevropeiskogo-investytsiynogo-banku.html>
- De la Cruz-Lovera, C., Perea-Moreno, A.-J., de la Cruz-Fernández, J.-L., Alvarez-Bermejo, J., Manzano-Agugliaro, F. (2017). Worldwide Research on Energy Efficiency and Sustainability in Public Buildings. *Sustainability*, 9 (8), 1294. doi: 10.3390/su9081294
- Zhang, J., Xie, Y., Athalye, R. A., Zhuge, J. W., Rosenberg, M. I., Hart, P. R., Liu, B. (2015). Energy and Energy Cost Savings Analysis of the 2015 IECC for Commercial Buildings. Pacific Northwest National Laboratory (PNNL), Richland, WA (United States). doi: 10.2172/1214905
- Athalye, R. A., Sivaraman, D., Elliott, D. B., Liu, B., Bartlett, R. (2016). Impacts of Model Building Energy Codes. Pacific Northwest National Lab. (PNNL), Richland, WA (United States). doi: 10.2172/1334003
- Zhang, J., Athalye, R. A., Hart, P. R., Rosenberg, M. I., Xie, Y., Goel, S. et al. (2013). Energy and Energy Cost Savings Analysis of the IECC for Commercial Buildings. Pacific Northwest National Laboratory (PNNL), Richland, WA (US). doi: 10.2172/1094956
- Bajcinovci, B., Jerliu, F. (2016). Achieving Energy Efficiency in Accordance with Bioclimatic Architecture Principles. *Environmental and Climate Technologies*, 18 (1). doi: 10.1515/ruct-2016-0013
- Asdrubali, F., Buratti, C., Cotana, F., Baldinelli, G., Goretti, M., Moretti, E. et al. (2013). Evaluation of Green Buildings' Overall Performance through in Situ Monitoring and Simulations. *Energies*, 6 (12), 6525–6547. doi: 10.3390/en6126525
- Dagdas, A. (2007). Heat exchanger optimization for geothermal district heating systems: A fuel saving approach. *Renewable Energy*, 32 (6), 1020–1032. doi: 10.1016/j.renene.2006.03.008
- Eley, C., Gupta, S., Torcellini, P., Mchugh, J., Liu, B., Higgins, C. et al. (2017). A Conversation on Zero Net Energy Buildings. *ASHRAE Journal*, 59 (6), 38–49.
- Wang, W., Zhang, J., Moser, D., Liu, G., Athalye, R., Liu, B. (2012). Energy and Cost Savings of Retro-Commissioning and Retrofit Measures for Large Office Buildings. Madison, Wisconsin, 496–503.
- Liu, B. (2004). Alternative Energy Saving Technology Analysis Report for Richland High School Renovation Project. Pacific Northwest National Lab. (PNNL), Richland, WA (United States). doi: 10.2172/860085
- Malkin, E. S., Zhuravska, N. Ye. (2016). Enerhoefektyvna systema teplopostachannia z pidvyshchenymy ekolohichnymy vlastyvostiamy. *Ventylatsiia, osvittennia ta teplozahopostachannia*, 19, 87–93.
- Fomichov, E. P., Besarab, O. M. (2013). Stvorennia systemy enerhetychnoho menezhmentu v Odeskomu natsionalnomu politekhnichnomu universyteti. *Visnyk Kyivskoho natsionalnoho universytetu tekhnolohii ta dizainu*, 6 (74), 220–224.
- Xie, Y., Liu, B., Athalye, R. A., Baechler, M. C. (2012). Measuring and Understanding the Energy Use Signatures of a Bank Building. ACEEE Summer Study on Energy Efficiency in Buildings. California, 9-317–9-328.
- Aliyu, A. K., Bukar, A. L., Ringim, J. G., Musa, A. (2015). An Approach to Energy Saving and Cost of Energy Reduction Using an Improved Efficient Technology. *Open Journal of Energy Efficiency*, 04 (04), 61–68. doi: 10.4236/ojee.2015.44007
- Ge, J., Zhang, L., Geng, Y. (2010). Study on Optimization Model of AGC Dispatch Schedule in the Energy Saving Dispatch. 2010 Asia-Pacific Power and Energy Engineering Conference. doi: 10.1109/appeec.2010.5448168
- Hryshchenko, I. M., Kaplun, V. V., Diachenko, M. V., Vlasenko, O. V., Kaplun, R. V., Zhulai, H. S. (2013). Upravlinnia enerhospozhyvanniam u vyshchyykh navchalnykh zakladakh. Kyiv: KNUTD, 245.
- Ganushchak-Yefimenko, L., Shcherbak, V., Nifatova, O. (2017). Managing a project of competitive-integrative benchmarking of higher educational institutions. *Eastern-European Journal of Enterprise Technologies*, 3 (3 (87)), 38–46. doi: 10.15587/1729-4061.2017.103194
- Wolske, K. S., Stern, P. C., Dietz, T. (2017). Explaining interest in adopting residential solar photovoltaic systems in the United States: Toward an integration of behavioral theories. *Energy Research & Social Science*, 25, 134–151. doi: 10.1016/j.erss.2016.12.023
- Wang, Y., Zhang, Y. Z. (2014). Optimization of Energy-Saving Lighting Line Adjustable Research. *Applied Mechanics and Materials*, 668–669, 884–887. doi: 10.4028/www.scientific.net/amm.668-669.884
- Leading Techniques for Energy Savings in Colleges and Universities (2007). White Paper. Available at: [http://www2.schneider-electric.com/documents/buildings/leading\\_techniques\\_for\\_energy\\_savings\\_in\\_colleges\\_and\\_universities.pdf](http://www2.schneider-electric.com/documents/buildings/leading_techniques_for_energy_savings_in_colleges_and_universities.pdf)
- Kaplun, V. V., Shcherbak, V. H. (2016). Bahatokryterialnyi faktornyi analiz enerhetychnoi efektyvnosti budivel vyshchoho navchalnoho zakladu. *Aktualni problemy ekonomiky*, 12 (186), 349–359.
- Ran, X., Zhou, R. (2012). The multi-objective optimization dispatch of energy-saving coordination of Combined Cold Heat and Power. PES T&D 2012. doi: 10.1109/tdc.2012.6281577
- Nakaz "Pro zatverdzhennia Prohramy shchodo zmenshennia spozhyvannia enerhoesursiv navchalnykh zakladamy ta ustanovamy osvity na



- 2010–2014 rr.” (2010). MON Ukrainy, No. 147. Available at: [http://old.mon.gov.ua/images/newstmp/2010\\_1/01\\_03/nakaz\\_mon\\_147.doc](http://old.mon.gov.ua/images/newstmp/2010_1/01_03/nakaz_mon_147.doc)
27. Zakon Ukrainy “Pro enerhozberezhennia”. Redaktsiya vid 09.05.2015 (1994). Verkhovna Rada Ukrainy, No. 30. Available at: <http://zakon0.rada.gov.ua/laws/show/74/94-%D0%B2%D1%80>
28. DSTU 2339-94. Enerhozberezhennia. Osnovni polozhennia. Derzhavnyi standart Ukrainy. Available at: [http://document.ua/energozberezhennja\\_-osnovni%E2%80%93polozhennjanor9601.html](http://document.ua/energozberezhennja_-osnovni%E2%80%93polozhennjanor9601.html)
29. DSTU 2155-93. Enerhozberezhennia. Metody vyznachennia ekonomichnoi efektyvnosti zakhodiv po enerhozberezhenniu. Derzhavnyi standart Ukrainy. Available at: [https://dnaop.com/html/43867/doc-%D0%94%D0%A1%D0%A2%D0%A3\\_2155%E2%80%9393](https://dnaop.com/html/43867/doc-%D0%94%D0%A1%D0%A2%D0%A3_2155%E2%80%9393)
30. DSTU 2420-94. Enerhooshchadnist. Terminy ta vyznachennia. Derzhavnyi standart Ukrainy. Available at: [https://dnaop.com/html/40970/doc-%D0%94%D0%A1%D0%A2%D0%A3\\_2420-94](https://dnaop.com/html/40970/doc-%D0%94%D0%A1%D0%A2%D0%A3_2420-94)
31. ISO 7730:2005(E). Ergonomics of the thermal environment – Analytical determination and interpretation of thermal comfort using calculation of the PMV and PPD indices and local thermal comfort criteria (2005). Switzerland, 60.