ABSTRACT AND REFERENCES CONTROL PROCESSES

DOI: 10.15587/1729-4061.2019.165684 A STUDY OF DECOMPOSITION OF A GROUP OF SHIPS FOR PRELIMINARY FORECASTING OF DANGEROUS APPROACHING (p. 6-12)

Yevgen Volkov

Kherson State Maritime Academy, Kherson, Ukraine ORCID: http://orcid.org/0000-0002-6244-3400

The conducted studies of emerging situations of dangerous approaching of several ships revealed the existence of classification of ships that are target ships relative to the base ship. These target ships can be dangerous, safe, safe but dangerous under certain conditions. In turn, dangerous that require the maneuver of standard collision avoidance, as well as the targets that require the maneuver of emergency collision avoidance. It is proved that the specified classification of ships can be carried out using the belonging of target ships to different subsets, which depend on their motion parameters relative to the base ship.

This made it possible to view a group of several ships as a set of targets.

Experimental studies using computer simulations confirmed that decomposition of the ship approaching situation into subsets, each of which is different from the other in relative motion parameters, is possible. These parameters are relative course, bearing, maximum allowable closest point of approach for normal and emergency maneuvering, time until reaching the closest point of approach. The speed ratio between of the base and target ships, the ratio of the closest point of approach and the maximum allowable distance also affect the belonging to a certain subset.

This suggests that there is a clear dependence of the collision probability of ships on their belonging to different subsets, which can be calculated for each ship participating in the collision avoidance maneuver. It is shown that when the base ship performs the collision avoidance maneuver, there are changes in relative motion parameters, and hence the belonging of surrounding target ships to different subsets.

Thus, there are grounds to argue that using the specified classification of target ships, preliminary forecasted belonging of ships to different subsets can be calculated. The probability of dangerous approaching and/or collision of ships can also be calculated for each course alternation of the base ship relative to each of the surrounding target ships.

Keywords: navigation safety, ship collision avoidance, approaching hazard assessment, collision avoidance strategy.

References

- Bulgakov, A. Yu., Alekseychuk, B. M. (2014). Manevr raskhozhdeniya trekh sudov s izmeneniem ih kursov. Problemy tekhniky: Naukovo-vyrobnychyi zhurnal, 1, 75–81.
- Burmaka, I., Kalynychenko, G., Kulakov, M. (2017). Warning of collisions of vessels by the methods of external control of process of divergence. Science and Education a New Dimension. Natural and Technical Sciences, 14 (132), 56–60.
- Burmaka, I. A., Kulakov, M. A., Kalinichenko, G. M. (2017). Opredelenie dopustimogo mnozhestva manevrov raskhozhdeniya sudov izmeneniem skorostey. Suchasni tekhnolohiyi proektuvannia, pobudovy, ekspluatatsiyi i remontu suden, morskykh tekhnichnykh zasobiv i inzhenernykh sporud: Materiały Vseukrainskoi nauk.-tekh. konf. Mykolaiv: MUK, 21–23.

- Pjatakov, E. N., Kapanskiy, S. V., Volkov, E. L. (2017). Coordination of three ships passing by safely. Sudovozhdenie, 27, 185–193.
- Benedict, K., Kirchhoff, M., Gluch, M., Fischer, S., Schaub, M., Baldauf, M., Klaes S. (2014). Simulation Augmented Manoeuvring Design and Monitoring: a New Method for Advanced Ship Handling. TransNav, the International Journal on Marine Navigation and Safety of Sea Transportation, 8 (1), 131–141. doi: https://doi.org/ 10.12716/1001.08.01.15
- Lacki, M. (2016). Intelligent Prediction of Ship Maneuvering. TransNav, the International Journal on Marine Navigation and Safety of Sea Transportation, 10 (3), 511–516. doi: https://doi.org/ 10.12716/1001.10.03.17
- Zhu, M., Hahn, A., Wen, Y., Bolles, A. (2017). Parameter Identification of Ship Maneuvering Models Using Recursive Least Square Method Based on Support Vector Machines. TransNav, the International Journal on Marine Navigation and Safety of Sea Transportation, 11 (1), 23–29. doi: https://doi.org/10.12716/1001.11.01.01
- Lazarowska, A. (2017). Multi-criteria ACO-based Algorithm for Ship's Trajectory Planning. TransNav, the International Journal on Marine Navigation and Safety of Sea Transportation, 11 (1), 31–36. doi: https://doi.org/10.12716/1001.11.01.02
- Xu, X., Geng, X., Wen, Y. (2016). Modeling of Ship Collision Risk Index Based on Complex Plane and Its Realization. TransNav, the International Journal on Marine Navigation and Safety of Sea Transportation, 10 (2), 251–256. doi: https://doi.org/10.12716/1001.10.02.07
- Hornauer, S., Hahn, A., Blaich, M., Reuter, J. (2015). Trajectory Planning with Negotiation for Maritime Collision Avoidance. TransNav, the International Journal on Marine Navigation and Safety of Sea Transportation, 9 (3), 335–341. doi: https://doi.org/ 10.12716/1001.09.03.05
- Burmaka, I. A., Burmaka, I. A., Pyatakov, E. N. (2016). Upravlenie sudami v situatsii opasnogo sblizheniya. Saarbryukken: LAP LAM-BERT Academic Publishing, 585.
- Tsymbal, N. N., Tyupikov, E. E., Tsymbal, N. N. (2007). Gibkie strategii raskhozhdeniya sudov. Odessa: KP OGT, 424.

DOI: 10.15587/1729-4061.2019.169193 DEVELOPMENT OF A DECISIONMAKING METHOD TO FORM THE INDICATORS FOR A UNIVERSITY DEVELOPMENT PLAN (p. 12-21)

Valentina Kulikova

M. Kozybayev North Kazakhstan State University, Petropavlovsk, Kazakhstan **ORCID**: http://orcid.org/0000-0001-8198-2672

Kainizhamal Iklassova

M. Kozybayev North Kazakhstan State University, Petropavlovsk, Kazakhstan **ORCID**: http://orcid.org/0000-0002-8330-4282

Albina Kazanbayeva

M. Kozybayev North Kazakhstan State University, Petropavlovsk, Kazakhstan ORCID: http://orcid.org/0000-0002-3077-3499

The problems of decision-making support in the course of designing a university development plan have been studied. This is important because modern tendencies in the development of higher educational institution are constantly changing and getting more complicated. Organization management under modern conditions is becoming adaptive, proactive, strategic, requiring a revision of management tools. The basis of strategic planning is indicative planning, which in turn is a form that solves the problem of imperfect information through the indicators that describe an object, a process, or a phenomenon. Effective management of the activity of a higher educational institution in the framework of planning includes the forms and the methods for creating a system of indicators that reflect the picture of the organization state.

The process of the development of a university development plan faces the problem of selecting and ranking the indicators of the development of a higher educational institution, covers both tangible and intangible sides and is a multi-criterion problem of decision making. To solve this problem, it is necessary to select a method for decision making support to form the system of indicative indicators. Evaluation of indicative indicators are carried out through the construction of a cognitive map, a priori ranking and the hierarchy analysis method, involving experts from the field of higher education management. The results obtained are compared taking into account the strengths and weaknesses of the selected methods. The decision made on the choice of the method for the formation of indicators implies the joint use of the hierarchy analysis method and the construction of a cognitive map. During the hybrid application of the methods, the mutual influence of the indicators and the compliance of the indicators with directions of the university development should be taken into account. It is not worthwhile applying a priori ranking in order to form an indicator because there are no data on the joint influence of several studied indicators on each other.

The results of the study are aimed at simplifying the decisionmaking process in planning: consideration of bottlenecks when designing a development plan, improvement of operation and learning quality, effective use of tangible and intangible resources.

Keywords: assessment, system, indicator, management, strategy, development, hierarchy, cognitive map, decision.

References

- Kaplan, R. S., Norton, D. P. (2010). Sbalansirovannaya sistema pokazateley. Ot strategii k deystviyu. Moscow: Olimp-Biznes, 320.
- Strategicheskiy plan razvitiya. Severo-Kazahstanskogo gosudarstvennogo universiteta im. M. Kozybaeva na 2016–2019 gody (2016). Petropavlovsk, 65. Available at: http://www.nkzu.kz/files/documents/stratplan_2016-2019.pdf
- Zakon Respubliki Kazahstan «Ob obrazovanii». Available at: http:// online.zakon.kz/Document/?doc_id=30118747
- Gosudarstvennaya programma razvitiya obrazovaniya Respubliki Kazahstan na 2011–2020 gody. Available at: http://ru.government. kz/ru/programmy/2254-gosudarstvennaya-programma-razvitiyaobrazovaniya-respubliki-kazakhstan-na-2011-2020-gody.html
- Astafurova, I. S., Antonenkova, S. Yu. (2014). Otsenka metodik formirovaniya sistemy pokazateley deyatel'nosti organizatsiy. Journal of Economy and entrepreneurship, 12, 850–854.
- Metodologicheskie rekomendatsii po provedeniyu analiza finansovohozyaystvennoy deyatel'nosti organizatsiy. Available at: http://docs. cntd.ru/document/420357097
- 7. Ionova, A. F., Selezneva, N. N. (2006). Finansoviy analiz. Moscow: Prospekt, 623.
- Pis'marov, A. F. (2006). Kak otsenit' effektivnost' raboty. General'niy direktor, 2.
- 9. Razrabotka i vnedrenie sbalansirovannoy sistemy pokazateley. Available at: https://www.mag-consulting.ru/asp/maps
- Hladchenko, M. (2015). Balanced Scorecard a strategic management system of the higher education institution. International Journal of Educational Management, 29 (2), 167–176. doi: https://doi.org/10.1108/ijem-11-2013-0164
- Golovko, N. V., Zinevich, O. V., Ruzankina, E. A. (2018). University's third mission and stakeholder governance for regional development.

Comparative Politics Russia, 9 (1), 5–17. doi: https://doi.org/ 10.24411/2221-3279-2018-00001

- Ponomarenko, T., Tohochynskyi, O., Kaminska, T., Kadol, L., Okhrimenko, I. (2018). Strategic planning in universities: a case of Ukraine. Problems and Perspectives in Management, 16 (4), 365–374. doi: https://doi.org/10.21511/ppm.16(4).2018.30
- Mazelis, L., Lavrenyuk, K. (2017). Devising a fuzzy model for compiling a plan of activities aimed at developing human capital in university. Eastern-European Journal of Enterprise Technologies, 4 (3 (88)), 35–44. doi: https://doi.org/10.15587/1729-4061.2017.103979
- 14. Edmunds, L. D., Gluderer, S., Ovseiko, P. V., Kamerling, R., Ton, J., Vis, L. et. al. (2019). New indicators and indexes for benchmarking university-industry-government innovation in medical and life science clusters: results from the European FP7 Regions of Knowledge HealthTIES project. Health Research Policy and Systems, 17 (1). doi: https://doi.org/10.1186/s12961-019-0414-5
- Al-Zoubi, M. T. (2012). Generating benchmarking indicators for employee job satisfaction. Total Quality Management & Business Excellence, 23 (1), 27–44. doi: https://doi.org/10.1080/14783363.2 011.637780
- Alonso, K. R., Morales, G. B. C., Lopez, C. J. G. (2015). Indicators for the strategic control at cienfuegos university. Revista Universidad Y Sociedad, 7 (3), 56–62.
- Saule, K., Indira, U., Aleksander, B., Gulnaz, Z., Zhanl, M., Madina, I., Györök, G. (2018). Development of the information and analytical system in the control of management of university scientific and educational activities. Acta Polytechnica Hungarica, 15 (4), 27–44.
- Pupysheva, T. N. (2014). Analiz strategicheskogo planirovaniya deyatel'nosti kazahstanskih vuzov. Nauchnoe soobschestvo studentov XXI stoletiya. Ekonomicheskie nauki, 2 (17), 76–85. Available at: http://sibac.info/archive/economy/2(17).pdf
- Silov, V. B. (1995). Prinyatie strategicheskih resheniy v nechetkoy obstanovke. Moscow: INPRO-RES, 22.
- Kulikov, V. P., Iklassova, K. E. (2019). Cognitive model analysis of the development strategy of higher educational institution. Vestnik PGU, 1, 196–207.
- Belov, P. G. (2019). Upravlenie riskami, sistemniy analiz i modelirovanie. Moscow: Izdatel'stvo Yurayt, 272.
- Taha, H. (2005). Vvedenie v issledovanie operatsiy. Moscow: Izdatel'skiy dom "Vil'yame", 912.
- Saaty, T. L. (2008). Decision making with the analytic hierarchy process. International Journal of Services Sciences, 1 (1), 83. doi: https://doi.org/10.1504/ijssci.2008.017590
- Porter, M. E. (2005). Konkurentnaya strategiya: Metodika analiza otrasley i konkurentov. Moscow: Al'pina Biznes Buks, 454.

DOI: 10.15587/1729-4061.2019.170212 ANALYTICAL STUDY OF MULTIFRACTAL INVARIANT ATTRIBUTES OF TRAFFIC FLOWS (p. 22-29)

Oleh Skydan

Zhytomyr National Agroecological University, Zhytomyr, Ukraine ORCID: http://orcid.org/0000-0003-4673-9620

Bogdan Sheludchenko

Scientific-Innovative Institute of Engineering of Agro-Industrial Production and Energy Efficiency, Zhytomyr, Ukraine **ORCID**: http://orcid.org/0000-0002-8137-0905

Savelii Kukharets

Zhytomyr National Agroecological University, Zhytomyr, Ukraine ORCID: http://orcid.org/0000-0002-5129-8746

Oleksandr Medvedskyi

Zhytomyr National Agroecological University, Zhytomyr, Ukraine ORCID: http://orcid.org/0000-0001-7458-5337

Yaroslav Yarosh

Zhytomyr National Agroecological University, Zhytomyr, Ukraine ORCID: http://orcid.org/0000-0001-6590-7058

The motor transport complex is formed by a multitude of motor traffic flows and a network of automobile roads. Transition to a new level of the motor functioning transport complex requires the development of new methods of formalizing the collective interaction of all road users. This is connected to an increase in the number of autonomous vehicles in joint traffic. We established that the transport-technological self-organization of motor transport flows is a multifractal structure. Such a structure is reliably enough described by regular hierarchical - sets of Cantor regarding the parameter of the dynamic dimension of an individual vehicle. We proved that the main multifractal attributes of road traffic flows are their fragmentation parameter and fractal dimensionality. These attributes are functionally determined by the speed, traffic density and interval of vehicles movement. Accordingly, there are three modes of vehicles movement. The absence of mutual obstacles between vehicles, low speed and low traffic intensity characterizes free movement. Such a movement determines the boundary of the collective and synchronized flows. Collective movement is characterized by a high density of traffic flow, and speed is limited by the possibilities of the road. If the indicators of the technical and operational condition of the road become decisive, we get a saturated synchronized flow. Analytical studies established a log-exponential functional relationship between the fragmentation parameter of the motor flow and the fractal dimension. We found that the combination of several road traffic flows in the case of multi-lane traffic management determines the dynamics of changes in the basic multifractal characteristics of vehicles variety. At the same time, an increase in the number of road lanes leads to an increase in the fragmentation parameter and a decrease in the fractal dimension of motor traffic flows aggregate. We considered the possibility of creating appropriate navigation algorithms for the variable optimization of the fractal attributes of road traffic. In this case, safe transport and technological modes of the motor transport complex are provided. The same applies to the conditions for increasing the part of autonomous robotic unmanned vehicles in the composition of motor vehicles.

Keywords: traffic flow, unmanned vehicle, Cantor α-set, multifractality, fragmentation parameter.

References

- Sheludchenko, B. A. (2014). Vstup do konstruiuvannia pryrodnotekhnohennykh heoekosystem (landshaftno-terytorialnyi aspekt). Kamianets-Podilskyi: Vyd-vo PDATU, 170.
- Yang, S., Wu, J., Xu, Y., Yang, T. (2019). Revealing heterogeneous spatiotemporal traffic flow patterns of urban road network via tensor decomposition-based clustering approach. Physica A: Statistical Mechanics and its Applications, 526, 120688. doi: https://doi.org/ 10.1016/j.physa.2019.03.053
- Chen, X., He, Z., Wang, J. (2018). Spatial-temporal traffic speed patterns discovery and incomplete data recovery via SVD-combined tensor decomposition. Transportation Research Part C: Emerging Technologies, 86, 59–77. doi: https://doi.org/10.1016/ j.trc.2017.10.023
- Kawasaki, Y., Hara, Y., Kuwahara, M. (2019). Traffic state estimation on a two-dimensional network by a state-space model. Transportation Research Part C: Emerging Technologies. doi: https://doi.org/ 10.1016/j.trc.2019.03.016
- Balhanov, V. K. (2013). Osnovy fraktal'noy geometrii i fraktal'nogo ischisleniya. Ulan-Ude, 224.
- Babkov, V. F. (1980). Landshaftnoe proektirovanie avtomobil'nyh dorog. Moscow: Transport, 189.

- Lukanin, V. N., Trofimenko, Yu. V. (2001). Promyshlenno-transportnaya ekologiya. Moscow: Vysshaya shkola, 273.
- Sheludchenko, L. S. (2018). Functional characters of the motor vehicle flow. Vehicle and Electronics. Innovative Technologies, 13, 75–79. doi: https://doi.org/10.30977/VEIT.2018.13.0.75
- Mohebifard, R., Hajbabaie, A. (2019). Optimal network-level traffic signal control: A benders decomposition-based solution algorithm. Transportation Research Part B: Methodological, 121, 252–274. doi: https://doi.org/10.1016/j.trb.2019.01.012
- Li, L., Li, X. (2019). Parsimonious trajectory design of connected automated traffic. Transportation Research Part B: Methodological, 119, 1–21. doi: https://doi.org/10.1016/j.trb.2018.11.006
- Zhang, Y., Ioannou, P. A. (2018). Stability analysis and variable speed limit control of a traffic flow model. Transportation Research Part B: Methodological, 118, 31–65. doi: https://doi.org/10.1016/ j.trb.2018.10.005
- Batista, S. F. A., Leclercq, L., Geroliminis, N. (2019). Estimation of regional trip length distributions for the calibration of the aggregated network traffic models. Transportation Research Part B: Methodological, 122, 192–217. doi: https://doi.org/10.1016/j.trb. 2019.02.009
- Mariotte, G., Leclercq, L. (2019). Flow exchanges in multi-reservoir systems with spillbacks. Transportation Research Part B: Methodological, 122, 327–349. doi: https://doi.org/10.1016/j.trb. 2019.02.014
- Mandelbrot, B. B. (1983). The Fractal Geometry of Nature. W. H. Freeman and Company, 468.

DOI: 10.15587/1729-4061.2019.170174 FORECASTING THE ESTIMATED TIME OF ARRIVAL FOR A CARGO DISPATCH DELIVERED BY A FREIGHT TRAIN ALONG A RAILWAY SECTION (p. 30-38)

Andrii Prokhorchenko

Ukrainian State University of Railway Transport, Kharkiv, Ukraine ORCID: http://orcid.org/0000-0003-3123-5024

Artem Panchenko

V. N. Karazin Kharkiv National University, Kharkiv, Ukraine ORCID: http://orcid.org/0000-0001-5865-6158

Larysa Parkhomenko

Ukrainian State University of Railway Transport, Kharkiv, Ukraine, **ORCID**: http://orcid.org/0000-0003-1647-7746

Galina Nesterenko

Dnipro National University of Railway Transport named after academician V. Lazaryan, Dnipro, Ukraine **ORCID**: http://orcid.org/0000-0003-1629-0201

Mykhailo Muzykin

Dnipro National University of Railway Transport named after academician V. Lazaryan, Dnipro, Ukraine **ORCID**: http://orcid.org/0000-0003-2938-7061

Galyna Prokhorchenko

Ukrainian State University of Railway Transport, Kharkiv, Ukraine ORCID: http://orcid.org/0000-0003-1158-3953

Alina Kolisnyk

Ukrainian State University of Railway Transport, Kharkiv, Ukraine ORCID: http://orcid.org/0000-0001-5038-0230

This paper reports a method for predicting the expected time of arrival (ETA) of a cargo dispatch taking into consideration determining the duration at which a freight train travels along a railroad section where trains move not complying with a departure schedule. A characteristic feature of railroads with such a traffic system is the difficulty in predicting the stages of a transportation process, which necessitates the development of effective methods of forecasting. Based on correlation analysis, we have determined the dependence of the general macro-characteristics of train flow and individual parameters of a freight train on the duration of its movement along a section. It has been proposed to represent the dependence of predicted duration of train movement along a railroad section on the following factors: traffic intensity and density along a section, the proportion of passenger trains in total train flows, the length of a train and its gross weight. All experimental studies are based on actual data on the operation of the distance Osnova-Lyubotyn at the railroad network AO Ukrzaliznytsya.

Based on a comparative analysis, using the indicators for accuracy and adequacy of several regression methods to predict ETA of cargo dispatch, we have chosen the regression model based on an artificial neural network MLP. To derive the MLP structure, a cross-validation method has been applied, which implies the validation of a mathematical model reliability based on the criteria of accuracy MAE and adequacy – F-test. The structure of MLP has been obtained, which consists of five hidden layers. We predicted the time that it would take for a train to travel in facing direction along the Osnova-Lyubotyn section. For a given projection, the value for MAE was 0.0845, which is a rather high accuracy for this type of problems, and confirms the effectiveness of MLP application to solve the task on predicting a cargo dispatch ETA.

The current study provides a possibility to design in the future an automated system for predicting a cargo dispatch ETA for a mixed-traffic railroad system in which freight trains depart not complying with a regulatory schedule.

Keywords: railroad network, expected time of arrival, artificial neural network.

References

- Prokhorchenko, A., Parkhomenko, L., Kyman, A., Matsiuk, V., Stepanova, J. (2019). Improvement of the technology of accelerated passage of low-capacity car traffic on the basis of scheduling of grouped trains of operational purpose. Procedia Computer Science, 149, 86–94. doi: https://doi.org/10.1016/j.procs.2019.01.111
- Lomotko, D. V., Alyoshinsky, E. S., Zambrybor, G. G. (2016). Methodological Aspect of the Logistics Technologies Formation in Reforming Processes on the Railways. Transportation Research Procedia, 14, 2762–2766. doi: https://doi.org/10.1016/j.trpro.2016.05.482
- Cameron, M., Brown, A. (1995). Intelligent transportation system Mayday becomes a reality. Proceedings of the IEEE 1995 National Aerospace and Electronics Conference. NAECON 1995. doi: https:// doi.org/10.1109/naecon.1995.521962
- Chien, S. I.-J., Ding, Y., Wei, C. (2002). Dynamic Bus Arrival Time Prediction with Artificial Neural Networks. Journal of Transportation Engineering, 128 (5), 429–438. doi: https://doi.org/10.1061/ (asce)0733-947x(2002)128:5(429)
- Ayhan, S., Costas, P., Samet, H. (2018). Predicting Estimated Time of Arrival for Commercial Flights. Proceedings of the 24th ACM SIG-KDD International Conference on Knowledge Discovery & Data Mining – KDD '18. doi: https://doi.org/10.1145/3219819.3219874
- Wang, Z., Liang, M., Delahaye, D. (2018). A hybrid machine learning model for short-term estimated time of arrival prediction in terminal manoeuvring area. Transportation Research Part C: Emerging Technologies, 95, 280–294. doi: https://doi.org/10.1016/ j.trc.2018.07.019
- Vernigora, R., Yelnikova, L. (2015). Study of efficiency of using neural networks when forecasting the train arrival at the technical stations. Eastern-European Journal of Enterprise Technologies,

3 (3 (75)), 23–27. doi: https://doi.org/10.15587/1729-4061.2015. 42402

- Lavrukhin, O. V. (2014). The formation of the approaches to implement the system of decision support for operational control they distributed artificial intelligence. Collection Of Scientific Works of Dnipro National University of Railway Transport named after academician Lazaryan. Transport Systems and Transportation Technologies, 8, 88–99. doi: https://doi.org/10.15802/tstt2014/38095
- Bardas, O. O. (2016). Improving the intelligence technoligies of train traffic's management on sorting stations. Collection Of Scientific Works of Dnipro National University of Railway Transport named after academician Lazaryan. Transport Systems and Transportation Technologies, 11, 9–15. doi: https://doi.org/10.15802/ tstt2016/76818
- Kyrychenko, H. I., Strelko, O. H., Berdnychenko, Yu. A., Petrykovets, O. V., Kyrychenko, O. A. (2016). Scenarios modeling of cargo movement in the supply chains. Collection Of Scientific Works of Dnipro National University of Railway Transport named after academician Lazaryan. Transport Systems and Transportation Technologies, 12, 32–37. doi: https://doi.org/10.15802/tstt2016/85882
- Barbour, W., Samal, C., Kuppa, S., Dubey, A., Work, D. B. (2018). On the Data-Driven Prediction of Arrival Times for Freight Trains on U.S. Railroads. 2018 21st International Conference on Intelligent Transportation Systems (ITSC). doi: https://doi.org/10.1109/ itsc.2018.8569406
- Martin, L. J. W. (2016). Predictive Reasoning and Machine Learning for the Enhancement of Reliability in Railway Systems. Reliability, Safety, and Security of Railway Systems. Modelling, Analysis, Verification, and Certification, 178–188. doi: https://doi.org/ 10.1007/978-3-319-33951-1_13
- Chen, Y., Rilett, L. R. (2017). Train Data Collection and Arrival Time Prediction System for Highway–Rail Grade Crossings. Transportation Research Record: Journal of the Transportation Research Board, 2608 (1), 36–45. doi: https://doi.org/10.3141/2608-05
- Nguyen-Phuoc, D. Q., Currie, G., De Gruyter, C., Young, W. (2017). New method to estimate local and system-wide effects of level rail crossings on network traffic flow. Journal of Transport Geography, 60, 89–97. doi: https://doi.org/10.1016/j.jtrangeo.2017.02.012
- Rail Car Asset Management F-MAN IST-2000-29542 Deliverable D16: Final report. Available at: https://trimis.ec.europa.eu/ sites/default/files/project/documents/20060411_172123_25402_ F-MAN%20Final%20Report.pdf
- Estimated time of arrival. ETA programme. Available at: http:// www.rne.eu/tm-tpm/estimated-time-of-arrival
- But'ko, T., Prokhorchenko, A. (2013). Investigation into Train Flow System on Ukraine's Railways with Methods of Complex Network Analysis. American Journal of Industrial Engineering, 1 (3), 41–45.
- Levin, D. Yu. (1988). Optimizatsiya potokov poezdov. Moscow: Transport, 175.
- Gorobchenko, O., Fomin, O., Gritsuk, I., Saravas, V., Grytsuk, Y., Bulgakov, M. et. al. (2018). Intelligent Locomotive Decision Support System Structure Development and Operation Quality Assessment. 2018 IEEE 3rd International Conference on Intelligent Energy and Power Systems (IEPS). doi: https://doi.org/10.1109/ ieps.2018.8559487
- 20. Instruktsiya zi skladannia hrafika rukhu poizdiv na zaliznytsiakh Ukrainy: zatv. nakazom Ukrzaliznytsi vid 5 kvitnia 2002 r. No. 170-Ts (2002). Kyiv: Transport Ukrainy, 164.
- Greenberg, H. (1959). An Analysis of Traffic Flow. Operational Research, 7 (1), 79–85.
- 22. Spanos, A. (1999). Probability Theory and Statistical Inference: Econometric Modeling with Observational Data. Cambridge University Press. doi: https://doi.org/10.1017/cbo9780511754081

- 23. Raschka, S. (2015). Python Machine Learning. Packt Publishing, 454.
- 24. Li, Y., Zhang, J., Wu, Q. (Eds.) (2019). Adaptive Sliding Mode Neural Network Control for Nonlinear Systems. Academic Press, 186. doi: https://doi.org/10.1016/c2017-0-02242-5
- 25. Rummelhart, D. E., Hinton, G. E., Williams, R. J. (1986). Learning internal representations by error propagation. Parallel distributed processing: explorations in the microstructure of cognition. Vol. 1. MIT Press Cambridge, 318–362.

DOI: 10.15587/1729-4061.2019.169079 USING THE ELEMENTS FROM A FUZZY SETS THEORY IN THE PROCESS OF DIAGNOSING THE LOYALTY OF CONSUMERS OF MOTOR TRANSPORT SERVICES (p. 39-49)

Iryna Fedotova

Kharkiv National Automobile and Highway University, Kharkiv, Ukraine ORCID: http://orcid.org/0000-0002-3277-0224

Oksana Kryvoruchko

Kharkiv National Automobile and Highway University, Kharkiv, Ukraine ORCID: http://orcid.org/0000-0003-0967-7379

Volodymyr Shynkarenko

Kharkiv National Automobile and Highway University, Kharkiv, Ukraine ORCID: http://orcid.org/0000-0003-0702-9781

Nadiia Bocharova

Kharkiv National Automobile and Highway University, Kharkiv, Ukraine ORCID: http://orcid.org/0000-0003-4371-0187

Liudmyla Sotnychenko

National University "Odessa Maritime Academy", Odessa, Ukraine ORCID: http://orcid.org/0000-0003-4537-1553

Svetlana Dimitrakieva

Technical University of Varna, Varna, Bulgaria **ORCID**: http://orcid.org/0000-0001-9639-9957

We developed an approach to diagnosing the complex loyalty of consumer of motor transport services based on the perceptual and behavioral characteristics with application of the theory of fuzzy sets. Diagnosing the level of consumer loyalty is the basis of a cyclical process of managing the loyalty of consumers of a motor transport company (MTC) in the field of freight transportation. Formation of loyalty depends on subjective perception by a consumer; therefore, the usual quantitative methods of analysis are not effective under conditions of fuzzy (incomplete) information. Application of the results of the theory of fuzzy sets to the analysis and evaluation of the consumer loyalty makes it possible to obtain fundamentally new models and methods of analysis.

The method of data aggregation based on the fuzzy classifier makes it possible to proceed from quantitative and qualitative values of individual indicators of perception and behavior of a consumer to complex indicators of loyalty. We obtained the empirical data used in the present study by questioning consumers. The study is based on actual data on the transportation of goods for each customer of a company. We performed quantitative assessment of integral factors of perceptual (attitudinal), behavioral and complex customer loyalty according to the standard matrix assessment scheme. A three-level classification has been applied with "Low level, Middle level, High level" subset-terms of "Loyalty level" linguistic variable to recognize the level of these factors. It was found that most consumers have an average and high level of loyalty to MTC in the assessment based on results of estimating the level of customer loyalty of the motor transport company.

The use of fuzzy sets makes it possible to identify the mutual influence of perceptual and behavioral factors on formation of the complex consumer loyalty comprehensively, as well as to simulate different situations depending on the predicted indicators of interaction with a consumer. It is a prerequisite for the development of loyalty of consumers of motor transport services through the development of loyalty programs and individual strategies for interaction.

Keywords: fuzzy sets, linguistic variable, membership function, perceptual (attitudinal) loyalty, behavioral loyalty.

References

- Popova, N. V., Shynkarenko, V. G. (2016). Development of the stakeholder marketing at the enterprises in transportation and logistic system. Marketing and Management of Innovations, 3, 66–75. Available at: http://mmi.fem.sumdu.edu.ua/sites/default/ files/mmi2016_3_66_75.pdf
- Fedotova, I., Shynkarenko, V., Kryvoruchko, O. (2018). Development of the Viable System Model of Partner Relationship Management of the Company. International Journal of Engineering & Technology, 7 (4.3), 445–450. doi: https://doi.org/10.14419/ijet.v7i4.3.19913
- Bloemer, J. M., Kasper, H. D. P. (1995). The complex relationship between consumer satisfaction and brand loyalty. Journal of Economic Psychology, 16 (2), 311–329. doi: https://doi.org/10.1016/0167-4870(95)00007-b
- Homburg, C., Giering, A. (2001). Personal characteristics as moderators of the relationship between customer satisfaction and loyalty an empirical analysis. Psychology and Marketing, 18 (1), 43–66. doi: https://doi.org/10.1002/1520-6793(200101)18:1<43:: aid-mar3>3.0.co;2-i
- Lam, S. Y., Shankar, V., Erramilli, M. K., Murthy, B (2004). Customer Value, Satisfaction, Loyalty, and Switching Costs: An Illustration From a Business-to-Business Service Context. Journal of the Academy of Marketing Science, 32 (3), 293–311. doi: https:// doi.org/10.1177/0092070304263330
- Chen, S.-C. (2015). Customer value and customer loyalty: Is competition a missing link? Journal of Retailing and Consumer Services, 22, 107–116. doi: https://doi.org/10.1016/j.jretconser.2014.10.007
- Popova, N., Shynkarenko, V., Kryvoruchko, O., Zéman, Z. (2018). Enterprise management in VUCA conditions. Economic Annals-XXI, 170 (3-4), 27–31. doi: https://doi.org/10.21003/ea.v170-05
- Reichheld, F. F., Sasser, W. E. (2010). Zero defections: quality comes to services. Harvard business review, 68 (5), 105–111.
- Tarasov, A. A., Fayzrahmanov, P. A. (2010). Problema otsenki loyal'nosti klientov negosudarstvennogo pensionnogo fonda v sisteme upravleniya vzaimootnosheniyami s klientami. Vestnik Permskogo gosudarstvennogo tekhnicheskogo universiteta. Elektrotekhnika, informatsionnye tekhnologii, sistemy upravleniya, 4, 12–21.
- Gerpott, T. Y. (2011). Empiricheskie issledovaniya loyal'nosti klienta. Moscow: Vil'yams, 243.
- 11. Hayes, B. E. (2011). Lessons in Loyalty. Quality Progress, 31.
- Alok, K. R., Srivastava, M. (2013). The Antecedents of Customer Loyalty: An Empirical Investigation in Life Insurance Context. Journal of Competitiveness, 5 (2), 139–163. doi: https://doi.org/ 10.7441/joc.2013.02.10
- Noskova, E. V., Romanova, I. M. (2015). Evaluation of customer loyalty to different format retailers. Journal of Internet Banking and Commerce. Available at: http://www.icommercecentral.com/openaccess/evaluation-of-customer-loyalty-to-different-format-retailers. php?aid=62413#6
- Korneta, P. (2018). Net promoter score, growth, and profitability of transportation companies. International Journal of Management

and Economics, 54 (2), 136–148. doi: https://doi.org/10.2478/ ijme-2018-0013

- Faed, A., Hussain, O. K., Chang, E. (2014). A methodology to map customer complaints and measure customer satisfaction and loyalty. Service Oriented Computing and Applications, 8 (1), 33–53. doi: https://doi.org/10.1007/s11761-013-0142-6
- Minser, J., Webb, V. (2010). Quantifying the Benefits: Application of Customer Loyalty Modeling in Public Transportation Context. Transportation Research Record: Journal of the Transportation Research Board, 2144 (1), 111–120. doi: https://doi.org/10.3141/ 2144-13
- Sun, S. (2018). Public Transit Loyalty Modeling Considering the Effect of Passengers' Emotional Value: A Case Study in Xiamen, China. Journal of Advanced Transportation, 2018, 1–12. doi: https:// doi.org/10.1155/2018/4682591
- Pratiwi, P. U. D., Landra, N., Kusuma, G. A. T. (2018). The Construction of Public Transport Service Model to Influence the Loyalty of Customer. Scientific Research Journal, 6 (2), 56–63.
- Shiftan, Y., Barlach, Y., Shefer, D. (2015). Measuring Passenger Loyalty to Public Transport Modes. Journal of Public Transportation, 18 (1), 1–16. doi: https://doi.org/10.5038/2375-0901.18.1.7
- 20. Juga, J., Juntunen, J., Grant, D. B. (2010). Service quality and its relation to satisfaction and loyalty in logistics outsourcing relationships. Managing Service Quality: An International Journal, 20 (6), 496–510. doi: https://doi.org/10.1108/09604521011092857
- 21. Kilibarda, M., Andrejic, M. (2012). Logistics Service Quality Impact on Customer Satisfaction and Loyalty. 2nd Olympus International Conference on Supply Chains. Katerini. Available at: https://www.researchgate.net/publication/259713993_Logistics_Service_Quality_Impact_on_Customer_Satisfaction_and_Loyalty
- 22. Gil-Saura, I., Berenguer-Contri, G., Ruiz-Molina, E. (2018). Satisfaction and loyalty in b2b relationships in the freight forwarding industry: adding perceived value and service quality into equation. Transport, 33 (5), 1184–1195. doi: https://doi.org/10.3846/ transport.2018.6648
- 23. Leong, L.-Y., Hew, T.-S., Lee, V.-H., Ooi, K.-B. (2015). An SEM-artificial-neural-network analysis of the relationships between SERVPERF, customer satisfaction and loyalty among low-cost and full-service airline. Expert Systems with Applications, 42 (19), 6620-6634. doi: https://doi.org/10.1016/j.eswa. 2015.04.043
- 24. Ansari, A., Riasi, A. (2016). Modelling and evaluating customer loyalty using neural networks: Evidence from startup insurance companies. Future Business Journal, 2 (1), 15–30. doi: https:// doi.org/10.1016/j.fbj.2016.04.001
- 25. Rahul, T., Majhi, R. (2014). An adaptive nonlinear approach for estimation of consumer satisfaction and loyalty in mobile phone sector of India. Journal of Retailing and Consumer Services, 21 (4), 570–580. doi: https://doi.org/10.1016/j.jretconser.2014.03.009
- 26. Corsi, A. M., Rungie, C., Casini, L. (2011). Is the polarization index a valid measure of loyalty for evaluating changes over time? Journal of Product & Brand Management, 20 (2), 111–120. doi: https:// doi.org/10.1108/10610421111121107
- Makurina, A. O. (2015). Otsenka loyal'nosti abonentov mobil'noy svyazi s ispol'zovaniem metodov nechetkogo modelirovaniya. Voprosy sovremennoy nauki i praktiki, 2 (56), 68–77.
- 28. Yue, C., Yue, Z. L. (2019). Measuring the satisfaction and loyalty for Chinese smartphone users: A simple symbol-based decision making method. Scientia Iranica, 26 (1), 589–604. doi: https://doi. org/10.24200/sci.2018.3841.0
- Zade, L. (1976). Ponyatie lingvisticheskoy peremennoy i ego primenenie k prinyatiyu priblizhennyh resheniy. Moscow: Mir, 165.
- Yarushkina, N. G. (2009). Osnovy teorii nechetkih i gibridnyh sistem. Moscow: Finansy i statistika, 321.

- Altunin, A. E., Semuhin, M. V. (2000). Modeli i algoritmy prinyatiya resheniy v nechetkih usloviyah. Tyumen': Tyumenskiy gosudarstvenniy universitet, 352.
- 32. Mamdani, E. H. (1974). Application of fuzzy algorithms for control of simple dynamic plant. Proceedings of the Institution of Electrical Engineers, 121 (12), 1585. doi: https://doi.org/10.1049/ piee.1974.0328
- Bocharnikov, V. P. (2011). Fuzzy-tekhnologiya: matematicheskie osnovy. Praktika modelirovaniya v ekonomike. Sankt-Peterburg: «Nauka» RAN, 328.
- Kryvoruchko, O., Shynkarenko, V., Popova, N. (2018). Quality Management of Transport Services: Concept, System Approach, Models of Implementation. International Journal of Engineering & Technology, 7 (4.3), 472–476. doi: https://doi.org/10.14419/ijet. v7i4.3.19919

DOI: 10.15587/1729-4061.2019.171052 STUDYING THE INFLUENCE OF PRODUCTION CONDITIONS ON THE CONTENT OF OPERATIONS IN LOGISTIC SYSTEMS OF MILK COLLECTION (p. 50-63)

Anatoliy Tryhuba

Lviv National Agrarian University, Dublyany, Ukraine ORCID: http://orcid.org/0000-0001-8014-5661

Nataliia Pavlikha

Lesya Ukrainka Eastern European National University, Lutsk, Ukraine ORCID: http://orcid.org/0000-0001-5191-242X

Mykola Rudynets

Lutsk National Technical University, Lutsk, Ukraine ORCID: http://orcid.org/0000-0002-0793-5963

Inna Tryhuba

Lviv National Agrarian University, Dublyany, Ukraine ORCID: http://orcid.org/0000-0002-5239-5951

Vitaliy Grabovets

Lutsk National Technical University, Lutsk, Ukraine ORCID: http://orcid.org/0000-0002-0340-185X

Mykola Skalyga

Lutsk National Technical University, Lutsk, Ukraine ORCID: http://orcid.org/0000-0002-1852-078X

Iryna Tsymbaliuk

Lesya Ukrainka Eastern European National University, Lutsk, Ukraine ORCID: http://orcid.org/0000-0003-0506-2262

Nataliia Khomiuk

Lesya Ukrainka Eastern European National University, Lutsk, Ukraine **ORCID**: http://orcid.org/0000-0002-3277-8840

Valentyna FedorchukMoroz

Lutsk National Technical University, Lutsk, Ukraine ORCID: http://orcid.org/0000-0002-0941-1215

The algorithm of coordination of the content and time of operations execution in logistic systems of milk collection with manufacturing conditions was developed. The appropriateness of execution of eleven management operations ensuring coordination of collection-transport operations with daily volumes of arrival of raw milk material at its collection points was substantiated. The research was carried out based on the simulation of execution of collectiontransport operations of various content, taking into consideration changing manufacturing conditions. The prediction of the functional indicators in particular periods of the calendar year was performed based on simulation of operations execution in a logistic system of milk collection taking into account changing manufacturing conditions and possible options for the content of operations. It was substantiated that at an increase in the number of operations of milk collection, the quantitative values of the indicators of execution of these operations increase, while the quantitative values of the indicators of execution of transport operations decrease.

It was found that during the calendar year in a specified logistic system of milk collection, the content of collection and transportation operations and production conditions have a significant impact on their indicators. It was substantiated that the quantitative value of these indicators during the calendar year changes by 1.2...3 times. This is explained by a change in the volume of milk collection over a calendar year. The obtained results indicate the feasibility of daily coordination of the content of operations execution in an assigned logistic system of milk collection with production conditions.

Keywords: planning, content of operations, milk collection, logistic systems, quality of control.

References

- On Milk and Dairy Products: Zakon vid 24.06.2004 No. 1870-IV. Verkhovna Rada of Ukraine. Available at: https://zakon.rada.gov.ua/ laws/show/1870-15
- Seriya standartov ISO9000. Ofitsial'nye dokumenty. Available at: http://staratel.com/iso/ISO9000/Doc/index.html
- Hofstra, N., Dullaert, W., De Leeuw, S., Spiliotopoulou, E. (2019). Individual goals and social preferences in operational decisions. International Journal of Operations & Production Management, 39 (1), 116–137. doi: https://doi.org/10.1108/ijopm-11-2016-0690
- Akkerman, R., van Donk, D. P. (2009). Analyzing scheduling in the food-processing industry: structure and tasks. Cognition, Technology & Work, 11 (3), 215–226. doi: https://doi.org/10.1007/s10111-007-0107-7
- Fransoo, J. C., Wiers, V. C. S. (2006). Action variety of planners: Cognitive load and requisite variety. Journal of Operations Management, 24 (6), 813–821. doi: https://doi.org/10.1016/j.jom.2005.09.008
- Bendoly, E., Croson, R., Goncalves, P., Schultz, K. (2009). Bodies of Knowledge for Research in Behavioral Operations. Production and Operations Management, 19 (4), 434–452. doi: https://doi.org/ 10.1111/j.1937-5956.2009.01108.x
- Buijs, P., Alvarez, J. A. L., Veenstra, M., Roodbergen, K. J. (2016). Improved Collaborative Transport Planning at Dutch Logistics Service Provider Fritom. Interfaces, 46 (2), 119–132. doi: https://doi.org/ 10.1287/inte.2015.0838
- Bendul, J. C., Knollman, M. (2016). The human factor in production planning and control: considering human needs in computer aided decision-support systems. International Journal of Manufacturing Technology and Management, 30 (5), 346. doi: https://doi.org/ 10.1504/ijmtm.2016.078921
- 9. Buijs, P., ("Hans") Wortmann, J. C. (2014). Joint operational decision-making in collaborative transportation networks: the role

of IT. Supply Chain Management: An International Journal, 19 (2), 200–210. doi: https://doi.org/10.1108/scm-08-2013-0298

- Sadler, I., Hines, P. (2002). Strategic operations planning process for manufacturers with a supply chain focus: concepts and a meat processing application. Supply Chain Management: An International Journal, 7 (4), 225–241. doi: https://doi.org/10.1108/13598540210438962
- Levykin, V., Chala, O. (2018). Development of a method for the probabilistic inference of sequences of a business process activities to support the business process management. Eastern-European Journal of Enterprise Technologies, 5 (3 (85)), 16–24. doi: https:// doi.org/10.15587/1729-4061.2018.142664
- Liotta, G., Stecca, G., Kaihara, T. (2015). Optimisation of freight flows and sourcing in sustainable production and transportation networks. International Journal of Production Economics, 164, 351–365. doi: https://doi.org/10.1016/j.ijpe.2014.12.016
- Petraška, A., Čižiūnienė, K., Prentkovskis, O., Jarašūnienė, A. (2018). Methodology of Selection of Heavy and Oversized Freight Transportation System. Transport and Telecommunication Journal, 19 (1), 45–58. doi: https://doi.org/10.2478/ttj-2018-0005
- Bazaras, D., Batarlienė, N., Palšaitis, R., Petraška, A. (2013). Optimal road route selection criteria system for oversize goods transportation. The Baltic Journal of Road and Bridge Engineering, 8 (1), 19–24. doi: https://doi.org/10.3846/bjrbe.2013.03
- 15. Sidorchuk, O. V., Triguba, A. M., Panyura, Ya. Y., Sholud'ko, P. V. (2010). Features of situational management by the maintenance and the lead time of works in the integrated projects agrarian production. Eastern-European Journal of Enterprise Technologies, 1 (2 (43)), 46–48. Available at: http://journals.uran.ua/eejet/article/view/2507/2295
- Tryhuba, A. M., Rudynets, M. V. (2011). Coordination of work in integrated projects molocharstva. Eastern-European Journal of Enterprise Technologies, 1 (6 (49)), 13–16. Available at: http:// journals.uran.ua/eejet/article/view/2373/2175
- 17. Sydochuk, O. V., Tryhuba, A. M., Lub, P. M., Sharybura, A. O. (2016). Uzghodzhennia parametriv transportnykh zasobiv systemy tsentralizovanoi zahotivli silskohospodarskoi produktsiyi iz vyrobnychymy umovamy administratyvnoho raionu. Suchasni tekhnolohiyi v mashynobuduvanni ta transporti, 1 (5), 148–152.
- 18. Tryhuba, A., Zachko, O., Grabovets, V., Berladyn, O., Pavlova, I., Rudynets M. (2018). Examining the effect of production conditions at territorial logistic systems of milk harvesting on the parameters of a fleet of specialized road tanks. Eastern-European Journal of Enterprise Technologies, 5 (3 (95)), 59–70. doi: https://doi.org/ 10.15587/1729-4061.2018.142227
- Tryhuba, A., Ratushny, R., Bashynsky, O., Shcherbachenko, O. (2018). Identification of firefighting system configuration of rural settlements. MATEC Web of Conferences, 247, 00035. doi: https://doi. org/10.1051/matecconf/201824700035
- 20. Tryhuba, A. M., Sholudko, P. V., Sydorchuk, L. L., Boiarchuk, O. V. (2016). System-value principles of management of integrated programs of the milk production development based on modeling. Bulletin of NTU "KhPI". Series: Strategic Management, Portfolio, Program and Project Management, 2 (1174), 103–107. doi: https://doi.org/10.20998/2413-3000.2016.1174.23