

«

(-) (α-)

[2]; - () [3-8]. [1]; - ()

[4-5].

2...5 [4]

500°

1950 [3]. ()


[2, 6-8], 1970

[9]

(),
[5].

1947

[10].



. 1.

[5].

0,10 0,80%

0,2

[11]. ,

(±0,01°).

$$= \begin{pmatrix} 0.03234 & -0.43098 & 0.46331 \\ 0.32526 & -0.32526 & -0.32526 \\ 0.34646 & 0.19202 & 0.15444 \end{pmatrix} ;$$

$$= \begin{pmatrix} 0.00000 & -0.44802 & 0.44802 \\ 0.32526 & -0.32526 & -0.32526 \\ -0.34715 & 0.17357 & 0.17357 \end{pmatrix}$$

3,58°

(010) (010)

[12],

(200)

[5]:

(103) || (110) ; (010) || (111) .

200

±0,5° (. 1).

(. 2)

(. 2),
2 -

(111) || (010) ; (011) || (100) .

(100) (011) ;

(. . 5.2)

(011) || (011)

2±0, 3°.

3,58°.
(3,43°)

(2±0,3°)

($\pm 0,5^\circ$)
 [301] [101] .

[010] ,

[3].

[5],

1. Jack K.H. Structural transformation in the tempering of high-carbon martensitic steels. // J. Iron and Steel Inst. – 1951. Vol. 169–P. 26-36.
2. Ohmori Y., Davenport A.T., Honeycombe R.W.K. Tempering of a high carbon martensite. // Trans Jap. Inst. Metals, – 1972, Vol. 13.– P. 112-117.
3. . – 1950, – . 73. 6. – . 1161-1164. // .
4. Kurdumov G.V. Sachs G. Über das Mechanismus den Stahlhartung // Zeit. Phys. – 1930. – Vol. 64, – S. 325.
5. . – 1947, – . 17. – C. 835-838. // .
6. Shakleton D. N., Kelly P. M. Orientation relationships in pearlite and the form of the pearlite-austenite interface. // J. Iron and Steel Inst. – 1969, – Vol. 207, 12, – . 1253-1254.
7. Andrews K.W., Dyson D.N. An electron diffraction study of pearlite. // Iron and Steel. – 1967, – Vol. 40. 10. – . 40-45, . 93-98.
8. Pitsch W. Der Orientierungszusammenhang zwischen Zementit und Ferrit im Pearlit. // Acta Met. – 1962, – Vol. 10. – . 79-80 (errata, “Acta Met.”, – 1962, – Vol. 10, – P. 906).
9. Ohmori Y., Davenport A.T., Honeycombe R.W.K. Crystallography of pearlite. // Trans. Iron and Steel Inst. Japan. – 1972, Vol. 12, – . 128-137.
10. Cy . . // . – 1976. – . 42, . 5. – C. 965-970.
11. . . – .: . 1973. – 584 .
12. / , – .: . 1971. – 256 .
13. - .: . , 1984.– 831 .